



VER.DATE: 24/05/2017

# ΠΑΝΑΓΙΩΤΗΣ ΣΠ. ΔΗΜΟΥΛΑΣ – ΒΑΙΑ ΣΠ. ΔΗΜΟΥΛΑ Ε.Ε. ΔΗΜΟΥΛΑΣ ΑΥΤΟΜΑΤΙΣΜΟΙ

ΣΥΣΤΗΜΑΤΑ ΜΕΤΡΗΣΕΩΝ ΚΑΙ ΑΥΤΟΜΑΤΙΣΜΟΥ

ΚΡΗΤΗΣ 26 – 10439 ΑΘΗΝΑ ΤΗΛ: 210 8833337 ΦΑΞ: 210 8834436

SITE: [www.dimoulas.com.gr](http://www.dimoulas.com.gr)

Παρακαλούμε για επικαιροποιημένες τιμές ζητήστε το καινούριο τιμοκατάλογο ή προσφορά

## ΤΙΜΟΚΑΤΑΛΟΓΟΣ ΚΛΕΜΜΩΝ WAGO

ΣΕΙΡΕΣ 260 ΕΩΣ 264

ΤΑΞΙΝΟΜΗΣΗ ΑΝΑ ΔΙΑΤΟΜΗ -ΚΑΤΗΓΟΡΙΑ

ΟΙ ΤΙΜΕΣ ΕΙΝΑΙ ΛΙΑΝΙΚΗΣ ΚΑΙ ΔΕΝ ΠΕΡΙΛΑΜΒΑΝΟΥΝ ΦΠΑ.  
ΕΙΔΙΚΕΣ ΕΚΠΤΩΣΕΙΣ ΓΙΑ ΚΑΤΑΣΚΕΥΑΣΤΕΣ - ΗΛΕΚΤΡΟΛΟΓΟΥΣ

ΣΤΕΙΛΤΕ ΜΑΣ E-MAIL ΣΤΟ: [sales@dimoulas.com.gr](mailto:sales@dimoulas.com.gr)  
με τα στοιχεία σας για την αποστολή της προσφοράς

ΣΗΜΕΙΩΣΗ:


Σε περίπτωση οποιασδήποτε διαφοροποίησης των περιγραφών από αυτές του κατασκευαστή, υπερισχύουν πάντα οι περιγραφές του κατασκευαστή

ARTICLE NUMBER	DESCRIPTION_ENG	ΧΡΩΜΑ	ΑΡ. ΑΓΩΓΩΝ	ΚΑΤΗΓΟΡΙΑ	ΠΑΚ. ΚΙΝ.	PRICE 1 PC
----------------	-----------------	-------	------------	-----------	-----------	------------

### ΔΙΑΤΟΜΗ 1,5 mm<sup>2</sup>

ΚΑΤΗΓΟΡΙΑ: ΣΕΙΡΑ 260 - ΓΙΑ ΤΟΠΟΘΕΤΗΣΗ ΣΕ ΒΑΣΗ

0,11



260-102	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray	0,11	100	0,66
260-103	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray	0,11	100	0,93
260-104	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray	0,11	100	1,2
260-105	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray	0,11	100	1,49
260-106	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray	0,11	50	1,76
260-107	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray	0,11	50	2,03
260-108	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray	0,11	50	2,32
260-109	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray	0,11	50	2,58
260-110	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray	0,11	25	2,86
260-111	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray	0,11	25	3,14
260-112	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray	0,11	25	3,39
260-202	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray	0,11	100	0,99

ARTICLE NUMBER	DESCRIPTION_ENG	XPQMA	AP ΑΓΩ ΓΩΝ	KATH ΓΟΪΑ	PAC KIN C	PRICE 1 PC
260-203	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray			0,11	100	1,44
260-204	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray			0,11	100	1,85
260-205	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray			0,11	50	2,31
260-206	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray			0,11	50	2,74
260-207	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray			0,11	50	3,18
260-208	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray			0,11	50	3,62
260-209	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray			0,11	50	4,07
260-210	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray			0,11	25	4,49
260-211	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray			0,11	25	4,93
260-212	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray			0,11	25	5,37
260-301	2-C. MODULAR TERMINAL BLOCK WITH FIXING FLANGE 1.5MM, GR with fixing flange for screw or similar mounting types, gray			0,11	300	0,28
260-303	2-conductor terminal block with fixing flange for screw or similar mounting types, light gray			0,11	300	0,3
260-304	2-C. MODULAR TERMINAL BLOCK WITH FIXING FLANGE 1.5MM, BLU with fixing flange for screw or similar mounting types, blue			0,11	300	0,3
260-306	2-C. MODULAR TERMINAL BLOCK WITH FIXING FLANGE 1.5MM, OR with fixing flange for screw or similar mounting types, orange			0,11	300	0,28
260-307	2-C. MODULAR TERMINAL BLOCK WITH FIXING FLANGE 1.5MM, GR- with fixing flange for screw or similar mounting types, green-yellow			0,11	300	0,3
260-331	4-C. MODULAR TERMINAL BLOCK WITH FIXING FLANGE 1.5MM, GR with fixing flange for screw or similar mounting types, gray			0,11	300	0,4
260-333	4-C. MODULAR TERMINAL BLOCK WITH FIXING FLANGE 1.5MM, L-G with fixing flange for screw or similar mounting types, light gray			0,11	300	0,41
260-334	4-C. MODULAR TERMINAL BLOCK WITH FIXING FLANGE 1.5MM, BLU with fixing flange for screw or similar mounting types, blue			0,11	300	0,43
260-336	4-C. MODULAR TERMINAL BLOCK WITH FIXING FLANGE 1.5MM, OR with fixing flange for screw or similar mounting types, orange			0,11	300	0,4
260-337	4-C. MODULAR TERMINAL BLOCK WITH FIXING FLANGE 1.5MM, GR- with fixing flange for screw or similar mounting types, green-yellow			0,11	300	0,43
260-361	END PLATE WITH FIXING FLANGE with fixing flange, gray			0,11	300	0,06
260-410	2-conductor terminal strip with fixing flanges for screw or similar mounting types, multicoloured			0,11	25	6,43
260-420	2-conductor terminal strip with fixing flanges for screw or similar mounting types, multicoloured			0,11	25	13,22

ΚΑΤΗΓΟΡΙΑ: ΣΕΙΡΑ 260 - ΜΕ ΠΟΔΑΡΑΚΙΑ ΓΙΑ  
0,12 ΤΟΠΟΘΕΤΗΣΗ ΣΕ ΡΑΓΑ 210-154 Ή ΣΕ  
ΡΑΓΑ DIN35 ΜΕΣΩ ΑΔΑΡΤΟΡ (6η ΣΕΙΡΑ)




260-152	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray	0,12	100	0,66
260-153	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray	0,12	100	0,93
260-154	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray	0,12	100	1,2
260-155	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray	0,12	100	1,49
260-156	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray	0,12	50	1,76
260-157	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray	0,12	50	2,03
260-158	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray	0,12	50	2,32
260-159	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray	0,12	50	2,58
260-160	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray	0,12	25	2,86
260-161	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray	0,12	25	3,14
260-162	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray	0,12	25	3,39
260-252	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray	0,12	100	0,99
260-253	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray	0,12	100	1,44
260-254	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray	0,12	100	1,85
260-255	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray	0,12	100	2,31
260-256	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray	0,12	50	2,74
260-257	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray	0,12	50	3,18
260-258	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray	0,12	50	3,62
260-259	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray	0,12	25	4,07
260-260	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray	0,12	25	4,49
260-261	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray	0,12	25	4,93

ARTICLE NUMBER	DESCRIPTION_ENG	XPQMA	AP ΑΓΩ ΓΩΝ	KATH ΓΟΡΙΑ	PAC KIN C	PRICE 1 PC
260-262	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,12	25	5,37
260-311	2-C. MODULAR TERMINAL BLOCK WITH SNAP-IN MOUNTING FOOT with snap-in mounting foot for plate thickness 0.6 - 1.2 mm, gray			0,12	300	0,28
260-313	2-C. MODULAR TERMINAL BLOCK WITH SNAP-IN MOUNTING FOOT with snap-in mounting foot for plate thickness 0.6 - 1.2 mm, light gray			0,12	300	0,3
260-314	2-C. MODULAR TERMINAL BLOCK WITH SNAP-IN MOUNTING FOOT with snap-in mounting foot for plate thickness 0.6 - 1.2 mm, blue			0,12	300	0,29
260-316	2-C. MODULAR TERMINAL BLOCK WITH SNAP-IN MOUNTING FOOT with snap-in mounting foot for plate thickness 0.6 - 1.2 mm, orange			0,12	300	0,28
260-317	2-C. MODULAR TERMINAL BLOCK WITH SNAP-IN MOUNTING FOOT with snap-in mounting foot for plate thickness 0.6 - 1.2 mm			0,12	300	0,3
260-321	2-C. END MODULAR TERMINAL BLOCK WITH SNAP-IN MOUNTING FO without protruding snap-in for term. strips with snap-in, gray			0,12	300	0,28
260-341	4-conductor terminal block with snap-in mounting foot for plate thickness 0.6 - 1.2 mm, gray			0,12	300	0,4
260-343	4-conductor terminal block with snap-in mounting foot for plate thickness 0.6 - 1.2 mm, light gray			0,12	300	0,43
260-344	4-C. MODULAR TERMINAL BLOCK WITH SNAP-IN MOUNTING FOOT with snap-in mounting foot for plate thickness 0.6 - 1.2 mm, blue			0,12	300	0,43
260-346	4-C. MODULAR TERMINAL BLOCK WITH SNAP-IN MOUNTING FOOT with snap-in mounting foot for plate thickness 0.6 - 1.2 mm, orange			0,12	300	0,4
260-347	4-conductor terminal block with snap-in mounting foot for plate thickness 0.6 - 1.2 mm			0,12	300	0,43
260-351	4-C. END MODULAR TERMINAL BLOCK 1.5MM, GREY without protruding snap-in for term. strips with snap-in, gray			0,12	300	0,4
260-353	4-C. END MODULAR TERMINAL BLOCK 1.5MM, L-GREY without protruding snap-in for term. strips with snap-in, light gray			0,12	300	0,43
260-354	4-C. END MODULAR TERMINAL BLOCK 1.5MM, BLUE without protruding snap-in for term. strips with snap-in, blue			0,12	300	0,43
260-356	4-C. END MODULAR TERMINAL BLOCK 1.5MM, ORANGE without protruding snap-in for term. strips with snap-in, orange			0,12	300	0,4
260-357	4-C. END MODULAR TERMINAL BLOCK 1.5MM, GR-YEL without protruding snap-in for term. strips with snap-in, green-yellow			0,12	300	0,43
260-371	END PLATE WITH SNAP-IN MOUNTING FOOT with snap-in mounting foot, gray			0,12	300	0,06

**KATHΓΟΡΙΑ: ΣΕΙΡΑ 260 - ACCESSORIES**

0,13



260-402	Comb-style jumper bar insulated 2-way, gray			0,13	500	0,25
260-404	Test plug module with locking latches modular, gray			0,13	100	3,08
260-405	Test plug module with locking latches modular, gray			0,13	100	3,08

ΔΙΑΤΟΜΗ 2,5 mm<sup>2</sup>

ΚΑΤΗΓΟΡΙΑ: ΣΕΙΡΑ 261 - ΓΙΑ ΤΟΠΟΘΕΤΗΣΗ ΣΕ ΒΑΣΗ


0,21



ARTICLE NUMBER	DESCRIPTION_ENG	ΧΡΩΜΑ	ΑΡ ΑΓΩ ΕΞΩΤ	ΚΑΤΗ ΓΟΡΙΑ	PAC KIN C	PRICE 1 PC
261-102	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray				0,21 100	0,81
261-103	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray				0,21 100	1,15
261-104	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray				0,21 100	1,49
261-105	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray				0,21 200	1,84
261-106	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray				0,21 50	2,17
261-107	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray				0,21 50	2,51
261-108	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray				0,21 50	2,88
261-109	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray				0,21 50	3,2
261-110	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray				0,21 25	3,57
261-111	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray				0,21 25	3,9
261-112	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray				0,21 25	4,24
261-202	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray				0,21 100	1,25
261-203	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray				0,21 100	1,84
261-204	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray				0,21 100	2,42
261-205	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray				0,21 100	2,97
261-206	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray				0,21 50	3,57
261-207	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray				0,21 50	4,13
261-208	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray				0,21 50	4,71
261-209	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray				0,21 25	5,29
261-210	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray				0,21 25	5,81

ARTICLE NUMBER	DESCRIPTION_ENG	ΧΡΩΜΑ	ΑΡ ΑΓΩ ΓΩΝ	KATH ΓΟΡΙΑ	PAC KIN C	PRICE 1 PC
261-211	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray			0,21	25	6,41
261-212	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray			0,21	25	6,98
261-301	2-C. TERMINAL BLOCK WITH FIXING FLANGE 2.5MM, GREY with fixing flange for screw or similar mounting types, gray			0,21	200	0,34
261-303	2-conductor terminal block with fixing flange for screw or similar mounting types, light gray			0,21	200	0,35
261-304	2-C. TERMINAL BLOCK WITH FIXING FLANGE 2.5MM, BLUE with fixing flange for screw or similar mounting types, blue			0,21	200	0,35
261-306	2-C. TERMINAL BLOCK WITH FIXING FLANGE 2.5MM, ORANGE with fixing flange for screw or similar mounting types, orange			0,21	200	0,34
261-307	2-conductor terminal block with fixing flange for screw or similar mounting types, green-yellow			0,21	200	0,35
261-331	4-C. MODULAR TERMINAL BLOCK WITH FIXING FLANGE 2.5MM, GR with fixing flange for screw or similar mounting types, gray			0,21	200	0,57
261-333	4-C. MODULAR TERMINAL BLOCK WITH FIXING FLANGE 2.5MM, LG- with fixing flange for screw or similar mounting types, light gray			0,21	200	0,6
261-334	4-C. MODULAR TERMINAL BLOCK WITH FIXING FLANGE 2.5MM, BLU with fixing flange for screw or similar mounting types, blue			0,21	200	0,6
261-336	4-C. MODULAR TERMINAL BLOCK WITH FIXING FLANGE 2.5MM, OR with fixing flange for screw or similar mounting types, orange			0,21	200	0,57
261-337	4-C. MODULAR TERMINAL BLOCK WITH FIXING FLANGE 2.5MM, GR- with fixing flange for screw or similar mounting types, green-yellow			0,21	200	0,6
261-361	END PLATE WITH FIXING FLANGE with fixing flange, gray			0,21	300	0,06

**ΚΑΤΗΓΟΡΙΑ:** ΣΕΙΡΑ 261 - ΜΕ ΠΟΔΑΡΑΚΙΑ ΓΙΑ  
0,22 ΤΟΠΟΘΕΤΗΣΗ ΣΕ ΡΑΓΑ 210-154 Ή ΣΕ  
ΡΑΓΑ DIN35 ΜΕΣΩ ADAPTOR (6η ΣΕΙΡΑ)



261-152	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,22	100	0,81
261-153	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,22	100	1,15
261-154	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,22	100	1,49
261-155	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,22	100	1,84
261-156	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,22	50	2,17
261-157	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,22	50	2,51
261-158	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,22	50	2,88
261-159	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,22	50	3,2

ARTICLE NUMBER	DESCRIPTION_ENG	XPQMA	AP ΑΓΩ ΓΩΝ	KATH ΓΟΡΙΑ	PAC KIN C	PRICE 1 PC
261-160	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,22	25	3,57
261-161	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,22	25	3,9
261-162	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,22	25	4,24
261-252	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,22	100	1,25
261-252/000-006	4-L.KLEMME 2,5 QMM 2-POLIG BLAU			0,22	100	
261-253	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,22	100	1,84
261-254	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,22	50	2,42
261-255	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,22	100	2,97
261-256	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,22	50	3,57
261-257	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,22	50	4,13
261-258	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,22	50	4,71
261-259	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,22	50	5,29
261-260	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,22	25	5,81
261-260/000-006				0,22	25	
261-261	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,22	25	6,41
261-262	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,22	25	6,98
261-311	2-C. TERMINAL BLOCK WITH SNAP-IN MOUNTING FOOT 2.5MM, GR with snap-in mounting foot for plate thickness 0.6 - 1.2 mm, gray			0,22	200	0,34
261-313	2-C. MODULAR TERMINAL BLOCK WITH SNAP-IN MOUNTING FOOT with snap-in mounting foot for plate thickness 0.6 - 1.2 mm, light gray			0,22	200	0,35
261-314	2-C. MODULAR TERMINAL BLOCK WITH SNAP-IN MOUNTING FOOT with snap-in mounting foot for plate thickness 0.6 - 1.2 mm, blue			0,22	200	0,35
261-316	2-C. TERMINAL BLOCK WITH SNAP-IN MOUNTING FOOT 2.5MM, OR with snap-in mounting foot for plate thickness 0.6 - 1.2 mm, orange			0,22	200	0,34
261-317	2-C. MODULAR TERMINAL BLOCK WITH SNAP-IN MOUNTING FOOT with snap-in mounting foot for plate thickness 0.6 - 1.2 mm			0,22	200	0,35
261-321	Space-saving, 2-conductor end tb without protruding snap-in for term. strips with snap-in, gray			0,22	200	0,34
261-323	Space-saving, 2-conductor end tb without protruding snap-in for term. strips with snap-in, light gray			0,22	200	0,35
261-324	Space-saving, 2-conductor end tb without protruding snap-in for term. strips with snap-in, blue			0,22	200	0,35
261-326	Space-saving, 2-conductor end tb without protruding snap-in for term. strips with snap-in, orange			0,22	200	0,33
261-327	Space-saving, 2-conductor end tb without protruding snap-in for term. strips with snap-in, green-yellow			0,22	200	0,35

ARTICLE NUMBER	DESCRIPTION_ENG	ΧΡΩΜΑ	ΑΡ ΑΓΩ ΓΩΝ	KATH ΓΟΡΙΑ	PAC KIN G	PRICE 1 PC
261-341	4-C. MODULAR TERMINAL BLOCK WITH SNAP-IN MOUNTING FOOT with snap-in mounting foot for plate thickness 0.6 - 1.2 mm, gray			0,22	200	0,57
261-343	4-conductor terminal block with snap-in mounting foot for plate thickness 0.6 - 1.2 mm, light gray			0,22	200	0,6
261-344	4-C. MODULAR TERMINAL BLOCK WITH SNAP-IN MOUNTING FOOT with snap-in mounting foot for plate thickness 0.6 - 1.2 mm, blue			0,22	200	0,6
261-346	4-conductor terminal block with snap-in mounting foot for plate thickness 0.6 - 1.2 mm, orange			0,22	200	0,57
261-347	4-C. MODULAR TERMINAL BLOCK WITH SNAP-IN MOUNTING FOOT with snap-in mounting foot for plate thickness 0.6 - 1.2 mm			0,22	200	0,6
261-351	Space-saving, 4-conductor end tb without protruding snap-in for term. strips with snap-in, gray			0,22	200	0,57
261-353	Space-saving, 4-conductor end tb without protruding snap-in for term. strips with snap-in, light gray			0,22	200	0,6
261-354	4-C. END MODULAR TERMINAL BLOCK 2.5MM, BLUE without protruding snap-in for term. strips with snap-in, blue			0,22	200	0,6
261-356	Space-saving, 4-conductor end tb without protruding snap-in for term. strips with snap-in, orange			0,22	200	0,57
261-357	4-C. END MODULAR TERMINAL BLOCK 2.5MM, GR-YEL without protruding snap-in for term. strips with snap-in, green-yellow			0,22	200	0,6
261-371	END PLATE WITH SNAP-IN MOUNTING FOOT with snap-in mounting foot, gray			0,22	300	0,06

**ΚΑΤΗΓΟΡΙΑ:** ΣΕΙΡΑ 261 - ΜΕ ΕΝΑ ΜΠΟΥΤΟΝ, ΓΙΑ  
ΤΟΠΟΘΕΤΗΣΗ ΣΕ ΒΑΣΗ


0,23



261-102/331-000	2-conductor terminal strip with push-buttons on one side with fixing flanges, gray			0,23	100	0,86
261-103/331-000	2-conductor terminal strip with push-buttons on one side with fixing flanges, gray			0,23	100	1,22
261-104/331-000	2-conductor terminal strip with push-buttons on one side with fixing flanges, gray			0,23	100	1,6
261-105/331-000	2-conductor terminal strip with push-buttons on one side with fixing flanges, gray			0,23	200	1,98
261-106/331-000	2-conductor terminal strip with push-buttons on one side with fixing flanges, gray			0,23	50	2,34
261-107/331-000	2-conductor terminal strip with push-buttons on one side with fixing flanges, gray			0,23	50	2,71
261-108/331-000	2-conductor terminal strip with push-buttons on one side with fixing flanges, gray			0,23	50	3,07
261-109/331-000	2-conductor terminal strip with push-buttons on one side with fixing flanges, gray			0,23	50	3,44
261-110/331-000	2-conductor terminal strip with push-buttons on one side with fixing flanges, gray			0,23	25	3,82
261-111/331-000	2-conductor terminal strip with push-buttons on one side with fixing flanges, gray			0,23	25	4,18



ARTICLE NUMBER	DESCRIPTION_ENG	XPQMA	AP AΓΩ ΓΩΝ	KATH ΓΟΡΙΑ	PAC KIN C	PRICE 1 PC
261-112/331-000	2-conductor terminal strip with push-buttons on one side with fixing flanges, gray			0,23	25	4,54
261-156/331-000	2-conductor terminal strip			0,23	50	2,33
261-158/331-000	2-conductor terminal strip			0,23	50	3,07
261-159/331-000	2-conductor terminal strip			0,23	50	3,43
261-202/332-000	4-conductor terminal strip with push-buttons on one side with fixing flanges, gray			0,23	100	1,38
261-203/332-000	4-conductor terminal strip with push-buttons on one side with fixing flanges, gray			0,23	100	2
261-204/332-000	4-conductor terminal strip with push-buttons on one side with fixing flanges, gray			0,23	100	2,61
261-205/332-000	4-conductor terminal strip with push-buttons on one side with fixing flanges, gray			0,23	100	3,26
261-206/332-000	4-conductor terminal strip with push-buttons on one side with fixing flanges, gray			0,23	50	3,87
261-207/332-000	4-conductor terminal strip with push-buttons on one side with fixing flanges, gray			0,23	50	4,5
261-208/332-000	4-conductor terminal strip with push-buttons on one side with fixing flanges, gray			0,23	50	5,13
261-209/332-000	4-conductor terminal strip			0,23	50	5,76
261-210/332-000	4-conductor terminal strip with push-buttons on one side with fixing flanges, gray			0,23	50	6,37
261-211/332-000	4-conductor terminal strip			0,23	25	7,01
261-212/332-000	4-conductor terminal strip with push-buttons on one side with fixing flanges, gray			0,23	25	7,63
261-257/332-000	4-conductor terminal strip			0,23	50	4,52
261-258/332-000	4-conductor terminal strip			0,23	50	5,13
261-259/332-000	4-conductor terminal strip			0,23	50	5,78
261-261/332-000	4-conductor terminal strip			0,23	100	7,01
261-262/332-000	4-conductor terminal strip			0,23	100	7,63
261-301/331-000	2-conductor terminal block with push-buttons on one side with fixing flange, gray			0,23	200	0,35
261-303/331-000	2-conductor terminal block with push-buttons on one side with fixing flange, light gray			0,23	200	0,37
261-304/331-000	2-conductor terminal block with push-buttons on one side with fixing flange, blue			0,23	200	0,37
261-306/331-000	2-conductor terminal block with push-buttons on one side with fixing flange, orange			0,23	200	0,35
261-307/331-000	2-conductor terminal block with push-buttons on one side with fixing flange, green-yellow			0,23	200	0,37
261-331/332-000	4-conductor terminal strip with push-buttons on one side with fixing flange, gray			0,23	200	0,63

ARTICLE NUMBER	DESCRIPTION_ENG	ΧΡΩΜΑ	ΑΡ ΑΓΩ ΓΩΝ	ΚΑΤΗ ΓΟΡΙΑ	ΠΑΚ ΚΙΝ Σ	PRICE 1 PC
261-333/332-000	4-conductor terminal strip with push-buttons on one side with fixing flange, light gray			0,23	200	0,66
261-334/332-000	4-conductor terminal strip with push-buttons on one side with fixing flange, blue			0,23	200	0,66
261-336/332-000	4-conductor terminal strip with push-buttons on one side with fixing flange, orange			0,23	200	0,63
261-337/332-000	4-conductor terminal strip with push-buttons on one side with fixing flange, green-yellow			0,23	200	0,66
<p><b>ΚΑΤΗΓΟΡΙΑ:</b> ΣΕΙΡΑ 261 - ΜΕ ΕΝΑ ΜΠΟΥΤΟΝ, ΜΕ ΠΟΔΑΡΑΚΙΑ ΓΙΑ ΤΟΠΟΘΕΤΗΣΗ ΣΕ ΡΑΓΑ 210-154 Ή ΣΕ ΡΑΓΑ DIN35 ΜΕΣΩ ADAPTOR</p> <p>0,24</p>						
						
261-152/331-000	2-conductor terminal strip with push-buttons on one side with snap-in mounting feet, gray			0,24	100	0,86
261-153/331-000	2-conductor terminal strip with push-buttons on one side with snap-in mounting feet, gray			0,24	100	1,22
261-154/331-000	2-conductor terminal strip with push-buttons on one side with snap-in mounting feet, gray			0,24	100	1,6
261-155/331-000	2-conductor terminal strip with push-buttons on one side with snap-in mounting feet, gray			0,24	100	1,99
261-157/331-000	2-conductor terminal strip with push-buttons on one side with snap-in mounting feet, gray			0,24	50	2,71
261-160/331-000	2-conductor terminal strip with push-buttons on one side with snap-in mounting feet, gray			0,24	25	3,82
261-161/331-000	2-conductor terminal strip with push-buttons on one side with snap-in mounting feet, gray			0,24	25	4,18
261-162/331-000	2-conductor terminal strip with push-buttons on one side with snap-in mounting feet, gray			0,24	25	4,54
261-252/332-000	4-conductor terminal strip with push-buttons on one side with snap-in mounting feet, gray			0,24	100	1,38
261-253/332-000	4-conductor terminal strip with push-buttons on one side with snap-in mounting feet, gray			0,24	100	2
261-254/332-000	4-conductor terminal strip with push-buttons on one side with snap-in mounting feet, gray			0,24	100	2,61
261-255/332-000	4-conductor terminal strip with push-buttons on one side with snap-in mounting feet, gray			0,24	100	3,03
261-256/332-000	4-conductor terminal strip with push-buttons on one side with snap-in mounting feet, gray			0,24	50	3,87
261-260/332-000	4-conductor terminal strip with push-buttons on one side with snap-in mounting feet, gray			0,24	25	6,37
261-311/331-000	2 COND. TERM. BL. WITH PUSH BTONS ON			0,24	200	0,35
261-313/331-000	2-conductor terminal block with push-buttons on one side with snap-in mounting foot, light gray			0,24	200	0,37
261-314/331-000	2-conductor terminal block with push-buttons on one side with snap-in mounting foot, blue			0,24	200	0,37

ARTICLE NUMBER	DESCRIPTION_ENG	ΧΡΩΜΑ	ΑΡ ΑΓΩ ΓΩΝ	ΚΑΤΗ ΓΟΡΙΑ	ΠΑΚ ΚΙΝ Σ	PRICE 1 PC
261-316/331-000	2-conductor terminal block with push-buttons on one side with snap-in mounting foot, orange			0,24	200	0,35
261-317/331-000	2-conductor terminal block with push-buttons on one side with snap-in mounting foot, green-yellow			0,24	200	0,37
261-321/331-000	Space-saving, 2-conductor end tb with push-buttons on one side without protruding snap-in, gray			0,24	200	0,35
261-323/331-000	Space-saving, 2-conductor end tb with push-buttons on one side without protruding snap-in, light gray			0,24	200	0,37
261-324/331-000	Space-saving, 2-conductor end tb with push-buttons on one side without protruding snap-in, blue			0,24	200	0,37
261-326/331-000	Space-saving, 2-conductor end tb with push-buttons on one side without protruding snap-in, orange			0,24	200	0,35
261-327/331-000	Space-saving, 2-conductor end tb with push-buttons on one side without protruding snap-in, green-yellow			0,24	200	0,37
261-341/332-000	4-conductor terminal strip with push-buttons on one side with snap-in mounting foot, gray			0,24	200	0,63
261-343/332-000	4-conductor terminal strip with push-buttons on one side with snap-in mounting foot, light gray			0,24	200	0,66
261-344/332-000	4-conductor terminal strip with push-buttons on one side with snap-in mounting foot, blue			0,24	200	0,66
261-346/332-000	4-conductor terminal strip with push-buttons on one side with snap-in mounting foot, orange			0,24	200	0,63
261-347/332-000	4-conductor terminal strip with push-buttons on one side with snap-in mounting foot, green-yellow			0,24	200	0,66
261-351/332-000	4-conductor terminal strip with push-buttons on one side without protruding snap-in, gray			0,24	200	0,63
261-353/332-000	4-conductor terminal strip with push-buttons on one side without protruding snap-in, light gray			0,24	200	0,66
261-354/332-000	4-conductor terminal strip with push-buttons on one side without protruding snap-in, blue			0,24	200	0,66
261-356/332-000	4-conductor terminal strip with push-buttons on one side without protruding snap-in, orange			0,24	200	0,63
261-357/332-000	4-conductor terminal strip with push-buttons on one side without protruding snap-in, green-yellow			0,24	200	0,66

ΚΑΤΗΓΟΡΙΑ: ΣΕΙΡΑ 261 - ΜΕ ΔΥΟ ΜΠΟΥΤΟΝ, ΓΙΑ  
ΤΟΠΟΘΕΤΗΣΗ ΣΕ ΒΑΣΗ

0,25



261-102/341-000	2-conductor terminal strip with push-buttons on both sides with fixing flanges, gray			0,25	100	0,9
261-103/341-000	2-conductor terminal strip with push-buttons on both sides with fixing flanges, gray			0,25	100	1,3
261-104/341-000	2-conductor terminal strip with push-buttons on both sides with fixing flanges, gray			0,25	50	1,7
261-105/341-000	2-conductor terminal strip with push-buttons on both sides with fixing flanges, gray			0,25	100	2,12

ARTICLE NUMBER	DESCRIPTION_ENG	XPΩMA	AP AΓΩ ΓΩΝ	KATH ΓΟΪΑ	PAC KIN C	PRICE 1 PC
261-106/341-000	2-conductor terminal strip with push-buttons on both sides with fixing flanges, gray			0,25	25	2,5
261-107/341-000	2-conductor terminal strip with push-buttons on both sides with fixing flanges, gray			0,25	50	2,9
261-108/341-000	2-conductor terminal strip with push-buttons on both sides with fixing flanges, gray			0,25	50	3,29
261-109/341-000	2-conductor terminal strip with push-buttons on both sides with fixing flanges, gray			0,25	100	3,68
261-110/341-000	2-conductor terminal strip with push-buttons on both sides with fixing flanges, gray			0,25	25	4,1
261-111/341-000	2-conductor terminal strip with push-buttons on both sides with fixing flanges, gray			0,25	25	4,48
261-112/341-000	2-conductor terminal strip with push-buttons on both sides with fixing flanges, gray			0,25	25	4,86
261-159/341-000	2-conductor terminal strip			0,25	50	3,68
261-161/341-000	2-conductor terminal strip			0,25	25	4,47
261-202/342-000	4-conductor terminal strip with push-buttons on both sides with fixing flanges, gray			0,25	100	1,48
261-203/342-000	4-conductor terminal strip with push-buttons on both sides with fixing flanges, gray			0,25	100	2,15
261-204/342-000	4-conductor terminal strip with push-buttons on both sides with fixing flanges, gray			0,25	100	2,82
261-205/342-000	4-conductor terminal strip with push-buttons on both sides with fixing flanges, gray			0,25	100	3,52
261-206/342-000	4-conductor terminal strip with push-buttons on both sides with fixing flanges, gray			0,25	50	4,18
261-207/342-000	4-conductor terminal strip with push-buttons on both sides with fixing flanges, gray			0,25	50	4,86
261-208/342-000	4-conductor terminal strip with push-buttons on both sides with fixing flanges, gray			0,25	50	5,57
261-209/342-000	4-conductor terminal strip with push-buttons on both sides with fixing flanges, gray			0,25	50	6,23
261-210/342-000	4-conductor terminal strip with push-buttons on both sides with fixing flanges, gray			0,25	25	6,92
261-211/342-000	4-conductor terminal strip with push-buttons on both sides with fixing flanges, gray			0,25	25	7,58
261-212/342-000	4-conductor terminal strip with push-buttons on both sides with fixing flanges, gray			0,25	50	8,28
261-253/342-000	4-conductor terminal strip			0,25	100	2,16
261-259/342-000	4-conductor terminal strip			0,25	50	6,27
261-260/342-000	4-conductor terminal strip			0,25	25	6,93
261-301/341-000	2-conductor terminal block with push-buttons on both sides with fixing flange, gray			0,25	200	0,37
261-303/341-000	2-conductor terminal block with push-buttons on both sides with fixing flange, light gray			0,25	200	0,39
261-304/341-000	2-conductor terminal block with push-buttons on both sides with fixing flange, blue			0,25	200	0,39

ARTICLE NUMBER	DESCRIPTION_ENG	ΧΡΩΜΑ	ΑΡ ΑΓΩ ΓΩΝ	ΚΑΘ ΓΟΡΙΑ	ΠΑΚ ΚΙΝ Σ	PRICE 1 PC
261-306/341-000	2-conductor terminal block with push-buttons on both sides with fixing flange, orange			0,25	200	0,37
261-307/341-000	2-conductor terminal block with push-buttons on both sides with fixing flange, green-yellow			0,25	200	0,39
261-331/342-000	4-conductor terminal strip with push-buttons on both sides with fixing flange, gray			0,25	200	0,68
261-333/342-000	4-conductor terminal strip with push-buttons on both sides with fixing flange, light gray			0,25	200	0,71
261-334/342-000	4-conductor terminal strip with push-buttons on both sides with fixing flange, blue			0,25	200	0,71
261-336/342-000	4-conductor terminal strip with push-buttons on both sides with fixing flange, orange			0,25	200	0,68
261-337/342-000	4-conductor terminal strip with push-buttons on both sides with fixing flange, green-yellow			0,25	200	0,71

ΚΑΤΗΓΟΡΙΑ: ΣΕΙΡΑ 261 - ΜΕ ΔΥΟ ΜΠΟΥΤΟΝ, ΜΕ  
ΠΟΔΑΡΑΚΙΑ ΓΙΑ ΤΟΠΟΘΕΤΗΣΗ ΣΕ ΡΑΓΑ  
210-154 Ή ΣΕ ΡΑΓΑ DIN35 ΜΕΣΩ  
ADAPTOR

0,26




261-152/341-000	2-conductor terminal strip with push-buttons on both sides with snap-in mounting feet, gray			0,26	100	0,9
261-153/341-000	2-conductor terminal strip with push-buttons on both sides with snap-in mounting feet, gray			0,26	100	1,3
261-154/341-000	2-conductor terminal strip with push-buttons on both sides with snap-in mounting feet, gray			0,26	50	1,7
261-155/341-000	2-conductor terminal strip with push-buttons on both sides with snap-in mounting feet, gray			0,26	100	2,12
261-156/341-000	2-conductor terminal strip with push-buttons on both sides with snap-in mounting feet, gray			0,26	100	2,5
261-157/341-000	2-conductor terminal strip with push-buttons on both sides with snap-in mounting feet, gray			0,26	50	2,89
261-158/341-000	2-conductor terminal strip with push-buttons on both sides with snap-in mounting feet, gray			0,26	50	3,3
261-160/341-000	2-conductor terminal strip with push-buttons on both sides with snap-in mounting feet, gray			0,26	25	4,1
261-162/341-000	2-conductor terminal strip with push-buttons on both sides with snap-in mounting feet, gray			0,26	100	4,86
261-252/342-000	4-conductor terminal strip with push-buttons on both sides with snap-in mounting feet, gray			0,26	100	1,48
261-254/342-000	4-conductor terminal strip with push-buttons on both sides with snap-in mounting feet, gray			0,26	100	2,82
261-255/342-000	4-conductor terminal strip with push-buttons on both sides with snap-in mounting feet, gray			0,26	100	3,52
261-256/342-000	4-conductor terminal strip with push-buttons on both sides with snap-in mounting feet, gray			0,26	50	4,18
261-257/342-000	4-conductor terminal strip with push-buttons on both sides with snap-in mounting feet, gray			0,26	50	4,65

ARTICLE NUMBER	DESCRIPTION_ENG	XPQMA	AP ΑΓΩ ΓΩΝ	ΚΑΘ ΓΟΡΙΑ	PAC KIN C	PRICE 1 PC
261-258/342-000	4-conductor terminal strip with push-buttons on both sides with snap-in mounting feet, gray			0,26	50	5,57
261-261/342-000	4-conductor terminal strip with push-buttons on both sides with snap-in mounting feet, gray			0,26	100	7,58
261-262/342-000	4-conductor terminal strip with push-buttons on both sides with snap-in mounting feet, gray			0,26	25	8,28
261-311/341-000	2-conductor terminal block with push-buttons on both sides with snap-in mounting foot, gray			0,26	200	0,37
261-313/341-000	2-conductor terminal block with push-buttons on both sides with snap-in mounting foot, light gray			0,26	200	0,39
261-314/341-000	2-conductor terminal block with push-buttons on both sides with snap-in mounting foot, blue			0,26	200	0,39
261-316/341-000	2-conductor terminal block with push-buttons on both sides with snap-in mounting foot, orange			0,26	200	0,37
261-317/341-000	2-conductor terminal block with push-buttons on both sides with snap-in mounting foot, green-yellow			0,26	200	0,39
261-321/341-000	Space-saving, 2-conductor end tb with push-buttons on both sides without protruding snap-in, gray			0,26	200	0,37
261-323/341-000	Space-saving, 2-conductor end tb with push-buttons on both sides without protruding snap-in, light gray			0,26	200	0,39
261-324/341-000	Space-saving, 2-conductor end tb with push-buttons on both sides without protruding snap-in, blue			0,26	200	0,39
261-326/341-000	Space-saving, 2-conductor end tb with push-buttons on both sides without protruding snap-in, orange			0,26	200	0,37
261-327/341-000	Space-saving, 2-conductor end tb with push-buttons on both sides without protruding snap-in, green-yellow			0,26	200	0,39
261-341/342-000	4-conductor terminal strip with push-buttons on both sides with snap-in mounting foot, gray			0,26	200	0,68
261-343/342-000	4-conductor terminal strip with push-buttons on both sides with snap-in mounting foot, light gray			0,26	200	0,71
261-344/342-000	4-conductor terminal strip with push-buttons on both sides with snap-in mounting foot, blue			0,26	200	0,71
261-346/342-000	4-conductor terminal strip with push-buttons on both sides with snap-in mounting foot, orange			0,26	200	0,68
261-347/342-000	4-conductor terminal strip with push-buttons on both sides with snap-in mounting foot, green-yellow			0,26	200	0,71
261-351/342-000	4-conductor terminal strip with push-buttons on both sides without protruding snap-in, gray			0,26	200	0,68
261-353/342-000	4-conductor terminal strip with push-buttons on both sides without protruding snap-in, light gray			0,26	200	0,71
261-354/342-000	4-conductor terminal strip with push-buttons on both sides without protruding snap-in, blue			0,26	200	0,71
261-356/342-000	4-conductor terminal strip with push-buttons on both sides without protruding snap-in, orange			0,26	200	0,68
261-357/342-000	4-conductor terminal strip with push-buttons on both sides without protruding snap-in, green-yellow			0,26	200	0,71

ΚΑΤΗΓΟΡΙΑ: ΣΕΙΡΑ 261 - ΜΕ/ΧΩΡΙΣ ΜΠΟΥΤΟΝ, ΜΕ  
MARKING SLOT ΓΙΑ ΤΟΠΟΘΕΤΗΣΗ ΣΕ  
ΒΑΣΗ

0,27




261-411	2-conductor terminal block with fixing flange for screw or similar mounting types, gray	0,27	200	0,34
261-411/331-000	2-conductor terminal block with push-buttons on one side with fixing flange, gray	0,27	200	0,35
261-411/341-000	2-conductor terminal block with push-buttons on both sides with fixing flange, gray	0,27	200	0,37
261-422	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray	0,27	100	0,81
261-422/331-000	2-conductor terminal strip with push-buttons on one side with fixing flanges, gray	0,27	100	0,86
261-422/341-000	2-conductor terminal strip with push-buttons on both sides with fixing flanges, gray	0,27	100	0,9
261-423	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray	0,27	100	1,15
261-423/331-000	2-conductor terminal strip with push-buttons on one side with fixing flanges, gray	0,27	100	1,22
261-423/341-000	2-conductor terminal strip with push-buttons on both sides with fixing flanges, gray	0,27	100	1,3
261-424	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray	0,27	100	1,49
261-424/331-000	2-conductor terminal strip with push-buttons on one side with fixing flanges, gray	0,27	50	1,6
261-424/341-000	2-conductor terminal strip with push-buttons on both sides with fixing flanges, gray	0,27	50	1,7
261-425	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray	0,27	50	1,84
261-425/331-000	2-conductor terminal strip with push-buttons on one side with fixing flanges, gray	0,27	50	1,98
261-425/341-000	2-conductor terminal strip with push-buttons on both sides with fixing flanges, gray	0,27	100	2,11
261-426	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray	0,27	50	2,17
261-426/331-000	2-conductor terminal strip with push-buttons on one side with fixing flanges, gray	0,27	50	2,34
261-426/341-000	2-conductor terminal strip with push-buttons on both sides with fixing flanges, gray	0,27	50	2,49
261-427	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray	0,27	50	2,51
261-427/331-000	2-conductor terminal strip with push-buttons on one side with fixing flanges, gray	0,27	50	2,71
261-427/341-000	2-conductor terminal strip with push-buttons on both sides with fixing flanges, gray	0,27	50	2,9

ARTICLE NUMBER	DESCRIPTION_ENG	ΧΡΩΜΑ	ΑΡ ΑΓΩ ΓΩΝ	ΚΑΤΗ ΓΟΡΙΑ	ΠΑΚ ΚΙΝ Σ	PRICE 1 PC
261-428	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray			0,27	50	2,88
261-428/331-000	2-conductor terminal strip with push-buttons on one side with fixing flanges, gray			0,27	50	3,07
261-428/341-000	2-conductor terminal strip with push-buttons on both sides with fixing flanges, gray			0,27	50	3,29
261-429	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray			0,27	50	3,2
261-429/331-000	2-conductor terminal strip with push-buttons on one side with fixing flanges, gray			0,27	50	3,44
261-429/341-000	2-conductor terminal strip with push-buttons on both sides with fixing flanges, gray			0,27	50	3,68
261-430	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray			0,27	25	3,57
261-430/331-000	2-conductor terminal strip with push-buttons on one side with fixing flanges, gray			0,27	25	3,82
261-430/341-000	2-conductor terminal strip with push-buttons on both sides with fixing flanges, gray			0,27	25	4,1
261-431	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray			0,27	25	3,9
261-431/331-000	2-conductor terminal strip with push-buttons on one side with fixing flanges, gray			0,27	25	4,18
261-431/341-000	MOD TERM STR 11-POS W/FF & PB 1-SIDE			0,27	25	
261-432	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray			0,27	25	4,24
261-432/331-000	2-conductor terminal strip with push-buttons on one side with fixing flanges, gray			0,27	25	4,54
261-432/341-000	2-conductor terminal strip with push-buttons on both sides with fixing flanges, gray			0,27	25	4,86

**ΚΑΤΗΓΟΡΙΑ: ΣΕΙΡΑ 261 - ACCESSORIES**

0,28




261-402	2-WAY COMB-TYPE JUMPER BAR INSULATED GREY insulated 2-way, gray			0,28	500	0,26
261-404	TEST ADAPTER 6MM WITH FIXING FLANGE MODULAR with locking latches modular, gray			0,28	100	3,08
261-405	TEST ADAPTER 10MM WITH FIXING FLANGE MODULAR with locking latches modular, gray			0,28	100	3,08
261-410	End plate with fixing flange, gray			0,28	300	0,06



ΚΑΤΗΓΟΡΙΑ: ΣΕΙΡΑ 264 - ΓΙΑ ΤΟΠΟΘΕΤΗΣΗ ΣΕ ΒΑΣΗ  
(3η ΣΕΙΡΑ)

0,31



ARTICLE NUMBER	DESCRIPTION_ENG	ΧΡΩΜΑ	ΑΡ ΑΓΩ ΓΩΝ	ΚΑΘ ΓΟΡΙΑ	PAC KIN C	PRICE 1 PC
264-102	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray				0,31 100	1,57
264-103	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray				0,31 100	2,18
264-104	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray				0,31 100	2,81
264-105	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray				0,31 100	3,44
264-105/000-006	2 CON EExi TERM STRP 5 P F/FLG BLUE				0,31 100	
264-106	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray				0,31 100	4,07
264-107	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray				0,31 100	4,69
264-108	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray				0,31 50	5,31
264-109	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray				0,31 50	5,94
264-110	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray				0,31 50	6,53
264-111	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray				0,31 50	7,17
264-112	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray				0,31 25	7,79
264-130	2-conductor Ex e II end tb with fixing flange for screw or similar mounting types, light gray				0,31 100	0,63
264-131	2-C. CENTER EX TERMINAL BLOCK 2.5MM, LG-GR requ. for term. strips, fix. flanges suitable for Ex e II applications				0,31 100	0,63
264-132	2-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray				0,31 100	1,62
264-133	2-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray				0,31 100	2,27
264-134	2-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray				0,31 100	2,91
264-135	2-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray				0,31 100	3,56
264-136	2-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray				0,31 100	4,17
264-137	2-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray				0,31 100	4,82
264-138	2-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray				0,31 50	5,44

ARTICLE NUMBER	DESCRIPTION_ENG	XPQMA	AP ΑΓΩ ΓΩΝ	KATH ΓΟΙΑ	PAC KIN C	PRICE 1 PC
264-139	2-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray			0,31	50	6,09
264-140	2-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray			0,31	50	6,74
264-141	2-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray			0,31	25	7,37
264-142	2-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray			0,31	25	8,03
264-202	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray			0,31	100	2,17
264-203	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray			0,31	100	3,09
264-204	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray			0,31	100	4,01
264-205	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray			0,31	50	4,92
264-206	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray			0,31	50	5,81
264-207	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray			0,31	50	6,75
264-208	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray			0,31	100	7,67
264-209	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray			0,31	50	8,59
264-210	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray			0,31	25	9,52
264-211	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray			0,31	25	10,42
264-212	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray			0,31	25	11,32
264-230	4-C. END TERMINAL BLOCK FOR Ex, WITH FIXING FLANGE 2.5MM2, with fixing flange for screw or similar mounting types, light gray			0,31	100	0,93
264-231	4-C. CENTER TERMINAL BLOCK FOR Ex 2.5MM, L-GREY requ. for term. strips, fix. flanges suitable for Ex e II applications			0,31	100	0,93
264-232	4-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray			0,31	100	2,26
264-233	4-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray			0,31	100	3,19
264-234	4-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray			0,31	100	4,14
264-235	4-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray			0,31	100	5,07
264-236	4-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray			0,31	50	6,01
264-237	4-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray			0,31	50	6,96
264-238	4-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray			0,31	50	7,9
264-239	4-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray			0,31	50	8,84
264-240	4-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray			0,31	50	9,8

ARTICLE NUMBER	DESCRIPTION_ENG	ΧΡΩΜΑ	ΑΡ ΑΓΩ ΓΩΝ	ΚΑΤΗ ΓΟΡΙΑ	ΡΑΦ ΚΙΝ C	PRICE 1 PC
264-241	4-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray			0,31	100	10,73
264-242	4-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray			0,31	25	11,68
264-301	2-conductor end terminal block with fixing flange for screw or similar mounting types, gray			0,31	100	0,61
264-304	2-C. END TERMINAL BLOCK WITH FIXING FLANG 2.5MM, BLUE with fixing flange for screw or similar mounting types, blue			0,31	100	0,64
264-306	2-conductor end terminal block with fixing flange for screw or similar mounting types, orange			0,31	100	0,61
264-307	2-C. END TERMINAL BLOCK WITH FLANGE 2.5MM, GR-YEL with fixing flange for screw or similar mounting types, green-yellow			0,31	100	0,64
264-321	ΚΛΕΜΜΑ 2 ΑΓΩΓΩΝ Φ2,5MM ΕΝΔΙΑΜΕΣΗ ΚΛΕΜΜΑ 2 ΑΓΩΓΩΝ ΜΕΤΩΠΙΚΗ ΓΚΡΙ			0,31	100	0,61
264-324	2-C. CENTER TERMINAL BLOCK 2.5MM, BLUE requ. for term. strips, fix. flanges suitable for Ex i applications			0,31	100	0,64
264-326	2-C. CENTER TERMINAL BLOCK 2.5MM, ORANGE requ. for term. strips, fix. flanges, orange			0,31	100	0,61
264-327	2-C. CENTER TERMINAL BLOCK WITH FIXING FLANG 2.5MM, GR-YE requ. for term. strips, fix. flanges, green-yellow			0,31	100	0,64
264-331	ΚΛΕΜΜΑ ΜΕ ΦΛΑΝΤΖΑ ΣΤΕΡΕΩΣΕΩΣ Φ2,5MM2 ΚΛΕΜΜΑ 4 ΑΓΩΓΩΝ ΜΕΤΩΠΙΚΗ ΓΚΡΙ			0,31	100	0,9
264-334	ΚΛΕΜΜΑ ΜΕ ΦΛΑΝΤΖΑ ΣΤΕΡΕΩΣΕΩΣ Φ2,5MM2 ΚΛΕΜΜΑ 4 ΑΓΩΓΩΝ ΜΕΤΩΠΙΚΗ ΜΠΛΕ			0,31	100	0,94
264-336	4-C. END TERMINAL BLOCK WITH FIXING FLANGE 2.5MM2, ORANGE with fixing flange for screw or similar mounting types, orange			0,31	100	0,9
264-337	4-C. END TERMINAL BLOCK WITH FIXING FLANGE 2.5MM2, GR-YEL with fixing flange for screw or similar mounting types, green-yellow			0,31	100	0,94
264-351	ΚΛΕΜΜΑ ΜΕΣΑΙΑ Φ2,5MM2 ΚΛΕΜΜΑ 4 ΑΓΩΓΩΝ ΜΕΤΩΠΙΚΗ ΓΚΡΙ			0,31	100	0,9
264-354	ΚΛΕΜΜΑ ΜΕΣΑΙΑ Φ2,5MM2 ΚΛΕΜΜΑ 4 ΑΓΩΓΩΝ ΜΕΤΩΠΙΚΗ ΜΠΛΕ			0,31	100	0,94
264-356	4-C. CENTER TERMINAL BLOCK 2.5MM, ORANGE requ. for term. strips, fix. flanges, orange			0,31	100	0,9
264-357	4-C. CENTER TERMINAL BLOCK 2.5MM, GR-YEL requ. for term. strips, fix. flanges, green-yellow			0,31	100	0,94
264-361	END PLATE WITH FIXING FLANGE, GREY with fixing flange 4 mm thick, gray			0,31	25	0,11
264-363	END PLATE WITH FIXING FLANGE, L.-GREY with fixing flange 4 mm thick, light gray			0,31	25	0,11
264-364	END PLATE WITH FIXING FLANGE, ORANGE with fixing flange 4 mm thick, orange			0,31	25	0,11

ΚΑΤΗΓΟΡΙΑ: ΣΕΙΡΑ 264 - ΜΕ ΠΟΔΑΡΑΚΙΑ ΓΙΑ  
0,32 ΤΟΠΟΘΕΤΗΣΗ ΣΕ ΡΑΓΑ 210-154 Ή ΣΕ  
ΡΑΓΑ DIN35 ΜΕΣΩ ADAPTOR (4η & 5η  
ΣΕΙΡΑ)




ARTICLE NUMBER	DESCRIPTION_ENG	ΧΡΩΜΑ	ΑΡ ΑΓΩ ΓΩΝ	KATH ΓΟΙΑ	PAC KIN C	PRICE 1 PC
264-152	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,32	100	1,57
264-153	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,32	100	2,18
264-154	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,32	100	2,81
264-155	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,32	100	3,44
264-156	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,32	50	4,07
264-157	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,32	50	4,69
264-158	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,32	50	5,31
264-159	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,32	50	5,94
264-160	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,32	25	6,53
264-161	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,32	25	7,17
264-162	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,32	25	7,79
264-180	2-C. CENTER EX TERMINAL BLOCK WITH SNAP-IN MOUNTING FOOT with snap-in mounting foot for plate thickness 0.6 - 1.2 mm, light gray			0,32	100	0,63
264-182	2-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,32	100	1,62
264-183	2-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,32	100	2,27
264-184	2-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,32	100	2,91
264-185	2-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,32	100	3,56
264-186	2-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,32	50	4,17
264-187	2-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,32	50	4,82
264-188	2-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,32	50	5,44
264-189	2-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,32	50	6,09
264-190	2-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,32	25	6,74
264-191	2-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,32	25	7,37
264-192	2-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,32	25	8,03
264-252	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,32	100	2,17
264-253	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,32	100	3,09
264-254	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,32	50	4,01

ARTICLE NUMBER	DESCRIPTION_ENG	ΧΡΩΜΑ	ΑΡ ΑΓΩ ΓΩΝ	ΚΑΘ ΓΟΡΙΑ	ΡΑΚ ΚΙΝ Σ	PRICE 1 PC
264-255	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,32	100	4,92
264-256	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,32	50	5,81
264-257	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,32	50	6,75
264-258	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,32	50	7,67
264-259	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,32	50	8,59
264-260	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,32	25	9,52
264-261	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,32	25	10,42
264-262	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,32	25	11,32
264-280	4-conductor Ex e II terminal block with snap-in mounting foot for plate thickness 0.6 - 1.2 mm, light gray			0,32	100	0,93
264-282	4-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,32	100	2,26
264-283	4-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,32	100	3,19
264-284	4-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,32	100	4,14
264-285	4-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,32	100	5,07
264-286	4-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,32	100	6,01
264-287	4-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,32	50	6,96
264-288	4-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,32	50	7,9
264-289	4-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,32	50	8,84
264-290	4-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,32	25	9,8
264-291	4-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,32	25	10,73
264-292	4-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,32	25	11,68
264-311	ΚΛΕΜΜΑ ΜΕΣΑΙΑ ΜΕ ΠΟΔΙ ΣΤΕΡΕΩΣΕΩΣ.Φ2,5MM ΚΛΕΜΜΑ 2 ΑΓΩΓΩΝ ΜΕΤΩΠΙΚΗ ΓΚΡΙ			0,32	100	0,61
264-314	ΚΛΕΜΜΑ ΜΕΣΑΙΑ ΜΕ ΠΟΔΙ ΣΤΕΡΕΩΣΕΩΣ.Φ2,5MM ΚΛΕΜΜΑ 2 ΑΓΩΓΩΝ ΜΕΤΩΠΙΚΗ ΜΠΛΕ			0,32	100	0,64
264-316	ΚΛΕΜΜΑ ΜΕΣΑΙΑ ΜΕ ΠΟΔΙ ΣΤΕΡΕΩΣΕΩΣ.Φ2,5MM ΚΛΕΜΜΑ 2 ΑΓΩΓΩΝ ΜΕΤΩΠΙΚΗ ΠΟΡΤΟΚΑΛΙ			0,32	100	0,61
264-317	2-C. CENTER EARTH TERMINAL BLOCK WITH SNAP-IN MOUNTING F with snap-in mounting foot for plate thickness 0.6 - 1.2 mm			0,32	100	0,64
264-341	ΚΛΕΜΜΑ ΜΕ ΠΟΔΙ ΣΤΕΡΕΩΣΕΩΣ Φ2,5MM2 ΚΛΕΜΜΑ 4 ΑΓΩΓΩΝ ΜΕΤΩΠΙΚΗ ΓΚΡΙ			0,32	100	0,9
264-344	ΚΛΕΜΜΑ ΜΕ ΠΟΔΙ ΣΤΕΡΕΩΣΕΩΣ Φ2,5MM2 ΚΛΕΜΜΑ 4 ΑΓΩΓΩΝ ΜΕΤΩΠΙΚΗ ΜΠΛΕ			0,32	100	0,94

ARTICLE NUMBER	DESCRIPTION_ENG	ΧΡΩΜΑ	ΑΡ ΑΓΩ ΓΩΝ	ΚΑΤΗ ΓΟΡΙΑ	ΠΑΚ ΚΙΝ Σ	PRICE 1 PC
264-346	4-C. CENTER TERMINAL BLOCK WITH SNAP-IN MOUNTING FOOT 2. with snap-in mounting foot for plate thickness 0.6 - 1.2 mm, orange			0,32	100	0,9
264-347	4-C. CENTER EARTH TERMINAL BLOCK WITH SNAP-IN MOUNTING FOOT with snap-in mounting foot for plate thickness 0.6 - 1.2 mm			0,32	100	0,94
264-371	END PLATE (FOR 264-31x/34x) GREY for tbs with snap-in mounting foot 4 mm thick, gray			0,32	25	0,11
264-373	End plate for tbs with snap-in mounting foot 4 mm thick, light gray			0,32	25	0,11
264-374	End plate for tbs with snap-in mounting foot 4 mm thick, orange			0,32	25	0,11

ΚΑΤΗΓΟΡΙΑ: ΣΕΙΡΑ 264 - ΓΙΑ ΤΟΠΟΘΕΤΗΣΗ ΣΕ ΡΑΓΑ  
DIN35 (5η ΣΕΙΡΑ)  
0,33



264-125	2-C. FRONT ENTRY EX MINIATURE THROUGH TERMINAL BLOCK TS 3 suitable for Ex e II applications, light gray			0,33	100	0,65
264-225	4-conductor Ex e II mini. through tb suitable for Ex e II applications, light gray			0,33	100	0,97
264-711	2-C. FRONT ENTRY MINIATURE THROUGH TERMINAL BLOCK FOR DI gray			0,33	100	0,64
264-714	2-C. FRONT ENTRY MINIATURE THROUGH TERMINAL BLOCK FOR DI suitable for Ex i applications, blue			0,33	100	0,66
264-716	ΚΛΕΜΜΑ 2 ΑΓΩΓΩΝ Φ2,5MM, ΠΟΡΤΟΚ.			0,33	100	0,64
264-731	ΚΛΕΜΜΑ ΡΑΓΑΣ ΔΙΕΛΕΥΣΕΩΣ Φ2,5MM2 TS35 ΚΛΕΜΜΑ 4 ΑΓΩΓΩΝ ΓΚΡΙ			0,33	100	0,94
264-734	ΚΛΕΜΜΑ ΡΑΓΑΣ ΔΙΕΛΕΥΣΕΩΣ Φ2,5MM2 TS35 ΚΛΕΜΜΑ 4 ΑΓΩΓΩΝ ΜΠΛΕ			0,33	100	1
264-736	4-C. FRONT ENTRY MINIATURE THROUGH TERMINAL BLOCK 2.5MM orange			0,33	100	0,94
264-737	ΚΛΕΜΜΑ ΡΑΓΑΣ ΓΕΙΩΣΕΩΣ ΔΙΠΛΗ ΜΕΤΩΠΙΚΗ			0,33	100	1,76
264-737/999-950	4-conductor miniature ground tb suitable for Ex e II applications, green-yellow			0,33	100	1,8

ΚΑΤΗΓΟΡΙΑ: ΣΕΙΡΑ 264 - ΓΙΑ ΤΟΠΟΘΕΤΗΣΗ ΣΕ ΡΑΓΑ  
DIN15 (2η ΣΕΙΡΑ)  
0,34




264-120	2-C. FRONT ENTRY EX MINIATURE THROUGH TERMINAL BLOCK TS 1 suitable for Ex e II applications, light gray			0,34	100	0,65
264-220	4-conductor Ex e II mini. through tb suitable for Ex e II applications, light gray			0,34	100	0,97

ARTICLE NUMBER	DESCRIPTION_ENG	ΧΡΩΜΑ	ΑΡ ΑΓΩ ΓΩΝ	ΚΑΤΗ ΓΟΡΙΑ	ΠΑΚ ΚΙΝ Σ	PRICE 1 PC
264-701	ΚΛΕΜΜΑ 2 ΑΓΩΓΩΝ ΓΙΑ TS15 Φ2,5MM, ΓΚΡΙ				0,34 100	0,63
264-704	2-C. FRONT ENTRY MINIATURE THROUGH TERMINAL BLOCK FOR DI suitable for Ex i applications, blue				0,34 100	0,66
264-706	2-C. FRONT ENTRY MINIATURE THROUGH TERMINAL BLOCK FOR DI orange				0,34 100	0,63
264-721	ΚΛΕΜΜΑ 4 ΑΓΩΓΩΝ ΓΙΑ TS15 Φ2,5MM, ΓΚΡΙ				0,34 100	0,94
264-724	4-C. FRONT ENTRY MINIATURE THROUGH TERMINAL BLOCK FOR DI suitable for Ex i applications, blue				0,34 100	0,99
264-726	4-C. FRONT ENTRY THROUGH TERMINAL BLOCK FOR DIN15 RAIL 2. orange				0,34 100	0,94
264-727	ΚΛΕΜΜΑ 2 ΑΓ.Φ2,5MM ΓΕΙΩΣΕΩΣ ΓΙΑ TS15				0,34 100	1,6
264-727/999-950	4-conductor miniature ground tb suitable for Ex e II applications, green-yellow				0,34 100	1,63

**ΚΑΤΗΓΟΡΙΑ: ΣΕΙΡΑ 264 - ACCESSORIES**

0,343



264-367	Separator for Ex e/Ex i applications 4 mm thick 66 mm wide, orange				0,343 100	0,29
264-368	END PLATE TS 15, GREY 4 mm thick, gray				0,343 25	0,11
264-369	END PLATE (FOR 264-7xx) TS 15, ORANGE 4 mm thick, orange				0,343 25	0,11
264-370	End and intermediate plate 4 mm thick, light gray				0,343 25	0,11
264-402	COMP-TYPE JUMPER BAR INSULATED 2-P insulated 2-way, gray				0,343 200	0,28

ΔΙΑΤΟΜΗ 4 mm<sup>2</sup>

ΚΑΤΗΓΟΡΙΑ: ΣΕΙΡΑ 262 - ΓΙΑ ΤΟΠΟΘΕΤΗΣΗ ΣΕ ΒΑΣΗ

0,41



ARTICLE NUMBER	DESCRIPTION_ENG	ΧΡΩΜΑ	ΑΡ ΑΓΩ ΕΞΩΝ	ΚΑΤΗ ΓΟΡΙΑ	PAC KIN C	PRICE 1 PC
262-102	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray				0,41 100	1,21
262-103	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray				0,41 100	1,74
262-104	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray				0,41 100	2,23
262-105	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray				0,41 100	2,74
262-106	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray				0,41 100	3,28
262-107	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray				0,41 100	3,79
262-108	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray				0,41 100	4,29
262-109	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray				0,41 50	4,81
262-110	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray				0,41 25	5,31
262-111	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray				0,41 25	5,79
262-112	2-conductor terminal strip with fixing flanges for screw or similar mounting types, gray				0,41 25	6,32
262-130	2-conductor Ex e II terminal block with fixing flange for screw or similar mounting types, light gray				0,41 100	0,51
262-132	2-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray				0,41 100	1,25
262-133	2-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray				0,41 100	1,78
262-134	2-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray				0,41 100	2,32
262-135	2-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray				0,41 100	2,82
262-136	2-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray				0,41 100	3,35
262-137	2-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray				0,41 50	3,88
262-138	2-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray				0,41 50	4,42
262-139	2-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray				0,41 50	4,93




ARTICLE NUMBER	DESCRIPTION_ENG	ΧΡΩΜΑ	ΑΡ ΑΓΩ ΓΩΝ	KATH ΓΟΙΑ	PAC KIN C	PRICE 1 PC
262-140	2-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray			0,41	25	5,44
262-141	2-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray			0,41	25	5,98
262-142	2-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray			0,41	25	6,51
262-202	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray			0,41	100	1,91
262-203	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray			0,41	100	2,77
262-204	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray			0,41	100	3,64
262-205	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray			0,41	100	4,48
262-206	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray			0,41	50	5,37
262-207	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray			0,41	50	6,22
262-208	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray			0,41	50	7,1
262-209	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray			0,41	50	7,97
262-210	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray			0,41	25	8,79
262-211	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray			0,41	25	9,63
262-212	4-conductor terminal strip with fixing flanges for screw or similar mounting types, gray			0,41	25	10,5
262-230	4-conductor Ex e II terminal block with fixing flange for screw or similar mounting types, light gray			0,41	100	0,88
262-232	4-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray			0,41	100	1,98
262-233	4-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray			0,41	100	2,88
262-234	4-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray			0,41	100	3,74
262-235	4-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray			0,41	100	4,63
262-236	4-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray			0,41	50	5,51
262-237	4-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray			0,41	50	6,38
262-238	4-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray			0,41	50	7,28
262-239	4-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray			0,41	50	8,17
262-240	4-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray			0,41	25	9,06
262-241	4-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray			0,41	25	9,92
262-242	4-conductor Ex e II terminal strip with fixing flanges for screw or similar mounting types, light gray			0,41	25	10,84

ARTICLE NUMBER	DESCRIPTION_ENG	ΧΡΩΜΑ	ΑΡ ΑΓΩ ΓΩΝ	ΚΑΤΗ ΓΟΡΙΑ	ΡΑΧ ΚΙΝ Σ	PRICE 1 PC
262-301	ΚΛΕΜΜΑ 2 ΑΓΩΓΩΝ, ΜΕ ΦΛΑΝΤΖΑ ΣΤΕΡΕΩΣΕΩΣ Φ 4ΜΜ ΓΚΡΙ			0,41	100	0,5
262-304	ΚΛΕΜΜΑ 2 ΑΓΩΓΩΝ, ΜΕ ΦΛΑΝΤΖΑ ΣΤΕΡΕΩΣΕΩΣ Φ4ΜΜ2 ΜΠΛΕ ΚΛΕΜΜΑ 2 ΑΓΩΓΩΝ ΠΛΑΓΙΑ ΜΠΛΕ			0,41	100	0,53
262-306	ΚΛΕΜΜΑ 2 ΑΓΩΓΩΝ Φ 4ΜΜ ΠΟΡΤ. 262-306			0,41	100	0,5
262-307	ΚΛΕΜΜΑ 2 ΑΓΩΓΩΝ Φ 4ΜΜ ΓΕΙΩΣΕΩΣ 262-307			0,41	100	0,53
262-331	ΚΛΕΜΜΑ ΜΕ ΦΛΑΝΤΖΑ ΣΤΕΡΕΩΣΕΩΣ Φ4ΜΜ2 ΚΛΕΜΜΑ 4 ΑΓΩΓΩΝ ΠΛΑΓΙΑ ΓΚΡΙ			0,41	100	0,86
262-334	ΚΛΕΜΜΑ ΜΕ ΦΛΑΝΤΖΑ ΣΤΕΡΕΩΣΕΩΣ Φ4ΜΜ2 ΚΛΕΜΜΑ 4 ΑΓΩΓΩΝ ΠΛΑΓΙΑ ΜΠΛΕ			0,41	100	0,9
262-336	ΚΛΕΜΜΑ 4 ΑΓΩΓΩΝ Φ 4ΜΜ ΠΟΡΤ. 262-336			0,41	100	0,86
262-337	4-conductor terminal block with fixing flange for screw or similar mounting types, green-yellow			0,41	100	0,9
262-361	END PLATE WITH FIXING FLANGE with fixing flange, gray			0,41	200	0,08
262-363	End plate with fixing flange, light gray			0,41	200	0,09

ΚΑΤΗΓΟΡΙΑ: ΣΕΙΡΑ 262 - ΜΕ ΠΟΔΑΡΑΚΙΑ ΓΙΑ  
ΤΟΠΟΘΕΤΗΣΗ ΣΕ ΡΑΓΑ 210-154 Ή ΣΕ  
ΡΑΓΑ DIN35 ΜΕΣΩ ΑΔΑΡΤΟΡ

0,42




262-152	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,42	100	1,21
262-153	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,42	100	1,74
262-154	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,42	100	2,23
262-155	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,42	100	2,74
262-156	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,42	50	3,28
262-157	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,42	50	3,79
262-158	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,42	50	4,29
262-159	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,42	50	4,81
262-160	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,42	25	5,31
262-161	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,42	25	5,79
262-162	2-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,42	25	6,32

ARTICLE NUMBER	DESCRIPTION_ENG	XPQMA	AP ΑΓΩ ΓΩΝ	KATH ΓΟΙΑ	PAC KIN C	PRICE 1 PC
262-180	2-conductor Ex e II terminal block with snap-in mounting foot for plate thickness 0.6 - 1.2 mm, light gray			0,42	100	0,51
262-181	Space-saving, 2-cond. Ex e II end tb without protruding snap-in for term. strips with snap-in, light gray			0,42	100	0,51
262-182	2-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,42	100	1,25
262-183	2-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,42	100	1,78
262-184	2-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,42	100	2,32
262-185	2-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,42	100	2,82
262-186	2-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,42	50	3,35
262-188	2-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,42	50	4,42
262-189	2-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,42	50	4,93
262-190	2-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,42	25	5,44
262-191	2-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,42	25	5,98
262-192	2-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,42	25	6,51
262-252	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,42	100	1,91
262-253	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,42	100	2,77
262-254	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,42	100	3,64
262-255	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,42	100	4,48
262-256	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,42	50	5,37
262-257	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,42	50	6,22
262-258	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,42	50	7,1
262-259	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,42	50	7,97
262-260	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,42	25	8,79
262-261	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,42	25	9,63
262-262	4-conductor terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, gray			0,42	25	10,5
262-280	4-conductor Ex e II terminal block with snap-in mounting foot for plate thickness 0.6 - 1.2 mm, light gray			0,42	100	0,88
262-281	Space-saving, 4-cond. Ex e II end tb without protruding snap-in for term. strips with snap-in, light gray			0,42	100	0,88
262-282	4-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,42	100	1,98


ARTICLE NUMBER	DESCRIPTION_ENG	ΧΡΩΜΑ	ΑΡ ΑΓΩ ΓΩΝ	ΚΑΘ ΓΟΡΙΑ	ΡΑΚ ΚΙΝ Σ	PRICE 1 PC
262-283	4-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,42	100	2,88
262-284	4-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,42	100	3,74
262-285	4-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,42	100	4,63
262-286	4-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,42	50	5,51
262-287	4-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,42	50	6,38
262-288	4-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,42	50	7,28
262-289	4-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,42	50	8,17
262-290	4-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,42	25	9,06
262-291	4-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,42	25	9,92
262-292	4-conductor Ex e II terminal strip with snap-in mounting feet for plate thickness 0.6 - 1.2 mm, light gray			0,42	25	10,84
262-311	ΚΛΕΜΜΑ 2 ΑΓΩΓΩΝ Φ 4MM ΓΚΡΙ ΜΕ ΠΟΔΙ			0,42	100	0,5
262-314	ΚΛΕΜΜΑ ΜΕ ΠΟΔΙ ΣΤΕΡΕΩΣΕΩΣ Φ4MM2 ΚΛΕΜΜΑ 2 ΑΓΩΓΩΝ ΠΛΑΓΙΑ ΜΠΛΕ			0,42	100	0,53
262-316	KLEMMA 2 AGVGVN F 4MM PROT. 262-316			0,42	100	0,5
262-317	ΚΛΕΜΜΑ 2 ΑΓΩΓΩΝ Φ 4MM ΠΡΑΣΙΝΟΚΙ ΜΕ ΠΟΔΙ			0,42	100	0,53
262-321	Space-saving, 2-conductor end tb without protruding snap-in for term. strips with snap-in, gray			0,42	100	0,5
262-324	Space-saving, 2-conductor end tb without protruding snap-in for term. strips with snap-in, blue			0,42	100	0,53
262-326	Space-saving, 2-conductor end tb without protruding snap-in for term. strips with snap-in, orange			0,42	100	0,5
262-327	2-C. END MODULAR TERMINAL BLOCK 4.0MM, GR-YEL without protruding snap-in for term. strips with snap-in, green-yellow			0,42	100	0,53
262-341	ΚΛΕΜΜΑ Φ 4MM ΜΕ ΠΟΔΙ ΓΚΡΙ 4 ΑΓΩΓΩΝ			0,42	100	0,86
262-344	ΚΛΕΜΜΑ ΜΕ ΠΟΔΙ ΣΤΕΡΕΩΣΕΩΣ Φ4MM2 ΚΛΕΜΜΑ 4 ΑΓΩΓΩΝ ΠΛΑΓΙΑ ΜΠΛΕ			0,42	100	0,9
262-346	ΚΛΕΜΜΑ ΜΕ ΠΟΔΙ ΣΤΕΡΕΩΣΕΩΣ Φ4MM2 ΚΛΕΜΜΑ 4 ΑΓΩΓΩΝ ΠΛΑΓΙΑ ΠΟΡΤΟΚΑΛΙ			0,42	100	0,86
262-347	ΚΛΕΜΜΑ 4 ΑΓΩΓΩΝ ΜΕ ΠΟΔΙ ΠΡΑΣ/ΚΙΤΡ Φ4MM			0,42	100	0,9
262-351	Space-saving, 4-conductor end tb without protruding snap-in for term. strips with snap-in, gray			0,42	100	0,86
262-354	Space-saving, 4-conductor end tb without protruding snap-in for term. strips with snap-in, blue			0,42	100	0,9
262-356	Space-saving, 4-conductor end tb without protruding snap-in for term. strips with snap-in, orange			0,42	100	0,86
262-357	END PLATE WITH FIXING FLANGE without protruding snap-in for term. strips with snap-in, green-yellow			0,42	100	0,9

ARTICLE NUMBER	DESCRIPTION_ENG	ΧΡΩΜΑ	ΑΡ ΑΓΩ ΕΩΝ	ΚΑΤΗ ΓΟΡΙΑ	ΠΑΚ ΚΙΝ Σ	PRICE 1 PC
262-371	End plate with snap-in mounting foot, gray			0,42	200	0,08
262-373	End plate with snap-in mounting foot, light gray			0,42	200	0,08
<p><b>ΚΑΤΗΓΟΡΙΑ: ΣΕΙΡΑ 262 - ACCESSORIES</b></p> <p>0,43</p>						
262-402	Comb-style jumper bar insulated 2-way, gray			0,43	500	0,31



**ΔΙΑΤΟΜΗ 99 mm2****KATHΓΟΡΙΑ: MARKING FOR 260-264**

0,5



ARTICLE NUMBER	DESCRIPTION_ENG	XPQMA	AP ΑΓΩ ΕΩΝ	KATH ΓΟΡΙΑ	PAC KIN C	PRICE 1 PC
210-333/500-002	Self-adhesive marking strips suitable for 260 Series 1 - 10 (120x), white				0,5 100	11,32
210-333/600-103	Self-adhesive marking strips suitable for 261 Series 1 - 12 (80x), white				0,5 100	11,32
210-333/700-020	Self-adhesive marking strips suitable for 262 Series 1 - 20 (40x), white				0,5 100	11,32
264-900	Miniature WSB Quick marking system Horizontal marking 1,,2,,3,,4,,5-46,,47,,48,,49,,50, white				0,5 50	2,16
264-900/000-002	Miniature WSB Quick marking system Horizontal marking 1,,2,,3,,4,,5-46,,47,,48,,49,,50, yellow				0,5 50	2,93
264-900/000-005	Miniature WSB Quick marking system Horizontal marking 1,,2,,3,,4,,5-46,,47,,48,,49,,50, red				0,5 50	2,93
264-900/000-006	Miniature WSB Quick marking system Horizontal marking 1,,2,,3,,4,,5-46,,47,,48,,49,,50, blue				0,5 50	2,93
264-900/000-007	Miniature WSB Quick marking system Horizontal marking 1,,2,,3,,4,,5-46,,47,,48,,49,,50, gray				0,5 50	2,93
264-900/000-012	Miniature WSB Quick marking system Horizontal marking 1,,2,,3,,4,,5-46,,47,,48,,49,,50, orange				0,5 50	2,93
264-900/000-017	Miniature WSB Quick marking system Horizontal marking 1,,2,,3,,4,,5-46,,47,,48,,49,,50, light green				0,5 50	2,93
264-901	Miniature WSB Quick marking system Horizontal marking U, , V, , W, , N, , PE (10x), white				0,5 50	2,16
264-901/000-002	Miniature WSB Quick marking system Horizontal marking U, , V, , W, , N, , PE (10x), yellow				0,5 50	2,93
264-901/000-005	Miniature WSB Quick marking system Horizontal marking U, , V, , W, , N, , PE (10x), red				0,5 50	2,93
264-901/000-006	Miniature WSB Quick marking system Horizontal marking U, , V, , W, , N, , PE (10x), blue				0,5 50	2,93
264-901/000-007	Miniature WSB Quick marking system Horizontal marking U, , V, , W, , N, , PE (10x), gray				0,5 50	2,93
264-901/000-012	Miniature WSB Quick marking system Horizontal marking U, , V, , W, , N, , PE (10x), orange				0,5 50	2,93
264-901/000-017	Miniature WSB Quick marking system Horizontal marking U, , V, , W, , N, , PE (10x), light green				0,5 50	2,93
264-902	Miniature WSB Quick marking system Horizontal marking L1, , L2, , L3, , N, , PE (10x), white				0,5 50	2,16
264-902/000-005	Miniature WSB Quick marking system Horizontal marking L1, , L2, , L3, , N, , PE (10x), red				0,5 50	2,93
264-902/000-006	Miniature WSB Quick marking system Horizontal marking L1, , L2, , L3, , N, , PE (10x), blue				0,5 50	2,93

ARTICLE NUMBER	DESCRIPTION_ENG	ΧΡΩΜΑ	ΑΡ ΑΓΩ ΕΩΝ	ΚΑΘ ΓΟΙΙΑ	ΡΑΚ ΚΙΝ C	PRICE 1 PC
264-902/000-007	Miniature WSB Quick marking system Horizontal marking L1, , L2, , L3, , N, , PE (10x), gray				0,5 50	2,93
264-903	Miniature WSB Quick marking system Horizontal marking 1, , 1, , 1, , 1, , 1 (10x), white				0,5 50	2,16
264-903/000-005	Miniature WSB Quick marking system Horizontal marking 1, , 1, , 1, , 1, , 1 (10x), red				0,5 50	2,93
264-903/000-006	Miniature WSB Quick marking system Horizontal marking 1, , 1, , 1, , 1, , 1 (10x), blue				0,5 50	2,93
264-903/000-012	Miniature WSB Quick marking system Horizontal marking 1, , 1, , 1, , 1, , 1 (10x), orange				0,5 50	2,93
264-904	Miniature WSB Quick marking system Horizontal marking 2, , 2, , 2, , 2, , 2 (10x), white				0,5 50	2,16
264-904/000-005	Miniature WSB Quick marking system Horizontal marking 2, , 2, , 2, , 2, , 2 (10x), red				0,5 50	2,93
264-904/000-006	Miniature WSB Quick marking system Horizontal marking 2, , 2, , 2, , 2, , 2 (10x), blue				0,5 50	2,93
264-904/000-007	Miniature WSB Quick marking system Horizontal marking 2, , 2, , 2, , 2, , 2 (10x), gray				0,5 50	2,93
264-904/000-012	Miniature WSB Quick marking system Horizontal marking 2, , 2, , 2, , 2, , 2 (10x), orange				0,5 50	2,93
264-905	Miniature WSB Quick marking system Horizontal marking 3, , 3, , 3, , 3, , 3 (10x), white				0,5 50	2,16
264-905/000-005	Miniature WSB Quick marking system Horizontal marking 3, , 3, , 3, , 3, , 3 (10x), red				0,5 50	2,93

ARTICLE NUMBER	DESCRIPTION_ENG	ΧΡΩΜΑ	ΑΡ ΑΓΩ ΕΩΝ	ΚΑΤΗ ΓΟΡΙΑ	ΡΑΚ ΚΙΝ Σ	PRICE 1 PC
----------------	-----------------	-------	------------------	---------------	-----------------	---------------