


Παρακαλούμε για επικαιροποιημένες τιμές ζητήστε το καινούριο τιμοκατάλογο ή προσφορά

ΤΙΜΟΚΑΤΑΛΟΓΟΣ ΑΚΡΟΔΕΚΤΕΣ ΤΡΟΦΟΔΟΣΙΑΣ WAGO

ΣΕΙΡΕΣ 294, 862

ΤΑΞΙΝΟΜΗΣΗ ΑΝΑ ΚΑΤΗΓΟΡΙΑ & ΤΙΜΗ



Στείλτε μας E-MAIL στο: sales@dimoulas.com.gr με τα στοιχεία σας για την αποστολή της προσφοράς

ARTICLE NUMBER	DESCRIPTION_ENG	ΚΑΤΗΓ. ΕΚΠΤ.	PRICE 1 PC
ΚΑΤΗΓΟΡΙΑ:		131	ΑΚΡΟΔΕΚΤΕΣ ΤΡΟΦΟΔΟΣΙΑΣ - 294 ΣΕΙΡΑ
294-5022	Power supply connector without ground contact with snap-in mounting feet, white	0	0,38
294-5072	Power supply connector without ground contact with snap-in mounting feet, white	0	0,38
294-5052	Power supply connector without ground contact with snap-in mounting feet, white	0	0,38
294-5002	Power supply connector without ground contact with snap-in mounting feet, white	0	0,38
294-5032	Power supply connector without ground contact with snap-in mounting feet, white	0	0,38
294-5042	Power supply connector without ground contact with snap-in mounting feet, white	0	0,38
 294-4072	Power supply connector without ground contact without snap-in mounting feet, white	0	0,38

Οι τιμές είναι λιανικής και δεν περιλαμβάνουν φπα.

ΣΗΜΕΙΩΣΗ:

Σε περίπτωση οποιασδήποτε διαφοροποίησης των περιγραφών από αυτές του κατασκευαστή, υπερισχύουν πάντα οι περιγραφές του κατασκευαστή

ARTICLE NUMBER	DESCRIPTION_ENG	ΚΑΤΗΓ. ΕΚΠΤ.	PRICE 1 PC
294-4052	Power supply connector without ground contact without snap-in mounting feet, white	0	0,38
294-4042	Power supply connector without ground contact without snap-in mounting feet, white	0	0,38
294-4032	Power supply connector without ground contact without snap-in mounting feet, white	0	0,38
 294-4002	POWER SUPPLY CONNECTOR WITHOUT GROUND C without ground contact without snap-in mounting feet, white	0	0,38
 294-4022	Power supply connector without ground contact without snap-in mounting feet, white	0	0,38
294-4012	Power supply connector without ground contact without snap-in mounting feet, white	0	0,38
294-5012	Power supply connector without ground contact with snap-in mounting feet, white	0	0,38
294-8022	Power supply connector 17mm version without ground contact, white	0	0,40
294-4013	Power supply connector without ground contact without snap-in mounting feet, white	0	0,61
294-4003	Power supply connector without ground contact without snap-in mounting feet, white	0	0,61

Οι τιμές είναι λιανικής και δεν περιλαμβάνουν φπα.

ΣΗΜΕΙΩΣΗ:

Σε περίπτωση οποιασδήποτε διαφοροποίησης των περιγραφών από αυτές του κατασκευαστή, υπερισχύουν πάντα οι περιγραφές του κατασκευαστή

ARTICLE NUMBER	DESCRIPTION_ENG	ΚΑΤΗΓ. ΕΚΠΤ.	PRICE 1 PC
294-5003	Power supply connector without ground contact with snap-in mounting feet, white	0	0,61
294-5043	Power supply connector without ground contact with snap-in mounting feet, white	0	0,61
294-5023	Power supply connector without ground contact with snap-in mounting feet, white	0	0,61
294-4023	Power supply connector without ground contact without snap-in mounting feet, white	0	0,61
294-4053	Power supply connector without ground contact without snap-in mounting feet, white	0	0,61
294-5053	Power supply connector without ground contact with snap-in mounting feet, white	0	0,61
294-4043	Power supply connector without ground contact without snap-in mounting feet, white	0	0,61
294-8032	Power supply connector 17mm version without ground contact, white	0	0,61
294-5013	Power supply connector without ground contact with snap-in mounting feet, white	0	0,61
294-8013	Power supply connector 17mm version without ground contact, white	0	0,64

Οι τιμές είναι λιανικής και δεν περιλαμβάνουν φπα.

ΣΗΜΕΙΩΣΗ:

Σε περίπτωση οποιασδήποτε διαφοροποίησης των περιγραφών από αυτές του κατασκευαστή, υπερισχύουν πάντα οι περιγραφές του κατασκευαστή

ARTICLE NUMBER	DESCRIPTION_ENG	ΚΑΤΗΓ. ΕΚΠΤ.	PRICE 1 PC
294-5153	Power supply connector with direct ground contact with snap-in mounting feet, white	0	0,68
294-5123	Power supply connector with direct ground contact with snap-in mounting feet, white	0	0,68
294-5113	Power supply connector with direct ground contact with snap-in mounting feet, white	0	0,68
294-4413	Power supply connector with screw-type ground contact without snap-in mounting feet,	0	0,71
294-4423	Power supply connector with screw-type ground contact without snap-in mounting feet,	0	0,71
294-5223	Power supply connector with snap-in ground contact with snap-in mounting feet, white	0	0,71
294-4453	Power supply connector with screw-type ground contact without snap-in mounting feet,	0	0,71
294-4323	Power supply connector with angled snap-in ground contact without snap-in mounting fe	0	0,71
294-4353	Power supply connector with angled snap-in ground contact without snap-in mounting fe	0	0,71
294-5323	Power supply connector with angled snap-in ground contact with snap-in mounting feet,	0	0,71

Οι τιμές είναι λιανικής και δεν περιλαμβάνουν φπα.

ΣΗΜΕΙΩΣΗ:

Σε περίπτωση οποιασδήποτε διαφοροποίησης των περιγραφών από αυτές του κατασκευαστή, υπερισχύουν πάντα οι περιγραφές του κατασκευαστή

ARTICLE NUMBER	DESCRIPTION_ENG	ΚΑΤΗΓ. ΕΚΠΤ.	PRICE 1 PC
294-5453	Power supply connector with screw-type ground contact with snap-in mounting feet, whi	0	0,71
294-5423	Power supply connector with screw-type ground contact with snap-in mounting feet, whi	0	0,71
294-4223	Power supply connector with snap-in ground contact without snap-in mounting feet, whi	0	0,71
294-5353	Power supply connector with angled snap-in ground contact with snap-in mounting feet,	0	0,71
294-4313	Power supply connector with angled snap-in ground contact without snap-in mounting fe	0	0,71
294-5313	Power supply connector with angled snap-in ground contact with snap-in mounting feet,	0	0,71
294-5253	Power supply connector with snap-in ground contact with snap-in mounting feet, white	0	0,71
294-4213	Power supply connector with snap-in ground contact without snap-in mounting feet, whi	0	0,71
294-5213	Power supply connector with snap-in ground contact with snap-in mounting feet, white	0	0,71
294-4253	Power supply connector with snap-in ground contact without snap-in mounting feet, whi	0	0,71

Οι τιμές είναι λιανικής και δεν περιλαμβάνουν φπα.

ΣΗΜΕΙΩΣΗ:

Σε περίπτωση οποιασδήποτε διαφοροποίησης των περιγραφών από αυτές του κατασκευαστή, υπερισχύουν πάντα οι περιγραφές του κατασκευαστή



ARTICLE NUMBER	DESCRIPTION_ENG	ΚΑΤΗΓ. ΕΚΠΤ.	PRICE 1 PC
294-5413	Power supply connector with screw-type ground contact with snap-in mounting feet, whi	0	0,71
294-8113	Power supply connector 17mm version with direct ground contact, white	0	0,72
294-8213	Power supply connector 17mm version with snap-in ground contact, white	0	0,74
294-8313	Power supply connector 17mm version with angled snap-in ground contact, white	0	0,74
294-8413	Power supply connector 17mm version with screw-type ground contact, white	0	0,74
294-5024	Power supply connector without ground contact with snap-in mounting feet, white	0	0,80
294-5014	Power supply connector without ground contact with snap-in mounting feet, white	0	0,80
294-5044	Power supply connector without ground contact with snap-in mounting feet, white	0	0,80
294-5004	POWER SUPPLY CONNECTOR WITHOUT GROUND C without ground contact with snap-in mounting feet, white	0	0,80
294-4024	Power supply connector without ground contact without snap-in mounting feet, white	0	0,80

Οι τιμές είναι λιανικής και δεν περιλαμβάνουν φπα.

ΣΗΜΕΙΩΣΗ:

Σε περίπτωση οποιασδήποτε διαφοροποίησης των περιγραφών από αυτές του κατασκευαστή, υπερισχύουν πάντα οι περιγραφές του κατασκευαστή



ARTICLE NUMBER	DESCRIPTION_ENG	ΚΑΤΗΓ. ΕΚΠΤ.	PRICE 1 PC
294-4004	Power supply connector without ground contact without snap-in mounting feet, white	0	0,80
294-4044	Power supply connector without ground contact without snap-in mounting feet, white	0	0,80
294-4014	Power supply connector without ground contact without snap-in mounting feet, white	0	0,80
294-8024	Power supply connector 17mm version without ground contact, white	0	0,84
294-4093/3025-000	Power supply connector 3-pole without ground contact, white	0	0,88
294-5114	Power supply connector with direct ground contact with snap-in mounting feet, white	0	0,88
294-5124	Power supply connector with direct ground contact with snap-in mounting feet, white	0	0,88
294-4314	Power supply connector with angled snap-in ground contact without snap-in mounting fe	0	0,90
294-5214	Power supply connector with snap-in ground contact with snap-in mounting feet, white	0	0,90
294-4214	Power supply connector with snap-in ground contact without snap-in mounting feet, whi	0	0,90

Οι τιμές είναι λιανικής και δεν περιλαμβάνουν φπα.

ΣΗΜΕΙΩΣΗ:

Σε περίπτωση οποιασδήποτε διαφοροποίησης των περιγραφών από αυτές του κατασκευαστή, υπερισχύουν πάντα οι περιγραφές του κατασκευαστή


ARTICLE NUMBER	DESCRIPTION_ENG	ΚΑΤΗΓ. ΕΚΠΤ.	PRICE 1 PC
294-4224	Power supply connector with snap-in ground contact without snap-in mounting feet, whi	0	0,90
294-5224	Power supply connector with snap-in ground contact with snap-in mounting feet, white	0	0,90
294-5424	POWER SUPPLY CONNECTOR WITH SCREW-TYPE GR with screw-type ground contact with snap-in mounting feet, whi	0	0,90
294-5324	Power supply connector with angled snap-in ground contact with snap-in mounting feet,	0	0,90
294-4424	Power supply connector with screw-type ground contact without snap-in mounting feet,	0	0,90
294-4324	Power supply connector with angled snap-in ground contact without snap-in mounting fe	0	0,90
294-5314	Power supply connector with angled snap-in ground contact with snap-in mounting feet,	0	0,90
294-5414	Power supply connector with screw-type ground contact with snap-in mounting feet, whi	0	0,90
294-4414	Power supply connector with screw-type ground contact without snap-in mounting feet,	0	0,90
294-8093/3025-000	Power supply connector 17mm version without ground contact, white	0	0,91

ARTICLE NUMBER	DESCRIPTION_ENG	ΚΑΤΗΓ. ΕΚΠΤ.	PRICE 1 PC
294-8124	Power supply connector 17mm version with direct ground contact, white	0	0,92
294-8424	Power supply connector 17mm version with screw-type ground contact, white	0	0,94
294-8324	Power supply connector 17mm version with angled snap-in ground contact, white	0	0,94
294-8224	Power supply connector 17mm version with snap-in ground contact, white	0	0,94
294-5005	Power supply connector without ground contact with snap-in mounting feet, white	0	1,01
294-4035	Power supply connector without ground contact without snap-in mounting feet, white	0	1,01
294-4025	Power supply connector without ground contact without snap-in mounting feet, white	0	1,01
294-5025	Power supply connector without ground contact with snap-in mounting feet, white	0	1,01
294-4055	Power supply connector without ground contact without snap-in mounting feet, white	0	1,01
294-5015	Power supply connector without ground contact with snap-in mounting feet, white	0	1,01

Οι τιμές είναι λιανικής και δεν περιλαμβάνουν φπα.

ΣΗΜΕΙΩΣΗ:

Σε περίπτωση οποιασδήποτε διαφοροποίησης των περιγραφών από αυτές του κατασκευαστή, υπερισχύουν πάντα οι περιγραφές του κατασκευαστή

ARTICLE NUMBER	DESCRIPTION_ENG	ΚΑΤΗΓ. ΕΚΠΤ.	PRICE 1 PC
294-4045	Power supply connector without ground contact without snap-in mounting feet, white	0	1,01
294-4075	Power supply connector without ground contact without snap-in mounting feet, white	0	1,01
 294-4005	Power supply connector without ground contact without snap-in mounting feet, white	0	1,01
294-5075	Power supply connector without ground contact with snap-in mounting feet, white	0	1,01
294-5055	Power supply connector without ground contact with snap-in mounting feet, white	0	1,01
294-4015	Power supply connector without ground contact without snap-in mounting feet, white	0	1,01
294-5045	Power supply connector without ground contact with snap-in mounting feet, white	0	1,01
294-5035	Power supply connector without ground contact with snap-in mounting feet, white	0	1,01
294-8015	Power supply connector 17mm version without ground contact, white	0	1,06
294-5094/4025-000	Power supply connector without ground contact with snap-in mounting feet, white	0	1,06

Οι τιμές είναι λιανικής και δεν περιλαμβάνουν φπα.

ΣΗΜΕΙΩΣΗ:

Σε περίπτωση οποιασδήποτε διαφοροποίησης των περιγραφών από αυτές του κατασκευαστή, υπερισχύουν πάντα οι περιγραφές του κατασκευαστή

ARTICLE NUMBER	DESCRIPTION_ENG	ΚΑΤΗΓ. ΕΚΠΤ.	PRICE 1 PC
294-8025	Power supply connector 17mm version without ground contact, white	0	1,06
294-8035	Power supply connector 17mm version without ground contact, white	0	1,06
294-4094/4025-000	Power supply connector without ground contact without snap-in mounting feet, white	0	1,06
294-5155	Power supply connector with direct ground contact with snap-in mounting feet, white	0	1,09
294-5175	Power supply connector with direct ground contact with snap-in mounting feet, white	0	1,09
294-8094/4025-000	Power supply connector 17mm version without ground contact, white	0	1,11
294-5425	Power supply connector with screw-type ground contact with snap-in mounting feet, whi	0	1,12
294-5435	Power supply connector with screw-type ground contact with snap-in mounting feet, whi	0	1,12
294-5455	Power supply connector with screw-type ground contact with snap-in mounting feet, whi	0	1,12
294-5475	Power supply connector with screw-type ground contact with snap-in mounting feet, whi	0	1,12



Οι τιμές είναι λιανικής και δεν περιλαμβάνουν φπα.

ΣΗΜΕΙΩΣΗ:

Σε περίπτωση οποιασδήποτε διαφοροποίησης των περιγραφών από αυτές του κατασκευαστή, υπερισχύουν πάντα οι περιγραφές του κατασκευαστή

ARTICLE NUMBER	DESCRIPTION_ENG	ΚΑΤΗΓ. ΕΚΠΤ.	PRICE 1 PC
294-5415	Power supply connector with screw-type ground contact with snap-in mounting feet, whi	0	1,12
294-4235	Power supply connector with snap-in ground contact without snap-in mounting feet, whi	0	1,12
294-4455	Power supply connector with screw-type ground contact without snap-in mounting feet,	0	1,12
294-4435	Power supply connector with screw-type ground contact without snap-in mounting feet,	0	1,12
294-4425	Power supply connector with screw-type ground contact without snap-in mounting feet,	0	1,12
294-4415	Power supply connector with screw-type ground contact without snap-in mounting feet,	0	1,12
294-4375	Power supply connector with angled snap-in ground contact without snap-in mounting fe	0	1,12
294-4355	Power supply connector with angled snap-in ground contact without snap-in mounting fe	0	1,12
294-4335	Power supply connector with angled snap-in ground contact without snap-in mounting fe	0	1,12
294-4325	Power supply connector with angled snap-in ground contact without snap-in mounting fe	0	1,12

Οι τιμές είναι λιανικής και δεν περιλαμβάνουν φπα.

ΣΗΜΕΙΩΣΗ:

Σε περίπτωση οποιασδήποτε διαφοροποίησης των περιγραφών από αυτές του κατασκευαστή, υπερισχύουν πάντα οι περιγραφές του κατασκευαστή

ARTICLE NUMBER	DESCRIPTION_ENG	ΚΑΤΗΓ. ΕΚΠΤ.	PRICE 1 PC
294-4315	Power supply connector with angled snap-in ground contact without snap-in mounting fe	0	1,12
294-5275	Power supply connector with snap-in ground contact with snap-in mounting feet, white	0	1,12
294-4255	Power supply connector with snap-in ground contact without snap-in mounting feet, whi	0	1,12
294-5375	Power supply connector with angled snap-in ground contact with snap-in mounting feet,	0	1,12
294-4225	Power supply connector with snap-in ground contact without snap-in mounting feet, whi	0	1,12
294-4215	Power supply connector with snap-in ground contact without snap-in mounting feet, whi	0	1,12
294-5215	Power supply connector with snap-in ground contact with snap-in mounting feet, white	0	1,12
294-5225	Power supply connector with snap-in ground contact with snap-in mounting feet, white	0	1,12
294-5235	Power supply connector with snap-in ground contact with snap-in mounting feet, white	0	1,12
294-4475	Power supply connector with screw-type ground contact without snap-in mounting feet,	0	1,12

Οι τιμές είναι λιανικής και δεν περιλαμβάνουν φπα.

ΣΗΜΕΙΩΣΗ:

Σε περίπτωση οποιασδήποτε διαφοροποίησης των περιγραφών από αυτές του κατασκευαστή, υπερισχύουν πάντα οι περιγραφές του κατασκευαστή

ARTICLE NUMBER	DESCRIPTION_ENG	ΚΑΤΗΓ. ΕΚΠΤ.	PRICE 1 PC
294-5255	Power supply connector with snap-in ground contact with snap-in mounting feet, white	0	1,12
294-5315	Power supply connector with angled snap-in ground contact with snap-in mounting feet,	0	1,12
294-5325	Power supply connector with angled snap-in ground contact with snap-in mounting feet,	0	1,12
294-5335	Power supply connector with angled snap-in ground contact with snap-in mounting feet,	0	1,12
294-5355	Power supply connector with angled snap-in ground contact with snap-in mounting feet,	0	1,12
294-4275	Power supply connector with snap-in ground contact without snap-in mounting feet, whi	0	1,12
294-8115	Power supply connector 17mm version with direct ground contact, white	0	1,15
294-8135	Power supply connector 17mm version with direct ground contact, white	0	1,15
294-8125	Power supply connector 17mm version with direct ground contact, white	0	1,15
294-8235	Power supply connector 17mm version with snap-in ground contact, white	0	1,17

Οι τιμές είναι λιανικής και δεν περιλαμβάνουν φπα.

ΣΗΜΕΙΩΣΗ:

Σε περίπτωση οποιασδήποτε διαφοροποίησης των περιγραφών από αυτές του κατασκευαστή, υπερισχύουν πάντα οι περιγραφές του κατασκευαστή

ARTICLE NUMBER	DESCRIPTION_ENG	ΚΑΤΗΓ. ΕΚΠΤ.	PRICE 1 PC
294-8425	Power supply connector 17mm version with screw-type ground contact, white	0	1,17
294-8215	Power supply connector 17mm version with snap-in ground contact, white	0	1,17
294-8225	Power supply connector 17mm version with snap-in ground contact, white	0	1,17
294-8315	Power supply connector 17mm version with angled snap-in ground contact, white	0	1,17
294-8325	Power supply connector 17mm version with angled snap-in ground contact, white	0	1,17
294-8335	Power supply connector 17mm version with angled snap-in ground contact, white	0	1,17
294-8435	Power supply connector 17mm version with screw-type ground contact, white	0	1,17
294-8415	Power supply connector 17mm version with screw-type ground contact, white	0	1,17
294-4095/5026-000	Power supply connector without ground contact without snap-in mounting feet, white	0	1,23
294-4006	Power supply connector without ground contact without snap-in mounting feet, white	0	1,25

Οι τιμές είναι λιανικής και δεν περιλαμβάνουν φπα.


ΣΗΜΕΙΩΣΗ:
Σε περίπτωση οποιασδήποτε διαφοροποίησης των περιγραφών από αυτές του κατασκευαστή, υπερισχύουν πάντα οι περιγραφές του κατασκευαστή

ARTICLE NUMBER	DESCRIPTION_ENG	ΚΑΤΗΓ. ΕΚΠΤ.	PRICE 1 PC
294-4095/5025-000	Power supply connector without ground contact without snap-in mounting feet, white	0	1,28
294-8095/5026-000	Power supply connector 17mm version without ground contact, white	0	1,28
294-5095/5027-000	Power supply connector without ground contact with snap-in mounting feet, white	0	1,28
294-5095/5025-000	Power supply connector without ground contact with snap-in mounting feet, white	0	1,28
294-5095/5026-000	Power supply connector without ground contact with snap-in mounting feet, white	0	1,28
294-4095/5027-000	Power supply connector without ground contact without snap-in mounting feet, white	0	1,28
294-8095/5025-000	Power supply connector 17mm version without ground contact, white	0	1,33
294-8095/5027-000	Power supply connector 17mm version without ground contact, white	0	1,33
294-4007	Power supply connector without ground contact without snap-in mounting feet, white	0	1,44
ΚΑΤΗΓΟΡΙΑ:	131,1 ΑΚΡΟΔΕΚΤΕΣ ΤΡΟΦΟΔΟΣΙΑΣ - 294 ACCESSORIES		
294-384	Strain relief plate WITH SECURED CLAMP 3- TO 5-POLE	0	0,28

Οι τιμές είναι λιανικής και δεν περιλαμβάνουν φπα.

ΣΗΜΕΙΩΣΗ:

Σε περίπτωση οποιασδήποτε διαφοροποίησης των περιγραφών από αυτές του κατασκευαστή, υπερισχύουν πάντα οι περιγραφές του κατασκευαστή

ARTICLE NUMBER	DESCRIPTION_ENG	ΚΑΤΗΓ. ΕΚΠΤ.	PRICE 1 PC
294-363	Strain relief plate for multicore cable: 5.2 - 12 mm for 294 Series, white	0	0,28
294-364	Strain relief plate WITH SECURED CLAMP 3- TO 5-POLE	0	0,28
294-383	Strain relief plate for single strands for 294 Series, white	0	0,28
294-370	Strain relief	0	0,39
294-375	Strain relief	0	0,39
294-199	Operating tool For press snap-in mounting feet For safe and easy fitting	0	50,52
ΚΑΤΗΓΟΡΙΑ: 132 ΑΚΡΟΔΕΚΤΕΣ ΤΡΟΦΟΔΟΣΙΑΣ - 862 ΣΕΙΡΑ			
862-2632	VERB.KL.2-P. M.RF WEISS AUFDR. N-L1	0	1,20
 862-1662	4-cond. chassis-mount terminal strip for tapping screw L1-N, white	0	1,24
862-2562	4-cond. chassis-mount terminal strip for tapping screw N-L1, black	0	1,24
862-2532	4-cond. chassis-mount terminal strip 1 snap-in foot per pole N-L1, black	0	1,24

Οι τιμές είναι λιανικής και δεν περιλαμβάνουν φπα.

ΣΗΜΕΙΩΣΗ:

Σε περίπτωση οποιασδήποτε διαφοροποίησης των περιγραφών από αυτές του κατασκευαστή, υπερισχύουν πάντα οι περιγραφές του κατασκευαστή

ARTICLE NUMBER	DESCRIPTION_ENG	ΚΑΤΗΓ. ΕΚΠΤ.	PRICE 1 PC
862-562	4-cond. chassis-mount terminal strip for tapping screw plain, black	0	1,24
862-1652	4-cond. chassis-mount terminal strip for screw and nut M3 L1-N, white	0	1,24
862-552	2-POLE, BLACK, NO MARKING, SCREW FIX for screw and nut M3 plain, black	0	1,24
862-1562	4-cond. chassis-mount terminal strip for tapping screw L1-N, black	0	1,24
862-2552	4-cond. chassis-mount terminal strip for screw and nut M3 N-L1, black	0	1,24
862-662	4-cond. chassis-mount terminal strip for tapping screw plain, white	0	1,24
862-1532	4-cond. chassis-mount terminal strip 1 snap-in foot per pole L1-N, black	0	1,24
862-2652	4-cond. chassis-mount terminal strip for screw and nut M3 N-L1, white	0	1,24
862-632	4-cond. chassis-mount terminal strip 1 snap-in foot per pole plain, white	0	1,24
862-652	4-cond. chassis-mount terminal strip for screw and nut M3 plain, white	0	1,24

Οι τιμές είναι λιανικής και δεν περιλαμβάνουν φπα.

ΣΗΜΕΙΩΣΗ:
Σε περίπτωση οποιασδήποτε διαφοροποίησης των περιγραφών από αυτές του κατασκευαστή, υπερισχύουν πάντα οι περιγραφές του κατασκευαστή

ARTICLE NUMBER	DESCRIPTION_ENG	ΚΑΤΗΓ. ΕΚΠΤ.	PRICE 1 PC
862-1632	4-cond. chassis-mount terminal strip 1 snap-in foot per pole L1-N, white	0	1,24
862-2662	4-cond. chassis-mount terminal strip for tapping screw N-L1, white	0	1,24
862-1552	4-cond. chassis-mount terminal strip for screw and nut M3 L1-N, black	0	1,24
862-532	4-cond. chassis-mount terminal strip 1 snap-in foot per pole plain, black	0	1,24
862-693	4-cond. chassis-mount terminal strip Snap-in foot at pos. 1+3 plain, white	0	1,85
862-503	3-POLE, BLACK, NO MARKING, SCREW FIX for screw and nut M3 plain, black	0	1,85
862-1633	4-cond. chassis-mount terminal strip 1 snap-in foot per pole PE-N-L1, white	0	1,85
862-533	4-cond. chassis-mount terminal strip 1 snap-in foot per pole plain, black	0	1,85
862-2503	3-C. CHASSIS-MOUNT TERMINAL STRIP WITH N PE L for screw and nut M3 N-PE-L1, black	0	1,85
862-1503	4-cond. chassis-mount terminal strip for screw and nut M3 PE-N-L1, black	0	1,85

Οι τιμές είναι λιανικής και δεν περιλαμβάνουν φπα.

ΣΗΜΕΙΩΣΗ:

Σε περίπτωση οποιασδήποτε διαφοροποίησης των περιγραφών από αυτές του κατασκευαστή, υπερισχύουν πάντα οι περιγραφές του κατασκευαστή

ARTICLE NUMBER	DESCRIPTION_ENG	ΚΑΤΗΓ. ΕΚΠΤ.	PRICE 1 PC
862-1693	4-cond. chassis-mount terminal strip Snap-in foot at pos. 1+3 PE-N-L1, white	0	1,85
862-1533	4-cond. chassis-mount terminal strip 1 snap-in foot per pole PE-N-L1, black	0	1,85
862-1593	4-cond. chassis-mount terminal strip Snap-in foot at pos. 1+3 PE-N-L1, black	0	1,85
862-2533	4-cond. chassis-mount terminal strip 1 snap-in foot per pole N-PE-L1, black	0	1,85
862-2633	4-cond. chassis-mount terminal strip 1 snap-in foot per pole N-PE-L1, white	0	1,85
862-593	4-cond. chassis-mount terminal strip Snap-in foot at pos. 1+3 plain, black	0	1,85
862-633	4-cond. chassis-mount terminal strip 1 snap-in foot per pole plain, white	0	1,85
862-603	4-cond. chassis-mount terminal strip for screw and nut M3 plain, white	0	1,85
862-2593	4-cond. chassis-mount terminal strip Snap-in foot at pos. 1+3 N-PE-L1, black	0	1,85
862-2603	4-cond. chassis-mount terminal strip for screw and nut M3 N-PE-L1, white	0	1,85

Οι τιμές είναι λιανικής και δεν περιλαμβάνουν φπα.

ΣΗΜΕΙΩΣΗ:

Σε περίπτωση οποιασδήποτε διαφοροποίησης των περιγραφών από αυτές του κατασκευαστή, υπερισχύουν πάντα οι περιγραφές του κατασκευαστή

ARTICLE NUMBER	DESCRIPTION_ENG	ΚΑΤΗΓ. ΕΚΠΤ.	PRICE 1 PC
862-1603	4-cond. chassis-mount terminal strip for screw and nut M3 PE-N-L1, white	0	1,85
862-2693	4-cond. chassis-mount terminal strip Snap-in foot at pos. 1+3 N-PE-L1, white	0	1,85
862-8603	4-cond. chassis-mount terminal strip for screw and nut M3 N-PE-L1, white	0	1,99
862-8593	4-cond. chassis-mount terminal strip Snap-in foot at pos. 1+3 N-PE-L1, black	0	1,99
862-9593	4-cond. chassis-mount terminal strip Snap-in foot at pos. 1+3 PE-N-L1, black	0	1,99
862-9693	4-cond. chassis-mount terminal strip Snap-in foot at pos. 1+3 PE-N-L1, white	0	1,99
862-9633	4-cond. chassis-mount terminal strip 1 snap-in foot per pole PE-N-L1, white	0	1,99
862-9603	4-cond. chassis-mount terminal strip for screw and nut M3 PE-N-L1, white	0	1,99
862-8503	4-cond. chassis-mount terminal strip for screw and nut M3 N-PE-L1, black	0	1,99
862-9533	4-cond. chassis-mount terminal strip 1 snap-in foot per pole PE-N-L1, black	0	1,99

Οι τιμές είναι λιανικής και δεν περιλαμβάνουν φπα.

ΣΗΜΕΙΩΣΗ:

Σε περίπτωση οποιασδήποτε διαφοροποίησης των περιγραφών από αυτές του κατασκευαστή, υπερισχύουν πάντα οι περιγραφές του κατασκευαστή

ARTICLE NUMBER	DESCRIPTION_ENG	ΚΑΤΗΓ. ΕΚΠΤ.	PRICE 1 PC
862-9503	4-cond. chassis-mount terminal strip for screw and nut M3 PE-N-L1, black	0	1,99
862-8693	4-cond. chassis-mount terminal strip Snap-in foot at pos. 1+3 N-PE-L1, white	0	1,99
862-8633	4-cond. chassis-mount terminal strip 1 snap-in foot per pole N-PE-L1, white	0	1,99
862-8533	4-cond. chassis-mount terminal strip 1 snap-in foot per pole N-PE-L1, black	0	1,99
862-534	4-cond. chassis-mount terminal strip 1 snap-in foot per pole plain, black	0	2,47
862-1504	4-cond. chassis-mount terminal strip for screw and nut M3 PE-N-L1-L2, black	0	2,47
862-504	4-cond. chassis-mount terminal strip for screw and nut M3 plain, black	0	2,47
862-1694	4-cond. chassis-mount terminal strip Snap-in foot at pos. 1+4 PE-N-L1-L2, white	0	2,47
862-634	4-cond. chassis-mount terminal strip 1 snap-in foot per pole plain, white	0	2,47
862-2694	4-cond. chassis-mount terminal strip Snap-in foot at pos. 1+4 N-PE-L1-L2, white	0	2,47

Οι τιμές είναι λιανικής και δεν περιλαμβάνουν φπα.

ΣΗΜΕΙΩΣΗ:

Σε περίπτωση οποιασδήποτε διαφοροποίησης των περιγραφών από αυτές του κατασκευαστή, υπερισχύουν πάντα οι περιγραφές του κατασκευαστή

ARTICLE NUMBER	DESCRIPTION_ENG	ΚΑΤΗΓ. ΕΚΠΤ.	PRICE 1 PC
862-1534	4-cond. chassis-mount terminal strip 1 snap-in foot per pole PE-N-L1-L2, black	0	2,47
862-1594	4-cond. chassis-mount terminal strip Snap-in foot at pos. 1+4 PE-N-L1-L2, black	0	2,47
862-1604	4-cond. chassis-mount terminal strip for screw and nut M3 PE-N-L1-L2, white	0	2,47
862-694	4-cond. chassis-mount terminal strip Snap-in foot at pos. 1+4 plain, white	0	2,47
862-594	4-cond. chassis-mount terminal strip Snap-in foot at pos. 1+4 plain, black	0	2,47
862-1634	4-cond. chassis-mount terminal strip 1 snap-in foot per pole PE-N-L1-L2, white	0	2,47
862-2504	4-cond. chassis-mount terminal strip for screw and nut M3 N-PE-L1-L2, black	0	2,47
862-2604	4-cond. chassis-mount terminal strip for screw and nut M3 N-PE-L1-L2, white	0	2,47
862-604	4-cond. chassis-mount terminal strip for screw and nut M3 plain, white	0	2,47
862-2594	4-cond. chassis-mount terminal strip Snap-in foot at pos. 1+4 N-PE-L1-L2, black	0	2,47

Οι τιμές είναι λιανικής και δεν περιλαμβάνουν φπα.

ΣΗΜΕΙΩΣΗ:

Σε περίπτωση οποιασδήποτε διαφοροποίησης των περιγραφών από αυτές του κατασκευαστή, υπερισχύουν πάντα οι περιγραφές του κατασκευαστή

ARTICLE NUMBER	DESCRIPTION_ENG	ΚΑΤΗΓ. ΕΚΠΤ.	PRICE 1 PC
862-2534	4-cond. chassis-mount terminal strip 1 snap-in foot per pole N-PE-L1-L2, black	0	2,47
862-2634	4-cond. chassis-mount terminal strip 1 snap-in foot per pole N-PE-L1-L2, white	0	2,47
862-1652/999-950	4-cond. Ex e II term. strip for screw and nut M3 L1-N, white	0	2,51
862-1532/999-950	4-cond. Ex e II term. strip 1 snap-in foot per pole L1-N, black	0	2,51
862-1552/999-950	4-cond. Ex e II term. strip for screw and nut M3 L1-N, black	0	2,51
862-1632/999-950	4-cond. Ex e II term. strip 1 snap-in foot per pole L1-N, white	0	2,51
862-1562/999-950	4-cond. Ex e II term. strip for tapping screw L1-N, black	0	2,51
862-1662/999-950	4-cond. Ex e II term. strip for tapping screw L1-N, white	0	2,51
862-9504	4-cond. chassis-mount terminal strip for screw and nut M3 PE-N-L1-L2, black	0	2,60
862-9694	4-cond. chassis-mount terminal strip Snap-in foot at pos. 1+4 PE-N-L1-L2, white	0	2,60

Οι τιμές είναι λιανικής και δεν περιλαμβάνουν φπα.

ΣΗΜΕΙΩΣΗ:

Σε περίπτωση οποιασδήποτε διαφοροποίησης των περιγραφών από αυτές του κατασκευαστή, υπερισχύουν πάντα οι περιγραφές του κατασκευαστή

ARTICLE NUMBER	DESCRIPTION_ENG	ΚΑΤΗΓ. ΕΚΠΤ.	PRICE 1 PC
862-9634	4-cond. chassis-mount terminal strip 1 snap-in foot per pole PE-N-L1-L2, white	0	2,60
862-9604	4-cond. chassis-mount terminal strip for screw and nut M3 PE-N-L1-L2, white	0	2,60
862-9594	4-cond. chassis-mount terminal strip Snap-in foot at pos. 1+4 PE-N-L1-L2, black	0	2,60
862-9534	4-cond. chassis-mount terminal strip 1 snap-in foot per pole PE-N-L1-L2, black	0	2,60
862-8534	4-cond. chassis-mount terminal strip 1 snap-in foot per pole N-PE-L1-L2, black	0	2,60
862-8694	4-cond. chassis-mount terminal strip Snap-in foot at pos. 1+4 N-PE-L1-L2, white	0	2,60
862-8634	4-cond. chassis-mount terminal strip 1 snap-in foot per pole N-PE-L1-L2, white	0	2,60
862-8604	4-cond. chassis-mount terminal strip for screw and nut M3 N-PE-L1-L2, white	0	2,60
862-8594	4-cond. chassis-mount terminal strip Snap-in foot at pos. 1+4 N-PE-L1-L2, black	0	2,60
862-8504	4-cond. chassis-mount terminal strip for screw and nut M3 N-PE-L1-L2, black	0	2,60

Οι τιμές είναι λιανικής και δεν περιλαμβάνουν φπα.

ΣΗΜΕΙΩΣΗ:

Σε περίπτωση οποιασδήποτε διαφοροποίησης των περιγραφών από αυτές του κατασκευαστή, υπερισχύουν πάντα οι περιγραφές του κατασκευαστή

ARTICLE NUMBER	DESCRIPTION_ENG	ΚΑΤΗΓ. ΕΚΠΤ.	PRICE 1 PC
862-2605	4-cond. chassis-mount terminal strip for screw and nut M3 L3-N-PE-L1-L2, white	0	3,09
862-2515	4-cond. chassis-mount terminal strip Snap-in feet at pos. 1+3+5 L3-N-PE-L1-L2, black	0	3,09
862-2625	4-cond. chassis-mount terminal strip 1 snap-in foot at pos. 2+4 L3-N-PE-L1-L2, white	0	3,09
862-1605	4-cond. chassis-mount terminal strip for screw and nut M3 PE-N-L1-L2-L3, white	0	3,09
862-625	4-cond. chassis-mount terminal strip 1 snap-in foot at pos. 2+4 plain, white	0	3,09
862-1625	4-cond. chassis-mount terminal strip 1 snap-in foot at pos. 2+4 PE-N-L1-L2-L3, white	0	3,09
862-1615	4-cond. chassis-mount terminal strip Snap-in feet at pos. 1+3+5 PE-N-L1-L2-L3, white	0	3,09
862-2505	4-cond. chassis-mount terminal strip for screw and nut M3 L3-N-PE-L1-L2, black	0	3,09
862-2525	4-cond. chassis-mount terminal strip 1 snap-in foot at pos. 2+4 L3-N-PE-L1-L2, black	0	3,09
862-2615	4-cond. chassis-mount terminal strip Snap-in feet at pos. 1+3+5 L3-N-PE-L1-L2, white	0	3,09

Οι τιμές είναι λιανικής και δεν περιλαμβάνουν φπα.

ΣΗΜΕΙΩΣΗ:

Σε περίπτωση οποιασδήποτε διαφοροποίησης των περιγραφών από αυτές του κατασκευαστή, υπερισχύουν πάντα οι περιγραφές του κατασκευαστή

ARTICLE NUMBER	DESCRIPTION_ENG	ΚΑΤΗΓ. ΕΚΠΤ.	PRICE 1 PC
862-505	5-POLE, BLACK, NO MARKING, SCREW FIX for screw and nut M3 plain, black	0	3,09
862-515	4-cond. chassis-mount terminal strip Snap-in feet at pos. 1+3+5 plain, black	0	3,09
862-615	4-cond. chassis-mount terminal strip Snap-in feet at pos. 1+3+5 plain, white	0	3,09
862-525	4-cond. chassis-mount terminal strip 1 snap-in foot at pos. 2+4 plain, black	0	3,09
862-1515	4-cond. chassis-mount terminal strip Snap-in feet at pos. 1+3+5 PE-N-L1-L2-L3, black	0	3,09
862-605	4-cond. chassis-mount terminal strip for screw and nut M3 plain, white	0	3,09
862-1525	4-cond. chassis-mount terminal strip 1 snap-in foot at pos. 2+4 PE-N-L1-L2-L3, black	0	3,09
862-1505	5-C. CHASSIS-MOUNT TERMINAL STRIP WITH PE N L for screw and nut M3 PE-N-L1-L2-L3, black	0	3,09
862-1693/999-950	4-cond. Ex e II term. strip Snap-in foot at pos. 1+3 PE-N-L1, white	0	3,14
862-1593/999-950	4-cond. Ex e II term. strip Snap-in foot at pos. 1+3 PE-N-L1, black	0	3,14

Οι τιμές είναι λιανικής και δεν περιλαμβάνουν φπα.

ΣΗΜΕΙΩΣΗ:

Σε περίπτωση οποιασδήποτε διαφοροποίησης των περιγραφών από αυτές του κατασκευαστή, υπερισχύουν πάντα οι περιγραφές του κατασκευαστή

ARTICLE NUMBER	DESCRIPTION_ENG	ΚΑΤΗΓ. ΕΚΠΤ.	PRICE 1 PC
862-1503/999-950	4-cond. Ex e II term. strip for screw and nut M3 PE-N-L1, black	0	3,14
862-1533/999-950	4-cond. Ex e II term. strip 1 snap-in foot per pole PE-N-L1, black	0	3,14
862-1633/999-950	4-cond. Ex e II term. strip 1 snap-in foot per pole PE-N-L1, white	0	3,14
862-1603/999-950	4-cond. Ex e II term. strip for screw and nut M3 PE-N-L1, white	0	3,14
862-9615	4-cond. chassis-mount terminal strip Snap-in feet at pos. 1+3+5 PE-N-L1-L2-L3, white	0	3,23
862-9625	4-cond. chassis-mount terminal strip 1 snap-in foot at pos. 2+4 PE-N-L1-L2-L3, white	0	3,23
862-9505	4-cond. chassis-mount terminal strip for screw and nut M3 PE-N-L1-L2-L3, black	0	3,23
862-9605	4-cond. chassis-mount terminal strip for screw and nut M3 PE-N-L1-L2-L3, white	0	3,23
862-8605	4-cond. chassis-mount terminal strip for screw and nut M3 L3-N-PE-L1-L2, white	0	3,23
862-8505	4-cond. chassis-mount terminal strip for screw and nut M3 L3-N-PE-L1-L2, black	0	3,23

Οι τιμές είναι λιανικής και δεν περιλαμβάνουν φπα.

ΣΗΜΕΙΩΣΗ:
Σε περίπτωση οποιασδήποτε διαφοροποίησης των περιγραφών από αυτές του κατασκευαστή, υπερισχύουν πάντα οι περιγραφές του κατασκευαστή

ARTICLE NUMBER	DESCRIPTION_ENG	ΚΑΤΗΓ. ΕΚΠΤ.	PRICE 1 PC
862-9515	4-cond. chassis-mount terminal strip Snap-in feet at pos. 1+3+5 PE-N-L1-L2-L3, black	0	3,23
862-8515	4-cond. chassis-mount terminal strip Snap-in feet at pos. 1+3+5 L3-N-PE-L1-L2, black	0	3,23
862-8525	4-cond. chassis-mount terminal strip 1 snap-in foot at pos. 2+4 L3-N-PE-L1-L2, black	0	3,23
862-8625	4-cond. chassis-mount terminal strip 1 snap-in foot at pos. 2+4 L3-N-PE-L1-L2, white	0	3,23
862-8615	4-cond. chassis-mount terminal strip Snap-in feet at pos. 1+3+5 L3-N-PE-L1-L2, white	0	3,23
862-9525	4-cond. chassis-mount terminal strip 1 snap-in foot at pos. 2+4 PE-N-L1-L2-L3, black	0	3,23
862-1504/999-950	4-cond. Ex e II term. strip for screw and nut M3 PE-N-L1-L2, black	0	3,77
862-1534/999-950	4-cond. Ex e II term. strip 1 snap-in foot per pole PE-N-L1-L2, black	0	3,77
862-1634/999-950	4-cond. Ex e II term. strip 1 snap-in foot per pole PE-N-L1-L2, white	0	3,77
862-1594/999-950	4-cond. Ex e II term. strip Snap-in foot at pos. 1+4 PE-N-L1-L2, black	0	3,77

Οι τιμές είναι λιανικής και δεν περιλαμβάνουν φπα.

ΣΗΜΕΙΩΣΗ:
Σε περίπτωση οποιασδήποτε διαφοροποίησης των περιγραφών από αυτές του κατασκευαστή, υπερισχύουν πάντα οι περιγραφές του κατασκευαστή

ARTICLE NUMBER	DESCRIPTION_ENG	ΚΑΤΗΓ. ΕΚΠΤ.	PRICE 1 PC
862-1604/999-950	4-cond. Ex e II term. strip for screw and nut M3 PE-N-L1-L2, white	0	3,77
862-1694/999-950	4-cond. Ex e II term. strip Snap-in foot at pos. 1+4 PE-N-L1-L2, white	0	3,77
862-1615/999-950	4-cond. Ex e II term. strip Snap-in feet at pos. 1+3+5 PE-N-L1-L2-L3, white	0	4,39
862-1525/999-950	4-cond. Ex e II term. strip 1 snap-in foot at pos. 2+4 PE-N-L1-L2-L3, black	0	4,39
862-1515/999-950	4-cond. Ex e II term. strip Snap-in feet at pos. 1+3+5 PE-N-L1-L2-L3, black	0	4,39
862-1505/999-950	4-cond. Ex e II term. strip for screw and nut M3 PE-N-L1-L2-L3, black	0	4,39
862-1625/999-950	4-cond. Ex e II term. strip 1 snap-in foot at pos. 2+4 PE-N-L1-L2-L3, white	0	4,39
862-1605/999-950	4-cond. Ex e II term. strip for screw and nut M3 PE-N-L1-L2-L3, white	0	4,39
ΚΑΤΗΓΟΡΙΑ:	132,1 ΑΚΡΟΔΕΚΤΕΣ ΤΡΟΦΟΔΟΣΙΑΣ - 862 ACCESSORIES		
862-482	Comb-style jumper bar black	0	1,85

Οι τιμές είναι λιανικής και δεν περιλαμβάνουν φπα.

ΣΗΜΕΙΩΣΗ:
Σε περίπτωση οποιασδήποτε διαφοροποίησης των περιγραφών από αυτές του κατασκευαστή, υπερισχύουν πάντα οι περιγραφές του κατασκευαστή