



ΠΑΝΑΓΙΩΤΗΣ ΣΠ. ΔΗΜΟΥΛΑΣ – ΒΑΙΑ ΣΠ. ΔΗΜΟΥΛΑ Ε.Ε.

ΔΗΜΟΥΛΑΣ ΑΥΤΟΜΑΤΙΣΜΟΙ

ΣΥΣΤΗΜΑΤΑ ΜΕΤΡΗΣΕΩΝ ΚΑΙ ΑΥΤΟΜΑΤΙΣΜΟΥ

ΚΡΗΤΗΣ 26 – 10439 ΑΘΗΝΑ ΤΗΛ: 210 8833337 ΦΑΞ: 210 8834436

SITE: www.dimoulas.com.gr

VER.DATE: 19/04/2016

ΤΙΜΟΚΑΤΑΛΟΓΟΣ ΒΥΣΜΑΤΑ ΤΥΠΩΜΕΝΟΥ Ή ΚΑΛΩΔΙΩΝ WAGO

MCS MIDI/MIDI Classic - 2,5 mm²

ΤΑΞΙΝΟΜΗΣΗ ΑΝΑ ΚΩΔΙΚΟ

ΟΙ ΤΙΜΕΣ ΕΙΝΑΙ ΛΙΑΝΙΚΗΣ ΚΑΙ ΔΕΝ ΠΕΡΙΛΑΜΒΑΝΟΥΝ ΦΠΑ.

ΣΤΕΙΛΤΕ ΜΑΣ E-MAIL ΣΤΟ: sales@dimoulas.com.gr
με τα στοιχεία σας για την αποστολή της προσφοράς

ΣΗΜΕΙΩΣΗ:

Σε περίπτωση οποιασδήποτε διαφοροποίησης των περιγραφών από αυτές του κατασκευαστή, υπερισχύουν πάντα οι περιγραφές του κατασκευαστή

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
ΚΑΤΗΓΟΡΙΑ:	72,3 ΒΥΣΜΑΤΑ MCS MIDI/MIDI Classic			
2231-102/008-000	Female plug with snap-in mounting feet 2-pole, gray	0	100	1,08
2231-102/026-000	FEMALE PLUG WITH BUILT-IN PUSH BUTTONS PIN SPACING 5.00MM 2-P, G with integrated push-buttons 2-pole, gray	0	100	1,08
2231-102/031-000	Female plug with fixing flanges 2-pole, gray	0	100	1,25
2231-102/037-000	Female plug with locking levers 2-pole, gray	0	100	1,33
2231-102/102-000	Female plug with integrated end plate 2-pole, gray	0	100	1,08
2231-103/008-000	Female plug with snap-in mounting feet 3-pole, gray	0	100	1,62
2231-103/026-000	Female plug with integrated push-buttons 3-pole, gray	0	100	1,62
2231-103/026-000/133-000	Female plug with push-button with strain relief, gray	0	50	2,06
2231-103/031-000	Female plug with fixing flanges 3-pole, gray	0	50	1,78
2231-103/037-000	Female plug with locking levers 3-pole, gray	0	50	1,85
2231-103/102-000	Female plug with integrated end plate 3-pole, gray	0	100	1,62
2231-104/008-000	Female plug with snap-in mounting feet 4-pole, gray	0	100	2,14
2231-104/026-000	Female plug with integrated push-buttons 4-pole, gray	0	100	2,14
2231-104/031-000	Female plug with fixing flanges 4-pole, gray	0	50	2,33
2231-104/037-000	Female plug with locking levers 4-pole, gray	0	50	2,39
2231-104/102-000	Female plug with integrated end plate 4-pole, gray	0	100	2,14

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
2231-105/008-000	Female plug with snap-in mounting feet 5-pole, gray	0	100	2,68
2231-105/026-000	Female plug with integrated push-buttons 5-pole, gray	0	100	2,68
2231-105/026-000/134-000	Female plug with coding finger with latch, gray	0	100	3,17
2231-105/031-000	Female plug with fixing flanges 5-pole, gray	0	50	2,86
2231-105/037-000	Female plug with locking levers 5-pole, gray	0	50	2,94
2231-105/037-000/134-000	Female plug with coding finger with latch, gray	0	50	3,43
2231-105/102-000	Female plug with integrated end plate 5-pole, gray	0	100	2,68
2231-106/008-000	Female plug with snap-in mounting feet 6-pole, gray	0	50	3,22
2231-106/026-000	Female plug with integrated push-buttons 6-pole, gray	0	50	3,22
2231-106/031-000	Female plug with fixing flanges 6-pole, gray	0	50	3,4
2231-106/037-000	Female plug with locking levers 6-pole, gray	0	50	3,47
2231-106/102-000	Female plug with integrated end plate 6-pole, gray	0	50	3,22
2231-107/008-000	Female plug with snap-in mounting feet 7-pole, gray	0	25	3,76
2231-107/026-000	FEMALE PLUG WITH BUILT-IN PUSH BUTTONS PIN SPACING 5.00MM 7-P, G with integrated push-buttons 7-pole, gray	0	50	3,76
2231-107/031-000	Female plug with fixing flanges 7-pole, gray	0	50	3,95
2231-107/037-000	Female plug with locking levers 7-pole, gray	0	50	4,01
2231-107/102-000	Female plug with integrated end plate 7-pole, gray	0	50	3,76
2231-108/008-000	Female plug with snap-in mounting feet 8-pole, gray	0	50	4,3
2231-108/026-000	Female plug with integrated push-buttons 8-pole, gray	0	50	4,3
2231-108/031-000	Female plug with fixing flanges 8-pole, gray	0	50	4,48
2231-108/037-000	Female plug with locking levers 8-pole, gray	0	25	4,55
2231-108/102-000	Female plug with integrated end plate 8-pole, gray	0	50	4,3
2231-109/008-000	Female plug with snap-in mounting feet 9-pole, gray	0	50	4,84
2231-109/026-000	Female plug with integrated push-buttons 9-pole, gray	0	50	4,84
2231-109/031-000	Female plug with fixing flanges 9-pole, gray	0	25	5
2231-109/037-000	Female plug with locking levers 9-pole, gray	0	25	5,1

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
2231-109/102-000	Female plug with integrated end plate 9-pole, gray	0	50	4,84
2231-110/008-000	Female plug with snap-in mounting feet 10-pole, gray	0	50	5,38
2231-110/026-000	Female plug with integrated push-buttons 10-pole, gray	0	50	5,38
2231-110/031-000	Female plug with fixing flanges 10-pole, gray	0	25	5,54
2231-110/037-000	Female plug with locking levers 10-pole, gray	0	25	5,6
2231-110/102-000	Female plug with integrated end plate 10-pole, gray	0	50	5,38
2231-111/008-000	Female plug with snap-in mounting feet 11-pole, gray	0	25	5,89
2231-111/026-000	Female plug with integrated push-buttons 11-pole, gray	0	25	5,89
2231-111/031-000	Female plug with fixing flanges 11-pole, gray	0	25	6,09
2231-111/037-000	Female plug with locking levers 11-pole, gray	0	25	6,15
2231-111/102-000	Female plug with integrated end plate 11-pole, gray	0	25	5,89
2231-112/008-000	Female plug with snap-in mounting feet 12-pole, gray	0	25	6,44
2231-112/026-000	Female plug with integrated push-buttons 12-pole, gray	0	25	6,44
2231-112/031-000	Female plug with fixing flanges 12-pole, gray	0	25	6,62
2231-112/037-000	Female plug with locking levers 12-pole, gray	0	25	6,7
2231-112/102-000	Female plug with integrated end plate 12-pole, gray	0	25	6,44
2231-113/008-000	Female plug with snap-in mounting feet 13-pole, gray	0	25	6,97
2231-113/026-000	Female plug with integrated push-buttons 13-pole, gray	0	25	6,97
2231-113/031-000	Female plug with fixing flanges 13-pole, gray	0	25	7,17
2231-113/037-000	Female plug with locking levers 13-pole, gray	0	25	7,23
2231-113/102-000	Female plug with integrated end plate 13-pole, gray	0	25	6,97
2231-114/008-000	Female plug with snap-in mounting feet 14-pole, gray	0	25	7,52
2231-114/026-000	Female plug with integrated push-buttons 14-pole, gray	0	25	7,52
2231-114/031-000	Female plug with fixing flanges 14-pole, gray	0	25	7,71
2231-114/037-000	Female plug with locking levers 14-pole, gray	0	25	7,78
2231-114/102-000	Female plug with integrated end plate 14-pole, gray	0	25	7,52

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
2231-115/008-000	Female plug with snap-in mounting feet 15-pole, gray	0	25	8,07
2231-115/026-000	Female plug with integrated push-buttons 15-pole, gray	0	25	8,07
2231-115/031-000	Female plug with fixing flanges 15-pole, gray	0	25	8,23
2231-115/037-000	Female plug with locking levers 15-pole, gray	0	25	8,3
2231-115/102-000	Female plug with integrated end plate 15-pole, gray	0	25	8,07
2231-116/008-000	Female plug with snap-in mounting feet 16-pole, gray	0	25	8,59
2231-116/026-000	Female plug with integrated push-buttons 16-pole, gray	0	25	8,59
2231-116/031-000	Female plug with fixing flanges 16-pole, gray	0	10	8,77
2231-116/037-000	Female plug with locking levers 16-pole, gray	0	10	8,85
2231-116/102-000	Female plug with integrated end plate 16-pole, gray	0	25	8,59
2231-117/008-000	Female plug with snap-in mounting feet 17-pole, gray	0	25	9,14
2231-117/026-000	Female plug with integrated push-buttons 17-pole, gray	0	25	9,14
2231-117/031-000	Female plug with fixing flanges 17-pole, gray	0	10	9,31
2231-117/037-000	Female plug with locking levers 17-pole, gray	0	10	9,39
2231-117/102-000	Female plug with integrated end plate 17-pole, gray	0	25	9,14
2231-118/008-000	Female plug with snap-in mounting feet 18-pole, gray	0	25	9,67
2231-118/026-000	Female plug with integrated push-buttons 18-pole, gray	0	25	9,67
2231-118/031-000	Female plug with fixing flanges 18-pole, gray	0	10	9,84
2231-118/037-000	Female plug with locking levers 18-pole, gray	0	10	9,91
2231-118/102-000	Female plug with integrated end plate 18-pole, gray	0	25	9,67
2231-119/008-000	Female plug with snap-in mounting feet 19-pole, gray	0	10	10,2
2231-119/026-000	Female plug with integrated push-buttons 19-pole, gray	0	10	10,2
2231-119/031-000	Female plug with fixing flanges 19-pole, gray	0	10	10,38
2231-119/037-000	Female plug with locking levers 19-pole, gray	0	10	10,45
2231-119/102-000	Female plug with integrated end plate 19-pole, gray	0	10	10,2
2231-120/008-000	Female plug with snap-in mounting feet 20-pole, gray	0	10	10,74

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
2231-120/026-000	Female plug with integrated push-buttons 20-pole, gray	0	10	10,74
2231-120/031-000	Female plug with fixing flanges 20-pole, gray	0	10	10,92
2231-120/037-000	Female plug with locking levers 20-pole, gray	0	10	10,99
2231-120/102-000	Female plug with integrated end plate 20-pole, gray	0	10	10,74
2231-121/008-000	Female plug with snap-in mounting feet 21-pole, gray	0	10	11,28
2231-121/026-000	Female plug with integrated push-buttons 21-pole, gray	0	10	11,28
2231-121/031-000	Female plug with fixing flanges 21-pole, gray	0	10	11,47
2231-121/037-000	Female plug with locking levers 21-pole, gray	0	10	11,53
2231-121/102-000	Female plug with integrated end plate 21-pole, gray	0	10	11,28
2231-122/008-000	Female plug with snap-in mounting feet 22-pole, gray	0	10	11,82
2231-122/026-000	Female plug with integrated push-buttons 22-pole, gray	0	10	11,82
2231-122/031-000	Female plug with fixing flanges 22-pole, gray	0	10	11,99
2231-122/037-000	Female plug with locking levers 22-pole, gray	0	10	12,07
2231-122/102-000	Female plug with integrated end plate 22-pole, gray	0	10	11,82
2231-123/008-000	Female plug with snap-in mounting feet 23-pole, gray	0	10	12,36
2231-123/026-000	Female plug with integrated push-buttons 23-pole, gray	0	10	12,36
2231-123/031-000	Female plug with fixing flanges 23-pole, gray	0	10	12,52
2231-123/037-000	Female plug with locking levers 23-pole, gray	0	10	12,61
2231-123/102-000	Female plug with integrated end plate 23-pole, gray	0	10	12,36
2231-124/008-000	Female plug with snap-in mounting feet 24-pole, gray	0	10	12,9
2231-124/026-000	Female plug with integrated push-buttons 24-pole, gray	0	10	12,9
2231-124/031-000	Female plug with fixing flanges 24-pole, gray	0	10	13,06
2231-124/037-000	Female plug with locking levers 24-pole, gray	0	10	13,14
2231-124/102-000	Female plug with integrated end plate 24-pole, gray	0	10	12,9
2231-202/008-000	Female plug with snap-in mounting feet 2-pole, gray	0	100	1,12
2231-202/026-000	Female plug with integrated push-buttons 2-pole, gray	0	100	1,12

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
2231-202/031-000	Female plug with fixing flanges 2-pole, gray	0	50	1,31
2231-202/037-000	Female plug with locking levers 2-pole, gray	0	50	1,38
2231-203/008-000	Female plug with snap-in mounting feet 3-pole, gray	0	100	1,69
2231-203/026-000	Female plug with integrated push-buttons 3-pole, gray	0	100	1,69
2231-203/031-000	Female plug with fixing flanges 3-pole, gray	0	50	1,85
2231-203/037-000	Female plug with locking levers 3-pole, gray	0	50	1,94
2231-204/008-000	Female plug with snap-in mounting feet 4-pole, gray	0	50	2,25
2231-204/026-000	Female plug with integrated push-buttons 4-pole, gray	0	50	2,25
2231-204/031-000	Female plug with fixing flanges 4-pole, gray	0	50	2,41
2231-204/037-000	Female plug with locking levers 4-pole, gray	0	50	2,5
2231-205/008-000	Female plug with snap-in mounting feet 5-pole, gray	0	50	2,81
2231-205/026-000	Female plug with integrated push-buttons 5-pole, gray	0	50	2,81
2231-205/031-000	Female plug with fixing flanges 5-pole, gray	0	50	2,98
2231-205/037-000	Female plug with locking levers 5-pole, gray	0	50	3,06
2231-206/008-000	Female plug with snap-in mounting feet 6-pole, gray	0	50	3,37
2231-206/026-000	Female plug with integrated push-buttons 6-pole, gray	0	50	3,37
2231-206/031-000	Female plug with fixing flanges 6-pole, gray	0	25	3,54
2231-206/037-000	Female plug with locking levers 6-pole, gray	0	25	3,63
2231-207/008-000	Female plug with snap-in mounting feet 7-pole, gray	0	50	3,94
2231-207/026-000	Female plug with integrated push-buttons 7-pole, gray	0	50	3,94
2231-207/031-000	Female plug with fixing flanges 7-pole, gray	0	25	4,1
2231-207/037-000	Female plug with locking levers 7-pole, gray	0	25	4,17
2231-208/008-000	Female plug with snap-in mounting feet 8-pole, gray	0	25	4,5
2231-208/026-000	Female plug with integrated push-buttons 8-pole, gray	0	25	4,5
2231-208/031-000	Female plug with fixing flanges 8-pole, gray	0	25	4,66
2231-208/037-000	Female plug with locking levers 8-pole, gray	0	25	4,74

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
2231-209/008-000	Female plug with snap-in mounting feet 9-pole, gray	0	25	5,06
2231-209/026-000	Female plug with integrated push-buttons 9-pole, gray	0	25	5,06
2231-209/031-000	Female plug with fixing flanges 9-pole, gray	0	25	5,22
2231-209/037-000	Female plug with locking levers 9-pole, gray	0	25	5,29
2231-210/008-000	Female plug with snap-in mounting feet 10-pole, gray	0	25	5,59
2231-210/026-000	Female plug with integrated push-buttons 10-pole, gray	0	25	5,59
2231-210/031-000	Female plug with fixing flanges 10-pole, gray	0	25	5,79
2231-210/037-000	Female plug with locking levers 10-pole, gray	0	25	5,85
2231-211/008-000	Female plug with snap-in mounting feet 11-pole, gray	0	25	6,16
2231-211/026-000	Female plug with integrated push-buttons 11-pole, gray	0	25	6,16
2231-211/031-000	Female plug with fixing flanges 11-pole, gray	0	10	6,35
2231-211/037-000	Female plug with locking levers 11-pole, gray	0	10	6,42
2231-212/008-000	Female plug with snap-in mounting feet 12-pole, gray	0	25	6,73
2231-212/026-000	Female plug with integrated push-buttons 12-pole, gray	0	25	6,73
2231-212/031-000	Female plug with fixing flanges 12-pole, gray	0	10	6,91
2231-212/037-000	Female plug with locking levers 12-pole, gray	0	10	6,97
2231-213/008-000	Female plug with snap-in mounting feet 13-pole, gray	0	10	7,28
2231-213/026-000	Female plug with integrated push-buttons 13-pole, gray	0	10	7,28
2231-213/031-000	Female plug with fixing flanges 13-pole, gray	0	10	7,48
2231-213/037-000	Female plug with locking levers 13-pole, gray	0	10	7,54
2231-216/008-000	Female plug with snap-in mounting feet 16-pole, gray	0	10	8,98
2231-216/026-000	Female plug with integrated push-buttons 16-pole, gray	0	10	8,98
2231-216/031-000	Female plug with fixing flanges 16-pole, gray	0	10	9,16
2231-216/037-000	Female plug with locking levers 16-pole, gray	0	10	9,22
2231-302/008-000	Female plug with snap-in mounting feet 2-pole, orange	0	100	1,08
2231-302/026-000	Female plug with integrated push-buttons 2-pole, orange	0	100	1,08

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
2231-302/031-000	Female plug with fixing flanges 2-pole, orange	0	100	1,25
2231-302/037-000	Female plug with locking levers 2-pole, orange	0	100	1,33
2231-302/102-000	Female plug with integrated end plate 2-pole, orange	0	100	1,08
2231-302/107-000	Female plug with screw flange 2-pole, orange	0	100	1,45
2231-303/008-000	Female plug with snap-in mounting feet 3-pole, orange	0	100	1,62
2231-303/026-000	Female plug with integrated push-buttons 3-pole, orange	0	100	1,62
2231-303/031-000	Female plug with fixing flanges 3-pole, orange	0	50	1,78
2231-303/037-000	Female plug with locking levers 3-pole, orange	0	50	1,85
2231-303/102-000	Female plug with integrated end plate 3-pole, orange	0	100	1,62
2231-303/107-000	Female plug with screw flange 3-pole, orange	0	100	2
2231-304/008-000	Female plug with snap-in mounting feet 4-pole, orange	0	100	2,14
2231-304/026-000	Female plug with integrated push-buttons 4-pole, orange	0	100	2,14
2231-304/031-000	Female plug with fixing flanges 4-pole, orange	0	50	2,33
2231-304/037-000	Female plug with locking levers 4-pole, orange	0	50	2,39
2231-304/102-000	Female plug with integrated end plate 4-pole, orange	0	100	2,14
2231-304/107-000	Female plug with screw flange 4-pole, orange	0	50	2,53
2231-305/008-000	Female plug with snap-in mounting feet 5-pole, orange	0	100	2,68
2231-305/026-000	Female plug with integrated push-buttons 5-pole, orange	0	100	2,68
2231-305/026-000/134-000	Female plug with coding finger with latch, orange	0	100	3,17
2231-305/031-000	Female plug with fixing flanges 5-pole, orange	0	50	2,86
2231-305/037-000	Female plug with locking levers 5-pole, orange	0	50	2,94
2231-305/037-000/134-000	Female plug with coding finger with latch, orange	0	50	3,43
2231-305/102-000	Female plug with integrated end plate 5-pole, orange	0	100	2,68
2231-305/107-000	Female plug with screw flange 5-pole, orange	0	50	3,07
2231-306/008-000	Female plug with snap-in mounting feet 6-pole, orange	0	50	3,22
2231-306/026-000	Female plug with integrated push-buttons 6-pole, orange	0	50	3,22

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
2231-306/031-000	Female plug with fixing flanges 6-pole, orange	0	50	3,4
2231-306/037-000	Female plug with locking levers 6-pole, orange	0	50	3,47
2231-306/102-000	Female plug with integrated end plate 6-pole, orange	0	50	3,22
2231-306/107-000	Female plug with screw flange 6-pole, orange	0	50	3,61
2231-307/008-000	Female plug with snap-in mounting feet 7-pole, orange	0	50	3,76
2231-307/026-000	Female plug with integrated push-buttons 7-pole, orange	0	50	3,76
2231-307/031-000	Female plug with fixing flanges 7-pole, orange	0	50	3,95
2231-307/037-000	Female plug with locking levers 7-pole, orange	0	50	4,01
2231-307/102-000	Female plug with integrated end plate 7-pole, orange	0	50	3,76
2231-307/107-000	Female plug with screw flange 7-pole, orange	0	50	4,14
2231-308/008-000	Female plug with snap-in mounting feet 8-pole, orange	0	50	4,3
2231-308/026-000	Female plug with integrated push-buttons 8-pole, orange	0	50	4,3
2231-308/031-000	Female plug with fixing flanges 8-pole, orange	0	50	4,48
2231-308/037-000	Female plug with locking levers 8-pole, orange	0	25	4,55
2231-308/102-000	Female plug with integrated end plate 8-pole, orange	0	50	4,3
2231-308/107-000	Female plug with screw flange 8-pole, orange	0	50	4,67
2231-309/008-000	Female plug with snap-in mounting feet 9-pole, orange	0	50	4,84
2231-309/026-000	Female plug with integrated push-buttons 9-pole, orange	0	50	4,84
2231-309/031-000	Female plug with fixing flanges 9-pole, orange	0	50	5
2231-309/037-000	Female plug with locking levers 9-pole, orange	0	25	5,1
2231-309/102-000	Female plug with integrated end plate 9-pole, orange	0	50	4,84
2231-309/107-000	Female plug with screw flange 9-pole, orange	0	25	5,21
2231-310/008-000	Female plug with snap-in mounting feet 10-pole, orange	0	50	5,38
2231-310/026-000	Female plug with integrated push-buttons 10-pole, orange	0	50	5,38
2231-310/031-000	Female plug with fixing flanges 10-pole, orange	0	25	5,54
2231-310/037-000	Female plug with locking levers 10-pole, orange	0	25	5,6

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
2231-310/102-000	Female plug with integrated end plate 10-pole, orange	0	50	5,38
2231-310/107-000	Female plug with screw flange 10-pole, orange	0	25	5,76
2231-311/008-000	Female plug with snap-in mounting feet 11-pole, orange	0	25	5,89
2231-311/026-000	Female plug with integrated push-buttons 11-pole, orange	0	25	5,89
2231-311/031-000	Female plug with fixing flanges 11-pole, orange	0	25	6,09
2231-311/037-000	Female plug with locking levers 11-pole, orange	0	25	6,15
2231-311/102-000	Female plug with integrated end plate 11-pole, orange	0	25	5,89
2231-312/008-000	Female plug with snap-in mounting feet 12-pole, orange	0	25	6,44
2231-312/026-000	Female plug with integrated push-buttons 12-pole, orange	0	25	6,44
2231-312/031-000	Female plug with fixing flanges 12-pole, orange	0	25	6,62
2231-312/037-000	Female plug with locking levers 12-pole, orange	0	25	6,7
2231-312/102-000	Female plug with integrated end plate 12-pole, orange	0	25	6,44
2231-312/107-000	Female plug with screw flange 12-pole, orange	0	25	6,83
2231-313/008-000	Female plug with snap-in mounting feet 13-pole, orange	0	25	6,97
2231-313/026-000	Female plug with integrated push-buttons 13-pole, orange	0	25	6,97
2231-313/031-000	Female plug with fixing flanges 13-pole, orange	0	25	7,17
2231-313/037-000	Female plug with locking levers 13-pole, orange	0	25	7,23
2231-313/102-000	Female plug with integrated end plate 13-pole, orange	0	25	6,97
2231-314/008-000	Female plug with snap-in mounting feet 14-pole, orange	0	25	7,52
2231-314/026-000	Female plug with integrated push-buttons 14-pole, orange	0	25	7,52
2231-314/031-000	Female plug with fixing flanges 14-pole, orange	0	25	7,71
2231-314/037-000	Female plug with locking levers 14-pole, orange	0	25	7,78
2231-314/102-000	Female plug with integrated end plate 14-pole, orange	0	25	7,41
2231-314/107-000	Female plug with screw flange 14-pole, orange	0	25	7,89
2231-315/008-000	Female plug with snap-in mounting feet 15-pole, orange	0	25	8,07
2231-315/026-000	Female plug with integrated push-buttons 15-pole, orange	0	25	8,07

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
2231-315/031-000	Female plug with fixing flanges 15-pole, orange	0	25	8,23
2231-315/037-000	Female plug with locking levers 15-pole, orange	0	25	8,3
2231-315/102-000	Female plug with integrated end plate 15-pole, orange	0	25	8,07
2231-315/107-000	Female plug with screw flange 15-pole, orange	0	25	8,44
2231-316/008-000	Female plug with snap-in mounting feet 16-pole, orange	0	25	8,59
2231-316/026-000	Female plug with integrated push-buttons 16-pole, orange	0	25	8,59
2231-316/031-000	Female plug with fixing flanges 16-pole, orange	0	25	8,77
2231-316/037-000	Female plug with locking levers 16-pole, orange	0	10	8,85
2231-316/102-000	Female plug with integrated end plate 16-pole, orange	0	25	8,59
2231-316/107-000	Female plug with screw flange 16-pole, orange	0	10	8,98
2231-317/008-000	Female plug with snap-in mounting feet 17-pole, orange	0	25	9,14
2231-317/026-000	Female plug with integrated push-buttons 17-pole, orange	0	25	9,14
2231-317/031-000	Female plug with fixing flanges 17-pole, orange	0	10	9,31
2231-317/037-000	Female plug with locking levers 17-pole, orange	0	10	9,39
2231-317/102-000	Female plug with integrated end plate 17-pole, orange	0	25	9,14
2231-318/008-000	Female plug with snap-in mounting feet 18-pole, orange	0	10	9,67
2231-318/026-000	Female plug with integrated push-buttons 18-pole, orange	0	10	9,67
2231-318/031-000	Female plug with fixing flanges 18-pole, orange	0	10	9,84
2231-318/037-000	Female plug with locking levers 18-pole, orange	0	10	9,91
2231-318/102-000	Female plug with integrated end plate 18-pole, orange	0	10	9,67
2231-319/008-000	Female plug with snap-in mounting feet 19-pole, orange	0	10	10,2
2231-319/026-000	Female plug with integrated push-buttons 19-pole, orange	0	10	10,2
2231-319/031-000	Female plug with fixing flanges 19-pole, orange	0	10	10,38
2231-319/037-000	Female plug with locking levers 19-pole, orange	0	10	10,45
2231-319/102-000	Female plug with integrated end plate 19-pole, orange	0	10	10,2
2231-320/008-000	Female plug with snap-in mounting feet 20-pole, orange	0	10	10,74

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
2231-320/026-000	Female plug with integrated push-buttons 20-pole, orange	0	10	10,74
2231-320/031-000	Female plug with fixing flanges 20-pole, orange	0	10	10,92
2231-320/037-000	Female plug with locking levers 20-pole, orange	0	10	10,99
2231-320/102-000	Female plug with integrated end plate 20-pole, orange	0	10	10,74
2231-321/008-000	Female plug with snap-in mounting feet 21-pole, orange	0	10	11,28
2231-321/026-000	Female plug with integrated push-buttons 21-pole, orange	0	10	11,28
2231-321/031-000	Female plug with fixing flanges 21-pole, orange	0	10	11,47
2231-321/037-000	Female plug with locking levers 21-pole, orange	0	10	11,53
2231-321/102-000	Female plug with integrated end plate 21-pole, orange	0	10	11,28
2231-322/008-000	Female plug with snap-in mounting feet 22-pole, orange	0	10	11,82
2231-322/026-000	Female plug with integrated push-buttons 22-pole, orange	0	10	11,82
2231-322/031-000	Female plug with fixing flanges 22-pole, orange	0	10	11,99
2231-322/037-000	Female plug with locking levers 22-pole, orange	0	10	12,07
2231-322/102-000	Female plug with integrated end plate 22-pole, orange	0	10	11,82
2231-323/008-000	Female plug with snap-in mounting feet 23-pole, orange	0	10	12,36
2231-323/026-000	Female plug with integrated push-buttons 23-pole, orange	0	10	12,36
2231-323/031-000	Female plug with fixing flanges 23-pole, orange	0	10	12,52
2231-323/037-000	Female plug with locking levers 23-pole, orange	0	10	12,61
2231-323/102-000	Female plug with integrated end plate 23-pole, orange	0	10	12,36
2231-324/026-000	Female plug with integrated push-buttons 24-pole, orange	0	10	12,9
2231-324/031-000	Female plug with fixing flanges 24-pole, orange	0	10	13,06
2231-324/037-000	Female plug with locking levers 24-pole, orange	0	10	13,14
2231-324/102-000	Female plug with integrated end plate 24-pole, orange	0	10	12,9
2231-702/008-000	Female plug with snap-in mounting feet 2-pole, orange	0	100	1,12
2231-702/026-000	Female plug with integrated push-buttons 2-pole, orange	0	100	1,12
2231-702/031-000	Female plug with fixing flanges 2-pole, orange	0	50	1,31

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
2231-702/037-000	Female plug with locking levers 2-pole, orange	0	50	1,38
2231-703/008-000	Female plug with snap-in mounting feet 3-pole, orange	0	100	1,69
2231-703/026-000	Female plug with integrated push-buttons 3-pole, orange	0	100	1,69
2231-703/026-000/133-000	Female plug with push-button with strain relief, orange	0	100	2,13
2231-703/031-000	Female plug with fixing flanges 3-pole, orange	0	50	1,85
2231-703/037-000	Female plug with locking levers 3-pole, orange	0	50	1,93
2231-704/008-000	Female plug with snap-in mounting feet 4-pole, orange	0	50	2,25
2231-704/026-000	Female plug with integrated push-buttons 4-pole, orange	0	50	2,25
2231-704/031-000	Female plug with fixing flanges 4-pole, orange	0	50	2,41
2231-704/037-000	Female plug with locking levers 4-pole, orange	0	50	2,5
2231-705/008-000	Female plug with snap-in mounting feet 5-pole, orange	0	50	2,81
2231-705/026-000	Female plug with integrated push-buttons 5-pole, orange	0	50	2,81
2231-705/031-000	Female plug with fixing flanges 5-pole, orange	0	50	2,98
2231-705/037-000	Female plug with locking levers 5-pole, orange	0	50	3,06
2231-706/008-000	Female plug with snap-in mounting feet 6-pole, orange	0	50	3,37
2231-706/026-000	Female plug with integrated push-buttons 6-pole, orange	0	50	3,37
2231-706/031-000	Female plug with fixing flanges 6-pole, orange	0	25	3,54
2231-706/037-000	Female plug with locking levers 6-pole, orange	0	25	3,63
2231-707/008-000	Female plug with snap-in mounting feet 7-pole, orange	0	50	3,94
2231-707/026-000	Female plug with integrated push-buttons 7-pole, orange	0	50	3,94
2231-707/031-000	Female plug with fixing flanges 7-pole, orange	0	25	4,1
2231-707/037-000	Female plug with locking levers 7-pole, orange	0	25	4,17
2231-708/008-000	Female plug with snap-in mounting feet 8-pole, orange	0	25	4,5
2231-708/026-000	Female plug with integrated push-buttons 8-pole, orange	0	25	4,5
2231-708/031-000	Female plug with fixing flanges 8-pole, orange	0	25	4,66
2231-708/037-000	Female plug with locking levers 8-pole, orange	0	25	4,74

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
2231-709/008-000	Female plug with snap-in mounting feet 9-pole, orange	0	25	5,06
2231-709/026-000	Female plug with integrated push-buttons 9-pole, orange	0	25	5,06
2231-709/031-000	Female plug with fixing flanges 9-pole, orange	0	25	5,22
2231-709/037-000	Female plug with locking levers 9-pole, orange	0	25	5,29
2231-710/008-000	Female plug with snap-in mounting feet 10-pole, orange	0	25	5,59
2231-710/026-000	Female plug with integrated push-buttons 10-pole, orange	0	25	5,59
2231-710/031-000	Female plug with fixing flanges 10-pole, orange	0	25	5,79
2231-710/037-000	Female plug with locking levers 10-pole, orange	0	25	5,85
2231-711/008-000	Female plug with snap-in mounting feet 11-pole, orange	0	25	6,16
2231-711/026-000	Female plug with integrated push-buttons 11-pole, orange	0	25	6,16
2231-711/031-000	Female plug with fixing flanges 11-pole, orange	0	10	6,35
2231-711/037-000	Female plug with locking levers 11-pole, orange	0	10	6,42
2231-712/008-000	Female plug with snap-in mounting feet 12-pole, orange	0	25	6,73
2231-712/026-000	Female plug with integrated push-buttons 12-pole, orange	0	25	6,73
2231-712/031-000	Female plug with fixing flanges 12-pole, orange	0	10	6,91
2231-712/037-000	Female plug with locking levers 12-pole, orange	0	10	6,97
231-102/008-000	Female plug with snap-in mounting foot 2-pole, gray	0	100	1,09
231-102/026-000	STRAIGHT FEMALE PLUG, PIN SPACING 5.00MM 2-P, GREY 2-pole Pin spacing 5 mm / 0.197 in, gray	0	100	1,09
231-102/031-000	FEMALE PLUG WITH FIXING FLANGE, PIN SPACING 5.00MM WITH CODIG FIN with fixing flanges 2-pole, gray	0	100	1,25
231-102/037-000	Female plug with locking levers 2-pole, gray	0	100	1,33
231-102/037-047/032-000	Female plug with lateral locking levers with strain relief, gray	0	100	2,1
231-102/102-000	Female plug with integrated end plate 2-pole, gray	0	100	1,09
231-103/008-000	Female plug with snap-in mounting foot 3-pole, gray	0	100	1,54
231-103/026-000	STRAIGHT FEMALE PLUG, PIN SPACING 5.00MM 3-P, GREY 3-pole Pin spacing 5 mm / 0.197 in, gray	0	100	1,54
231-103/031-000	FEMALE PLUG WITH FIXING FLANGE, PIN SPACING 5.00MM WITH CODIG FIN with fixing flanges 3-pole, gray	0	50	1,72
231-103/037-000	Female plug with locking levers 3-pole, gray	0	50	1,78

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-103/037-045/032-000	Female plug with latch with coding finger, gray	0	50	2,59
231-103/037-045/033-000	Female plug with latch with coding finger, gray	0	50	2,66
231-103/102-000	Female plug with integrated end plate 3-pole, gray	0	100	1,54
231-103/102-047/032-000	Female plug with integrated end plate with strain relief, gray	0	50	2,34
231-104/008-000	FEMALE PLUG WITH SNAP-IN MOUNTING FOOT, PIN SPACING 5 MM WITH C with snap-in mounting foot 4-pole, gray	0	100	2,03
231-104/026-000	STRAIGHT FEMALE PLUG, PIN SPACING 5.00MM 4-P, GREY 4-pole Pin spacing 5 mm / 0.197 in, gray	0	100	2,03
231-104/026-000/033-000	Female plug with latch with coding finger, gray	0	100	2,71
231-104/031-000	FEMALE PLUG WITH FIXING FLANGE, PIN SPACING 5.00MM WITH CODIG FIN with fixing flanges 4-pole, gray	0	50	2,2
231-104/037-000	FEMALE PLUG WITH LOCKING LEVER, PIN SPACING 5 MM WITH CODIG FIN with locking levers 4-pole, gray	0	50	2,27
231-104/102-000	FEMALE PLUG WITH INTEGRATED END PLATE, PIN SPACING 5 MM WITH CO with integrated end plate 4-pole, gray	0	100	2,03
231-105/008-000	Female plug with snap-in mounting foot 5-pole, gray	0	100	2,51
231-105/026-000	STRAIGHT FEMALE PLUG, PIN SPACING 5.00MM 5-P, GREY 5-pole Pin spacing 5 mm / 0.197 in, gray	0	100	2,51
231-105/026-000/033-000		0		
231-105/026-047/033-000	Female plug with coding finger with strain relief, gray	0	100	3,38
231-105/031-000	Female plug with fixing flanges 5-pole, gray	0	50	2,69
231-105/037-000	FEMALE PLUG WITH LOCKING LEVER, PIN SPACING 5 MM WITH CODIG FIN with locking levers 5-pole, gray	0	50	2,78
231-105/102-000	Female plug with integrated end plate 5-pole, gray	0	100	2,51
231-106/008-000	FEMALE PLUG WITH SNAP-IN MOUNTING FOOT, PIN SPACING 5 MM WITH C with snap-in mounting foot 6-pole, gray	0	50	3,03
231-106/026-000	STRAIGHT FEMALE PLUG, PIN SPACING 5.00MM 6-P, GREY 6-pole Pin spacing 5 mm / 0.197 in, gray	0	50	3,03
231-106/026-000/034-000	Female plug with latch with coding finger, gray	0	50	3,79
231-106/026-047/034-000	Female plug with strain relief with end plate, gray	0	50	3,96
231-106/027-000	FEMALE PLUG WITH FIXING FLANGE WITH REINFORCING STRIPS, PIN SPAC with fixing flanges 6-pole, gray	0	50	4,09
231-106/031-000	FEMALE PLUG WITH FIXING FLANGE, PIN SPACING 5.00MM WITH CODIG FIN with fixing flanges 6-pole, gray	0	50	3,2
231-106/037-000	FEMALE PLUG WITH LOCKING LEVER, PIN SPACING 5 MM WITH CODIG FIN with locking levers 6-pole, gray	0	50	3,26
231-106/038-000	Female plug with latch with lateral locking levers, gray	0	50	3,26
231-106/102-000	STRAIGHT FEMALE PLUG WITH INTERGRATED ENDPLATE, PIN SPACING 5.0 with integrated end plate 6-pole, gray	0	50	3,03

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-107/008-000	Female plug with snap-in mounting foot 7-pole, gray	0	25	3,46
231-107/008-045	Female plug with coding finger with latch, gray	0	25	3,61
231-107/026-000	STRAIGHT FEMALE PLUG, PIN SPACING 5.00MM 7-P, GREY 7-pole Pin spacing 5 mm / 0.197 in, gray	0	50	3,46
231-107/026-047/034-000	Female plug with strain relief with latch, gray	0	50	4,37
231-107/027-000	Female plug with fixing flanges 7-pole, gray	0	50	4,55
231-107/031-000	Female plug with fixing flanges 7-pole, gray	0	50	3,64
231-107/031-000/034-000	Female plug with latch with coding finger, gray	0	25	4,39
231-107/037-000	Female plug with locking levers 7-pole, gray	0	50	3,72
231-107/037-000/034-000	Female plug with lateral locking levers with strain relief, gray	0	50	4,51
231-107/102-000	Female plug with integrated end plate 7-pole, gray	0	50	3,46
231-108/008-000	STRAIGHT FEMALE PLUG WITH SNAP-IN MOUNTING FOOT, PIN SPACING 5 with snap-in mounting foot 8-pole, gray	0	50	3,96
231-108/026-000	STRAIGHT FEMALE PLUG, PIN SPACING 5.00MM 8-P, GREY 8-pole Pin spacing 5 mm / 0.197 in, gray	0	50	3,96
231-108/027-000	Female plug with fixing flanges 8-pole, gray	0	50	4,99
231-108/031-000	FEMALE PLUG WITH FIXING FLANGE, PIN SPACING 5.00MM WITH CODIG FIN with fixing flanges 8-pole, gray	0	50	4,13
231-108/031-047	Female plug with latch with coding finger, gray	0	50	4,29
231-108/037-000	FEMALE PLUG WITH LOCKING LEVER, PIN SPACING 5 MM WITH CODIG FIN with locking levers 8-pole, gray	0	25	4,22
231-108/102-000	STRAIGHT FEMALE PLUG WITH INTERGRATED ENDPLATE, PIN SPACING 5.0 with integrated end plate 8-pole, gray	0	50	3,96
231-109/008-000	Female plug with snap-in mounting foot 9-pole, gray	0	50	4,35
231-109/026-000	STRAIGHT FEMALE PLUG, PIN SPACING 5.00MM 9-P, GREY 9-pole Pin spacing 5 mm / 0.197 in, gray	0	50	4,35
231-109/027-000	Female plug with fixing flanges 9-pole, gray	0	25	5,48
231-109/031-000	Female plug with fixing flanges 9-pole, gray	0	25	4,54
231-109/037-000	Female plug with locking levers 9-pole, gray	0	25	4,61
231-109/102-000	Female plug with integrated end plate 9-pole, gray	0	50	4,35
231-110/008-000	STRAIGHT FEMALE PLUG WITH SNAP-IN MOUNTING FOOT, PIN SPACING 5 with snap-in mounting foot 10-pole, gray	0	50	4,84
231-110/026-000	STRAIGHT FEMALE PLUG, PIN SPACING 5.00MM 10-P, GREY 10-pole Pin spacing 5 mm / 0.197 in, gray	0	50	4,84
231-110/026-047/035-000	Female plug with latch with coding finger, gray	0	50	5,85

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-110/027-000	Female plug with fixing flanges 10-pole, gray	0	25	5,92
231-110/031-000	FEMALE CONNECTOR WITH FIXING FLANGE PIN SPACING 5.00MM, 10-P with fixing flanges 10-pole, gray	0	25	5,03
231-110/037-000	Female plug with locking levers 10-pole, gray	0	25	5,11
231-110/037-000/035-000	Female plug with latch with coding finger, gray	0	25	5,94
231-110/037-047/035-000	Female plug with lateral locking levers with strain relief, gray	0	25	6,11
231-110/102-000	FEMALE CONNECTOR WITH INTEGRATED END PLATE, PIN SPACING 5.00MM with integrated end plate 10-pole, gray	0	50	4,84
231-110/102-000/035-000	Female plug with strain relief with integrated end plate, gray	0	50	5,72
231-110/102-047	Female plug with integrated end plate with latch, gray	0	50	4,98
231-111/008-000	Female plug with snap-in mounting foot 11-pole, gray	0	25	5,34
231-111/026-000	STRAIGHT FEMALE PLUG, PIN SPACING 5.00MM 11-P, GREY 11-pole Pin spacing 5 mm / 0.197 in, gray	0	25	5,34
231-111/026-047	Female plug with latch with coding finger, gray	0	25	5,49
231-111/027-000	Female plug with fixing flanges 11-pole, gray	0	25	6,4
231-111/031-000	Female plug with fixing flanges 11-pole, gray	0	25	5,51
231-111/037-000	Female plug with locking levers 11-pole, gray	0	25	5,56
231-111/102-000	Female plug with integrated end plate 11-pole, gray	0	25	5,34
231-111/102-000/035-000	FEDERL.M.INTEGR.ABSCHLPL. 5MM 11-POL	0	25	
231-112/008-000	Female plug with snap-in mounting foot 12-pole, gray	0	25	5,79
231-112/026-000	STRAIGHT FEMALE PLUG, PIN SPACING 5.00MM 12-P, GREY 12-pole Pin spacing 5 mm / 0.197 in, gray	0	25	5,79
231-112/027-000	Female plug with fixing flanges 12-pole, gray	0	25	6,87
231-112/031-000	FEMALE PLUG WITH FIXING FLANGE, PIN SPACING 5.00MM WITH CODIG FIN with fixing flanges 12-pole, gray	0	25	5,98
231-112/037-000	STRAIGHT FEMALE PLUG WITH LOCKING LEVER, PIN SPACING 5.00MM 12- with locking levers 12-pole, gray	0	25	6,07
231-112/102-000	STRAIGHT FEMALE PLUG WITH INTERGRATED ENDPLATE, PIN SPACING 5.0 with integrated end plate 12-pole, gray	0	25	5,79
231-112/102-000/035-000	FEM.CON. W.INTEGR.END PLATE 5MM 12P.	0	50	
231-113/008-000	Female plug with snap-in mounting foot 13-pole, gray	0	25	6,17
231-113/026-000	STRAIGHT FEMALE PLUG, PIN SPACING 5.00MM 13-P, GREY 13-pole Pin spacing 5 mm / 0.197 in, gray	0	25	6,17
231-113/027-000	Female plug with fixing flanges 13-pole, gray	0	25	7,31

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-113/031-000	Female plug with fixing flanges 13-pole, gray	0	25	6,35
231-113/037-000	Female plug with locking levers 13-pole, gray	0	25	6,43
231-113/102-000	Female plug with integrated end plate 13-pole, gray	0	25	6,17
231-114/008-000	Female plug with snap-in mounting foot 14-pole, gray	0	25	6,66
231-114/026-000	Female plug 14-pole Pin spacing 5 mm / 0.197 in, gray	0	25	6,66
231-114/027-000	Female plug with fixing flanges 14-pole, gray	0	25	7,8
231-114/031-000	Female plug with fixing flanges 14-pole, gray	0	25	6,85
231-114/037-000	Female plug with locking levers 14-pole, gray	0	25	6,91
231-114/037-047	Female plug with latch with coding finger, gray	0	25	7,05
231-114/037-047/035-000	Female plug with lateral locking levers with strain relief, gray	0	25	7,9
231-114/102-000	Female plug with integrated end plate 14-pole, gray	0	25	6,66
231-115/008-000	Female plug with snap-in mounting foot 15-pole, gray	0	25	7,14
231-115/008-047/035-000	Female plug with strain relief with latch, gray	0	10	8,14
231-115/026-000	Female plug 15-pole Pin spacing 5 mm / 0.197 in, gray	0	25	7,14
231-115/026-000/054-000	Female plug with latch with coding finger, gray	0	25	7,28
231-115/027-000	Female plug with fixing flanges 15-pole, gray	0	25	8,3
231-115/031-000	Female plug with fixing flanges 15-pole, gray	0	25	7,3
231-115/037-000	Female plug with locking levers 15-pole, gray	0	25	7,38
231-115/102-000	Female plug with integrated end plate 15-pole, gray	0	25	7,14
231-116/008-000	Female plug with snap-in mounting foot 16-pole, gray	0	25	7,72
231-116/026-000	Female plug 16-pole Pin spacing 5 mm / 0.197 in, gray	0	25	7,98
231-116/027-000	Female plug with fixing flanges 16-pole, gray	0	10	8,8
231-116/031-000	Female plug with fixing flanges 16-pole, gray	0	10	7,88
231-116/037-000	Female plug with locking levers 16-pole, gray	0	10	7,98
231-116/102-000	Female plug with integrated end plate 16-pole, gray	0	25	7,72
231-117/008-000	Female plug with snap-in mounting foot 17-pole, gray	0	25	8,11

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-117/026-000	Female plug 17-pole Pin spacing 5 mm / 0.197 in, gray	0	25	8,11
231-117/027-000	Female plug with fixing flanges 17-pole, gray	0	10	9,26
231-117/031-000	Female plug with fixing flanges 17-pole, gray	0	10	8,28
231-117/037-000	Female plug with locking levers 17-pole, gray	0	10	8,37
231-117/102-000	Female plug with integrated end plate 17-pole, gray	0	25	8,11
231-118/008-000	Female plug with snap-in mounting foot 18-pole, gray	0	25	8,56
231-118/026-000	Female plug 18-pole Pin spacing 5 mm / 0.197 in, gray	0	25	8,56
231-118/027-000	Female plug with fixing flanges 18-pole, gray	0	10	9,86
231-118/031-000	Female plug with fixing flanges 18-pole, gray	0	10	8,76
231-118/037-000	Female plug with locking levers 18-pole, gray	0	10	8,83
231-118/037-047/035-000	Female plug with lateral locking levers with strain relief, gray	0	10	9,82
231-118/102-000	Female plug with integrated end plate 18-pole, gray	0	25	8,56
231-118/102-000/035-000	Female plug with integrated end plate with strain relief, gray	0	10	9,44
231-119/008-000	Female plug with snap-in mounting foot 19-pole, gray	0	10	9,1
231-119/026-000	Female plug 19-pole Pin spacing 5 mm / 0.197 in, gray	0	10	9,1
231-119/027-000	Female plug with fixing flanges 19-pole, gray	0	10	10,37
231-119/031-000	Female plug with fixing flanges 19-pole, gray	0	10	9,25
231-119/037-000	Female plug with locking levers 19-pole, gray	0	10	9,33
231-119/102-000	Female plug with integrated end plate 19-pole, gray	0	10	9,1
231-119/102-000/035-000	Female plug with integrated end plate with strain relief, gray	0	25	9,96
231-120/008-000	Female plug with snap-in mounting foot 20-pole, gray	0	10	9,54
231-120/026-000	Female plug 20-pole Pin spacing 5 mm / 0.197 in, gray	0	10	9,54
231-120/027-000	Female plug with fixing flanges 20-pole, gray	0	10	10,88
231-120/031-000	Female plug with fixing flanges 20-pole, gray	0	10	9,74
231-120/037-000	Female plug with locking levers 20-pole, gray	0	10	9,79
231-120/037-000/035-000	Female plug with latch with coding finger, gray	0	10	10,63

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-120/102-000	Female plug with integrated end plate 20-pole, gray	0	10	9,54
231-121/008-000	Female plug with snap-in mounting foot 21-pole, gray	0	10	10,02
231-121/026-000	Female plug 21-pole Pin spacing 5 mm / 0.197 in, gray	0	10	10,02
231-121/027-000	Female plug with fixing flanges 21-pole, gray	0	10	11,35
231-121/031-000	Female plug with fixing flanges 21-pole, gray	0	10	10,18
231-121/037-000	Female plug with locking levers 21-pole, gray	0	10	10,26
231-121/102-000	Female plug with integrated end plate 21-pole, gray	0	10	10,02
231-122/008-000	Female plug with snap-in mounting foot 22-pole, gray	0	10	10,5
231-122/026-000	Female plug 22-pole Pin spacing 5 mm / 0.197 in, gray	0	10	10,5
231-122/026-000/035-000	Female plug with strain relief with coding finger, gray	0	10	11,34
231-122/026-047	Female plug with coding finger with latch, gray	0	10	10,64
231-122/027-000	Female plug with fixing flanges 22-pole, gray	0	10	11,89
231-122/031-000	Female plug with fixing flanges 22-pole, gray	0	10	10,67
231-122/037-000	Female plug with locking levers 22-pole, gray	0	10	10,74
231-122/102-000	Female plug with integrated end plate 22-pole, gray	0	10	10,5
231-123/008-000	Female plug with snap-in mounting foot 23-pole, gray	0	10	10,98
231-123/026-000	Female plug 23-pole Pin spacing 5 mm / 0.197 in, gray	0	10	10,98
231-123/027-000	Female plug with fixing flanges 23-pole, gray	0	10	12,35
231-123/031-000	Female plug with fixing flanges 23-pole, gray	0	10	11,19
231-123/037-000	Female plug with locking levers 23-pole, gray	0	10	11,24
231-123/102-000	Female plug with integrated end plate 23-pole, gray	0	10	10,98
231-124/008-000	Female plug with snap-in mounting foot 24-pole, gray	0	10	11,49
231-124/026-000	STRAIGHT FEMALE PLUG, PIN SPACING 5.00MM 24-P, GREY 24-pole Pin spacing 5 mm / 0.197 in, gray	0	10	11,49
231-124/026-047	FEDERLEISTE GER. 5 MM 24-POL. with latch with coding finger, gray	0	10	11,62
231-124/027-000	Female plug with fixing flanges 24-pole, gray	0	10	12,76
231-124/031-000	FEMALE PLUG WITH FIXING FLANGE, PIN SPACING 5.00MM WITH CODIG FIN with fixing flanges 24-pole, gray	0	10	11,64

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-124/037-000	Female plug with locking levers 24-pole, gray	0	10	11,7
231-124/102-000	STRAIGHT FEMALE PLUG WITH INTERGRATED ENDPLATE, PIN SPACING 5.0 with integrated end plate 24-pole, gray	0	10	11,49
231-132/001-000	MALE HEADER STRAIGHT SOLDER PIN, 1X1 MM, PIN SPACING 5 MM, MATIN with straight solder pins 2-pole, gray	0	200	0,35
231-132/001-000/010-000	STIFTL. GESCHL. 1X1 GERADE 5MM 2-POL	0	200	
231-132/001-000/105-604	Male connector with straight solder pins 2-pole, black	0	200	0,37
231-132/001-000/105-604/99	Male header (for PCBs) Straight solder pin 1 x 1 mm 2-pole, black	0	170	0,69
231-132/040-000	Male header (for PCBs) with straight solder pins 2-pole, gray	0	200	0,61
231-133/001-000	MALE HEADER STRAIGHT SOLDER PIN, 1X1 MM, PIN SPACING 5 MM, MATIN with straight solder pins 3-pole, gray	0	200	0,51
231-133/001-000/105-604	Male connector with straight solder pins 3-pole, black	0	200	0,57
231-133/001-000/105-604/99	Male header (for PCBs) Straight solder pin 1 x 1 mm 3-pole, black	0	170	0,87
231-133/040-000	Male header (for PCBs) Straight solder pin 1 x 1 mm 3-pole, gray	0	200	0,77
231-134/001-000	HEADER STRAIGHT SOLDER PIN, 1X1 MM, PIN SPACING 5 MM, MATING DIRE with straight solder pins 4-pole, gray	0	200	0,69
231-134/001-000/105-604	Male connector with straight solder pins 4-pole, black	0	200	0,74
231-134/001-000/105-604/99	Male header (for PCBs) Straight solder pin 1 x 1 mm 4-pole, black	0	170	1,09
231-134/001-006	Male connector blue	0	200	0,74
231-135/001-000	Male connector with straight solder pins 5-pole, gray	0	200	0,85
231-135/001-000/010-000	Male connector gray	0	200	2,6
231-135/001-000/105-604	Male connector with straight solder pins 5-pole, black	0	200	0,91
231-135/001-000/105-604/99	Male header (for PCBs) Straight solder pin 1 x 1 mm 5-pole, black	0	170	1,25
231-135/040-000	Male header (for PCBs) Straight solder pin 1 x 1 mm 5-pole, gray	0	100	1,1
231-136/001-000	HEADER STRAIGHT SOLDER PIN, 1X1 MM, PIN SPACING 5 MM, MATING DIRE with straight solder pins 6-pole, gray	0	100	1,05
231-136/001-000/105-604	Male connector with straight solder pins 6-pole, black	0	100	1,1
231-136/001-000/105-604/99	Male header (for PCBs) Straight solder pin 1 x 1 mm 6-pole, black	0	170	1,44
231-136/040-000	Male header (for PCBs) Straight solder pin 1 x 1 mm 6-pole, gray	0	100	1,26
231-137/001-000	Male connector with straight solder pins 7-pole, gray	0	100	1,21
231-138/001-000	Male connector with straight solder pins 8-pole, gray	0	100	1,39

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-138/001-000/105-604	Male connector with straight solder pins 8-pole, black	0	100	1,45
231-138/001-000/105-604/99	Male header (for PCBs) Straight solder pin 1 x 1 mm 8-pole, black	0	170	1,78
231-139/001-000	CLOSED END PCB MALE CONNECTOR 1X1MM, PIN SPACING 5MM 9-P with straight solder pins 9-pole, gray	0	100	1,54
231-139/001-000/105-604	Male header (for PCBs) Straight solder pin 1 x 1 mm 9-pole	0	100	1,63
231-140/001-000	Male connector with straight solder pins 10-pole, gray	0	100	1,72
231-140/001-000/105-604	Male header (for PCBs) Straight solder pin 1 x 1 mm 10-pole, black	0	100	1,8
231-140/001-000/105-604/99	Male header (for PCBs) Straight solder pin 1 x 1 mm 10-pole, black	0	170	2,18
231-141/001-000	Male connector with straight solder pins 11-pole, gray	0	100	1,91
231-142/001-000	Male connector with straight solder pins 12-pole, gray	0	100	2,06
231-142/001-000/105-604	Male header (for PCBs) Straight solder pin 1 x 1 mm 12-pole, black	0	100	2,15
231-143/001-000	Male connector with straight solder pins 13-pole, gray	0	50	2,26
231-144/001-000	Male connector with straight solder pins 14-pole, gray	0	50	2,42
231-144/040-000	Male connector with straight solder pins 14-pole, gray	0	50	2,61
231-144/046-000	Male connector with straight solder pins, gray	0	50	2,42
231-145/001-000	Male connector with straight solder pins 15-pole, gray	0	50	2,6
231-146/001-000	Male connector with straight solder pins 16-pole, gray	0	50	2,79
231-147/001-000	Male connector with straight solder pins 17-pole, gray	0	50	2,94
231-148/001-000	Male connector with straight solder pins 18-pole, gray	0	50	3,13
231-149/001-000	Male connector with straight solder pins 19-pole, gray	0	50	3,28
231-150/001-000	Male connector with straight solder pins 20-pole, gray	0	50	3,44
231-151/001-000	Male connector with straight solder pins 21-pole, gray	0	50	3,58
231-152/001-000	Male connector with straight solder pins 22-pole, gray	0	50	3,72
231-153/001-000	Male connector with straight solder pins 23-pole, gray	0	50	3,87
231-154/001-000	Male connector with straight solder pins 24-pole, gray	0	50	4,02
231-154/001-000/010-000	Male connector gray	0	50	12,41
231-154/046-000	Male connector with straight solder pins, gray	0	50	4,02

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-162/001-000	Male connector with straight solder pins 2-pole, gray	0	200	0,38
231-162/001-000/105-604	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 2-pole, black	0	200	0,41
231-162/001-000/105-604/99	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 2-pole	0	170	0,74
231-162/003-000	Male connector with straight, long contact pins 2-pole, gray	0	200	0,43
231-162/040-000	Male connector with straight solder pins 2-pole, gray	0	200	0,65
231-163/001-000	Male connector with straight solder pins 3-pole, gray	0	200	0,58
231-163/001-000/105-604	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 3-pole, black	0	200	0,63
231-163/001-000/105-604/99	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 3-pole	0	170	0,94
231-163/003-000	MALE CONNECTOR WITH STRAIGHT LONG PINS, PIN SPACING 5MM, 1.2X1.2 with straight, long contact pins 3-pole, gray	0	200	0,67
231-163/040-000	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 3-pole, gray	0	200	0,83
231-164/001-000	Male connector with straight solder pins 4-pole, gray	0	200	0,78
231-164/001-000/105-604	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 4-pole, black	0	200	0,83
231-164/001-000/105-604/99	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 4-pole	0	170	1,16
231-164/003-000	MALE CONNECTOR WITH STRAIGHT LONG PINS, PIN SPACING 5MM, 1.2X1.2 with straight, long contact pins 4-pole, gray	0	200	0,88
231-165/001-000	Male connector with straight solder pins 5-pole, gray	0	200	0,95
231-165/001-000/105-604	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 5-pole, black	0	200	1,03
231-165/001-000/105-604/99	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 5-pole	0	170	1,36
231-165/003-000	Male connector with straight, long contact pins 5-pole, gray	0	200	1,11
231-165/040-000	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 5-pole, gray	0	100	1,2
231-166/001-000	Male connector with straight solder pins 6-pole, gray	0	200	1,16
231-166/001-000/105-604	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 6-pole, black	0	100	1,23
231-166/001-000/105-604/99	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 6-pole	0	170	1,56
231-166/003-000	MALE CONNECTOR WITH STRAIGHT LONG PINS, PIN SPACING 5MM, 1.2X1.2 with straight, long contact pins 6-pole, gray	0	100	1,34
231-166/040-000	Male connector with straight solder pins 6-pole, gray	0	100	1,39
231-167/001-000	Male connector with straight solder pins 7-pole, gray	0	100	1,35
231-167/001-000/105-604	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 7-pole, black	0	100	1,43

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-167/001-000/105-604/99	STIFTL.GEGURT.1,2X1,2 GER.5MM 7P.	0	170	
231-167/001-000/105-604/99	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 7-pole	0	170	1,76
231-167/003-000	Male connector with straight, long contact pins 7-pole, gray	0	100	1,58
231-168/001-000	Male connector with straight solder pins 8-pole, gray	0	100	1,54
231-168/001-000/105-604	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 8-pole, black	0	100	1,64
231-168/001-000/105-604/99	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 8-pole	0	170	1,97
231-168/003-000	MALE CONNECTOR WITH STRAIGHT LONG PINS, PIN SPACING 5MM, 1.2X1.2 with straight, long contact pins 8-pole, gray	0	100	1,78
231-169/001-000	CLOSED END PCB MALE CONNECTOR 1.2X1.2MM, PIN SPACING 5MM 9-P with straight solder pins 9-pole, gray	0	100	1,73
231-169/001-000/105-604	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 9-pole, black	0	100	1,82
231-169/001-000/105-604/99	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 9-pole	0	170	2,19
231-169/003-000	Male connector with straight, long contact pins 9-pole, gray	0	100	1,98
231-170/001-000	Male connector with straight solder pins 10-pole, gray	0	100	1,93
231-170/001-000/105-604	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 10-pole, black	0	100	2,02
231-170/001-000/105-604/99	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 10-pole	0	170	2,37
231-170/003-000	MALE CONNECTOR WITH STRAIGHT LONG PINS, PIN SPACING 5MM, 1.2X1.2 with straight, long contact pins 10-pole, gray	0	100	2,23
231-171/001-000	Male connector with straight solder pins 11-pole, gray	0	100	2,1
231-171/001-000/105-604	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 11-pole, black	0	100	2,23
231-171/001-000/105-604/99	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 11-pole	0	170	2,59
231-172/001-000	Male connector with straight solder pins 12-pole, gray	0	100	2,33
231-172/001-000/105-604	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 12-pole, black	0	100	2,41
231-172/001-000/105-604/99	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 12-pole	0	170	2,79
231-172/003-000	MALE CONNECTOR WITH STRAIGHT LONG PINS, PIN SPACING 5MM, 1.2X1.2 with straight, long contact pins 12-pole, gray	0	100	2,71
231-173/001-000	Male connector with straight solder pins 13-pole, gray	0	50	2,51
231-174/001-000	Male connector with straight solder pins 14-pole, gray	0	50	2,71
231-174/040-000	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 14-pole, gray	0	50	2,86
231-175/001-000	Male connector with straight solder pins 15-pole, gray	0	50	2,91

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-176/001-000	Male connector with straight solder pins 16-pole, gray	0	50	3,12
231-176/003-000	Male connector with straight, long contact pins 16-pole, gray	0	50	3,61
231-177/001-000	Male connector with straight solder pins 17-pole, gray	0	50	3,27
231-178/001-000	Male connector with straight solder pins 18-pole, gray	0	50	3,49
231-179/001-000	Male connector with straight solder pins 19-pole, gray	0	50	3,65
231-180/001-000	Male connector with straight solder pins 20-pole, gray	0	50	3,81
231-180/003-000	Male connector with straight, long contact pins 20-pole, gray	0	50	4,52
231-181/001-000	Male connector with straight solder pins 21-pole, gray	0	50	3,97
231-182/001-000	Male connector with straight solder pins 22-pole, gray	0	50	4,13
231-183/001-000	Male connector with straight solder pins 23-pole, gray	0	50	4,3
231-184/001-000	Male connector with straight solder pins 24-pole, gray	0	50	4,5
231-202/008-000	Female plug with snap-in mounting feet 2-pole, gray	0	100	1,13
231-202/026-000	Female plug 2-pole Pin spacing 7.5 mm / 0.295 in, gray	0	100	1,1
231-202/037-000	Female plug with locking levers 2-pole, gray	0	50	1,4
231-202/037-000/032-000	Female plug with lateral locking levers with strain relief, gray	0	50	2,03
231-203/008-000	Female plug with snap-in mounting feet 3-pole, gray	0	100	1,62
231-203/026-000	Female plug 3-pole Pin spacing 7.5 mm / 0.295 in, gray	0	100	1,62
231-203/031-000	Female plug with fixing flanges 3-pole, gray	0	50	1,78
231-203/037-000	Female plug with locking levers 3-pole, gray	0	50	1,85
231-203/037-000/033-000	Female plug with latch with locking levers, gray	0	50	2,57
231-204/008-000	FEMALE PLUG WITH SNAP-IN MOUNTING FOOT, PIN SPACING 7.5 MM WITH with snap-in mounting feet 4-pole, gray	0	50	2,09
231-204/025-000	Female plug with latch with end plate, gray	0	50	2,09
231-204/026-000	STRAIGHT FEMALE PLUG, PIN SPACING 7.5MM 4-P, GREY 4-pole Pin spacing 7.5 mm / 0.295 in, gray	0	50	2,09
231-204/031-000	FEMALE PLUG WITH FIXING FLANGE, PIN SPACING 7.5 MM WITH CODIG FIN with fixing flanges 4-pole, gray	0	50	2,29
231-204/037-000	FEMALE PLUG WITH LOCKING LEVER, PIN SPACING 7.5 MM WITH CODIG FI with locking levers 4-pole, gray	0	50	2,35
231-204/037-000/032-000	Female plug with lateral locking levers with strain relief, gray	0	50	2,98

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-204/037-000/033-000	Female plug with lateral locking levers with strain relief, gray	0	50	3,06
231-204/037-000/034-000	Female plug with lateral locking levers with strain relief, gray	0	50	3,14
231-205/008-000	Female plug with snap-in mounting feet 5-pole, gray	0	50	2,63
231-205/026-000	Female plug 5-pole Pin spacing 7.5 mm / 0.295 in, gray	0	50	2,63
231-205/031-000	Female plug with fixing flanges 5-pole, gray	0	50	2,81
231-205/037-000	Female plug with locking levers 5-pole, gray	0	50	2,86
231-205/037-000/033-000	Female plug with lateral locking levers with strain relief, gray	0	50	3,56
231-206/008-000	FEMALE PLUG WITH SNAP-IN MOUNTING FOOT, PIN SPACING 7.5 MM WITH with snap-in mounting feet 6-pole, gray	0	50	3,15
231-206/025-000	Female plug with latch, gray	0	50	3,15
231-206/026-000	STRAIGHT FEMALE PLUG, PIN SPACING 7.5MM 6-P, GREY 6-pole Pin spacing 7.5 mm / 0.295 in, gray	0	50	3,15
231-206/027-000	FEMALE PLUG WITH FIXING FLANGE WITH REINFORCING STRIPS, PIN SPAC with fixing flanges 6-pole, gray	0	25	4,19
231-206/031-000	Female plug with fixing flanges 6-pole, gray	0	25	3,32
231-206/037-000	Female plug with locking levers 6-pole, gray	0	25	3,39
231-206/037-000/034-000	Female plug with lateral locking levers with strain relief, gray	0	50	4,16
231-207/008-000	Female plug with snap-in mounting feet 7-pole, gray	0	50	3,59
231-207/026-000	Female plug 7-pole Pin spacing 7.5 mm / 0.295 in, gray	0	50	3,59
231-207/027-000	Female plug with fixing flanges 7-pole, gray	0	25	4,68
231-207/031-000	Female plug with fixing flanges 7-pole, gray	0	25	3,77
231-207/037-000	Female plug with locking levers 7-pole, gray	0	25	3,86
231-207/037-000/034-000	Female plug with lateral locking levers with strain relief, gray	0	25	4,64
231-208/008-000	Female plug with snap-in mounting feet 8-pole, gray	0	25	4,12
231-208/026-000	STRAIGHT FEMALE CONNECTOR, PIN SPACING 7.5MM 8-P, GREY 8-pole Pin spacing 7.5 mm / 0.295 in, gray	0	25	4,12
231-208/027-000	Female plug with fixing flanges 8-pole, gray	0	25	5,18
231-208/031-000	Female plug with fixing flanges 8-pole, gray	0	25	4,3
231-208/037-000	Female plug with locking levers 8-pole, gray	0	25	4,35
231-208/037-000/035-000	Female plug with lateral locking levers with strain relief, gray	0	25	5,2

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-209/008-000	Female plug with snap-in mounting feet 9-pole, gray	0	25	4,53
231-209/026-000	Female plug 9-pole Pin spacing 7.5 mm / 0.295 in, gray	0	25	4,53
231-209/026-000/035-000	Female plug with strain relief, gray	0	25	5,4
231-209/027-000	Female plug with fixing flanges 9-pole, gray	0	25	5,7
231-209/031-000	Female plug with fixing flanges 9-pole, gray	0	25	4,69
231-209/037-000	Female plug with locking levers 9-pole, gray	0	25	4,8
231-209/037-000/035-000	Female plug with lateral locking levers with strain relief, gray	0	25	5,6
231-210/008-000	Female plug with snap-in mounting feet 10-pole, gray	0	25	5,06
231-210/026-000	Female plug 10-pole Pin spacing 7.5 mm / 0.295 in, gray	0	25	5,06
231-210/027-000	Female plug with fixing flanges 10-pole, gray	0	25	6,17
231-210/027-000/035-000	Female plug with fixing flange with reinforcing strips, gray	0	25	7,03
231-210/031-000	Female plug with fixing flanges 10-pole, gray	0	25	5,21
231-210/037-000	Female plug with locking levers 10-pole, gray	0	25	5,28
231-210/037-000/035-000	Female plug with lateral locking levers with strain relief, gray	0	25	6,13
231-2102/026-000	2-CONDUCTOR FEMALE CONNECTOR, PIN SPACING 5.00MM 2-P, GREY 2-pole Pin spacing 5 mm / 0.197 in, gray	0	100	1,5
231-2102/037-000	2-CONDUCTOR FEMALE CONNECTOR WITH LOCKING LEVERS, PIN SPACIN with locking levers 2-pole, gray	0	100	1,76
231-2103/026-000	2-conductor female connector 3-pole Pin spacing 5 mm / 0.197 in, gray	0	100	2,26
231-2103/037-000	2-conductor female connector with locking levers 3-pole, gray	0	50	2,51
231-2103/037-047/133-000	Female plug with lateral locking levers with strain relief, gray	0	50	3,13
231-2104/026-000	2-conductor female connector 4-pole Pin spacing 5 mm / 0.197 in, gray	0	100	3
231-2104/037-000	2-conductor female connector with locking levers 4-pole, gray	0	50	3,26
231-2105/026-000	2-conductor female connector 5-pole Pin spacing 5 mm / 0.197 in, gray	0	50	3,76
231-2105/026-000/133-000	Female plug with strain relief, gray	0	50	4,23
231-2105/037-000	2-conductor female connector with locking levers 5-pole, gray	0	50	4,01
231-2106/026-000	2-conductor female connector 6-pole Pin spacing 5 mm / 0.197 in, gray	0	50	4,52
231-2106/037-000	2-conductor female connector with locking levers 6-pole, gray	0	50	4,79

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-2107/026-000	2-conductor female connector 7-pole Pin spacing 5 mm / 0.197 in, gray	0	50	5,25
231-2107/037-000	2-conductor female connector with locking levers 7-pole, gray	0	50	5,52
231-2108/026-000	2-conductor female connector 8-pole Pin spacing 5 mm / 0.197 in, gray	0	50	6,01
231-2108/037-000	2-conductor female connector with locking levers 8-pole, gray	0	25	6,28
231-2109/026-000	2-conductor female connector 9-pole Pin spacing 5 mm / 0.197 in, gray	0	50	6,76
231-2109/037-000	2-conductor female connector with locking levers 9-pole, gray	0	25	7,02
231-211/008-000	Female plug with snap-in mounting feet 11-pole, gray	0	25	5,53
231-211/026-000	Female plug 11-pole Pin spacing 7.5 mm / 0.295 in, gray	0	25	5,53
231-211/027-000	Female plug with fixing flanges 7-pole, gray	0	10	6,79
231-211/031-000	Female plug with fixing flanges 11-pole, gray	0	10	5,73
231-211/037-000	Female plug with locking levers 11-pole, gray	0	10	5,79
231-211/037-000/035-000	Female plug with lateral locking levers with strain relief, gray	0	10	6,64
231-2110/026-000	2-conductor female connector 10-pole Pin spacing 5 mm / 0.197 in, gray	0	50	7,52
231-2110/037-000	2-conductor female connector with locking levers 10-pole, gray	0	25	7,78
231-2111/026-000	2-conductor female connector 11-pole Pin spacing 5 mm / 0.197 in, gray	0	25	8,27
231-2111/037-000	2-conductor female connector with locking levers 11-pole, gray	0	25	8,52
231-2112/026-000	2-conductor female connector 12-pole Pin spacing 5 mm / 0.197 in, gray	0	25	9,02
231-2112/037-000	2-conductor female connector with locking levers 12-pole, gray	0	25	9,26
231-2113/026-000	2-conductor female connector 13-pole Pin spacing 5 mm / 0.197 in, gray	0	25	9,78
231-2113/037-000	2-conductor female connector with locking levers 13-pole, gray	0	25	10,03
231-2114/026-000	2-conductor female connector 14-pole Pin spacing 5 mm / 0.197 in, gray	0	25	10,53
231-2114/037-000	2-conductor female connector with locking levers 14-pole, gray	0	25	10,79
231-2115/026-000	2-conductor female connector 15-pole Pin spacing 5 mm / 0.197 in, gray	0	25	11,28
231-2115/037-000	2-conductor female connector with locking levers 15-pole, gray	0	25	11,55
231-2116/026-000	2-conductor female connector 16-pole Pin spacing 5 mm / 0.197 in, gray	0	25	12,04
231-2116/037-000	2-conductor female connector with locking levers 16-pole, gray	0	10	12,3

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-212/008-000	Female plug with snap-in mounting feet 12-pole, gray	0	25	6,05
231-212/026-000	Female plug 12-pole Pin spacing 7.5 mm / 0.295 in, gray	0	25	6,05
231-212/027-000	Female plug with fixing flanges 12-pole, gray	0	10	7,4
231-212/031-000	Female plug with fixing flanges 12-pole, gray	0	10	6,2
231-212/037-000	Female plug with locking levers 12-pole, gray	0	10	6,29
231-212/037-000/035-000	Female plug with lateral locking levers with strain relief, gray	0	10	7,14
231-213/008-000	Female plug with snap-in mounting feet 13-pole, gray	0	10	6,51
231-213/026-000	Female plug 13-pole Pin spacing 7.5 mm / 0.295 in, gray	0	10	6,51
231-213/027-000	Female plug with fixing flanges 13-pole, gray	0	10	7,91
231-213/031-000	Female plug with fixing flanges 13-pole, gray	0	10	6,7
231-213/037-000	Female plug with locking levers 13-pole, gray	0	10	6,76
231-215/026-000	Female plug 15-pole Pin spacing 7.5 mm / 0.295 in, gray	0	10	7,51
231-216/008-000	Female plug with snap-in mounting feet 16-pole, gray	0	10	8,01
231-216/026-000	Female plug 16-pole Pin spacing 7.5 mm / 0.295 in, gray	0	10	8,01
231-216/027-000	Female plug with fixing flanges 16-pole, gray	0	10	9,53
231-216/031-000	Female plug with fixing flanges 16-pole, gray	0	10	8,16
231-216/037-000	Female plug with locking levers 16-pole, gray	0	10	8,24
231-216/037-000/035-000	Female plug with locking levers 16-pole, gray	0	10	9,09
231-2202/026-000	2-conductor female connector 2-pole Pin spacing 7.5 mm / 0.295 in, gray	0	100	1,55
231-2202/037-000	2-conductor female connector with locking levers 2-pole, gray	0	50	1,82
231-2203/026-000	2-conductor female connector 3-pole Pin spacing 7.5 mm / 0.295 in, gray	0	100	2,35
231-2203/037-000	2-conductor female connector with locking levers 3-pole, gray	0	50	2,61
231-2204/026-000	2-conductor female connector 4-pole Pin spacing 7.5 mm / 0.295 in, gray	0	50	3,14
231-2204/037-000	2-conductor female connector with locking levers 4-pole, gray	0	50	3,39
231-2205/026-000	2-conductor female connector 5-pole Pin spacing 7.5 mm / 0.295 in, gray	0	50	3,92
231-2205/037-000	2-conductor female connector with locking levers 5-pole, gray	0	50	4,16

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-2206/026-000	2-conductor female connector 6-pole Pin spacing 7.5 mm / 0.295 in, gray	0	50	4,68
231-2206/037-000	2-conductor female connector with locking levers 6-pole, gray	0	25	4,95
231-2207/026-000	2-conductor female connector 7-pole Pin spacing 7.5 mm / 0.295 in, gray	0	50	5,48
231-2207/037-000	2-conductor female connector with locking levers 7-pole, gray	0	25	5,74
231-2208/026-000	2-conductor female connector 8-pole Pin spacing 7.5 mm / 0.295 in, gray	0	25	6,27
231-2208/037-000	2-conductor female connector with locking levers 8-pole, gray	0	25	6,51
231-2209/026-000	2-conductor female connector 9-pole Pin spacing 7.5 mm / 0.295 in, gray	0	25	7,04
231-2209/037-000	2-conductor female connector with locking levers 9-pole, gray	0	25	7,29
231-2210/026-000	2-conductor female connector 10-pole Pin spacing 7.5 mm / 0.295 in, gray	0	25	7,81
231-2210/037-000	2-conductor female connector with locking levers 10-pole, gray	0	25	8,09
231-2211/026-000	2-conductor female connector 11-pole Pin spacing 7.5 mm / 0.295 in, gray	0	25	8,59
231-2211/037-000	2-conductor female connector with locking levers 11-pole, gray	0	10	8,86
231-2212/026-000	2-conductor female connector 12-pole Pin spacing 7.5 mm / 0.295 in, gray	0	25	9,39
231-2212/037-000	2-conductor female connector with locking levers 12-pole, gray	0	10	9,63
231-2302/026-000	2-conductor female connector 2-pole Pin spacing 5.08 mm / 0.2 in, orange	0	100	1,5
231-2302/037-000	2-conductor female connector with locking levers 2-pole, orange	0	100	1,76
231-2303/026-000	2-conductor female connector 3-pole Pin spacing 5.08 mm / 0.2 in, orange	0	100	2,26
231-2303/026-047	Female plug orange	0	100	2,4
231-2303/037-000	2-conductor female connector with locking levers 3-pole, orange	0	50	2,51
231-2304/026-000	2-conductor female connector 4-pole Pin spacing 5.08 mm / 0.2 in, orange	0	100	3
231-2304/037-000	2-conductor female connector with locking levers 4-pole, orange	0	50	3,26
231-2305/026-000	2-conductor female connector 5-pole Pin spacing 5.08 mm / 0.2 in, orange	0	50	3,76
231-2305/026-047	Female plug orange	0	50	3,92
231-2305/037-000	2-conductor female connector with locking levers 5-pole, orange	0	50	4,01
231-2306/026-000	2-conductor female connector 6-pole Pin spacing 5.08 mm / 0.2 in, orange	0	50	4,52
231-2306/037-000	2-conductor female connector with locking levers 6-pole, orange	0	50	4,79

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-2307/026-000	2-conductor female connector 7-pole Pin spacing 5.08 mm / 0.2 in, orange	0	50	5,25
231-2307/037-000	2-conductor female connector with locking levers 7-pole, orange	0	50	5,52
231-2308/026-000	2-conductor female connector 8-pole Pin spacing 5.08 mm / 0.2 in, orange	0	50	6,01
231-2308/037-000	2-conductor female connector with locking levers 8-pole, orange	0	25	6,28
231-2309/026-000	2-conductor female connector 9-pole Pin spacing 5.08 mm / 0.2 in, orange	0	50	6,76
231-2309/037-000	2-conductor female connector with locking levers 9-pole, orange	0	25	7,02
231-2310/026-000	2-conductor female connector 10-pole Pin spacing 5.08 mm / 0.2 in, orange	0	50	7,52
231-2310/037-000	2-conductor female connector with locking levers 10-pole, orange	0	25	7,78
231-2311/026-000	2-conductor female connector 11-pole Pin spacing 5.08 mm / 0.2 in, orange	0	25	8,27
231-2311/037-000	2-conductor female connector with locking levers 11-pole, orange	0	25	8,52
231-2312/026-000	2-conductor female connector 12-pole Pin spacing 5.08 mm / 0.2 in, orange	0	25	9,02
231-2312/037-000	2-conductor female connector with locking levers 12-pole, orange	0	25	9,26
231-2313/026-000	2-conductor female connector 13-pole Pin spacing 5.08 mm / 0.2 in, orange	0	25	9,78
231-2313/037-000	2-conductor female connector with locking levers 13-pole, orange	0	25	10,03
231-2314/026-000	2-conductor female connector 14-pole Pin spacing 5.08 mm / 0.2 in, orange	0	25	10,53
231-2314/037-000	2-conductor female connector with locking levers 14-pole, orange	0	25	10,79
231-2315/026-000	2-conductor female connector 15-pole Pin spacing 5.08 mm / 0.2 in, orange	0	25	11,28
231-2315/037-000	2-conductor female connector with locking levers 15-pole, orange	0	25	11,55
231-2316/026-000	2-conductor female connector 16-pole Pin spacing 5.08 mm / 0.2 in, orange	0	25	12,04
231-2316/037-000	2-conductor female connector with locking levers 16-pole, orange	0	10	12,3
231-232/001-000	Male connector with straight solder pins 2-pole, gray	0	200	0,53
231-232/001-000/105-604	Male connector with straight solder pins 2-pole, black	0	200	0,56
231-233/001-000	Male connector with straight solder pins 3-pole, gray	0	200	0,65
231-233/001-000/105-604	Male connector with straight solder pins 3-pole, black	0	200	0,74
231-234/001-000	HEADER STRAIGHT SOLDER PIN, 1X1 MM, PIN SPACING 7.5 MM, MATING DI with straight solder pins 4-pole, gray	0	100	0,78
231-234/001-000/105-604	Male connector with straight solder pins 4-pole, black	0	100	0,92

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-235/001-000	Male connector with straight solder pins 5-pole, gray	0	100	0,91
231-235/001-000/105-604	Male connector with straight solder pins 5-pole, black	0	100	1,12
231-236/001-000	HEADER STRAIGHT SOLDER PIN, 1X1 MM, PIN SPACING 7.5 MM, MATING DI with straight solder pins 6-pole, gray	0	100	1,09
231-236/001-000/105-604	Male connector with straight solder pins 6-pole, black	0	100	1,31
231-237/001-000	Male connector with straight solder pins 7-pole, gray	0	50	1,22
231-237/001-000/105-604	Male connector with straight solder pins 7-pole, black	0	50	1,49
231-238/001-000	Male connector with straight solder pins 8-pole, gray	0	50	1,5
231-238/001-000/105-604	Male connector with straight solder pins 8-pole, black	0	50	1,67
231-239/001-000	Male connector with straight solder pins 9-pole, gray	0	50	1,66
231-239/001-000/105-604	Male connector with straight solder pins 9-pole, black	0	50	1,87
231-240/001-000	Male connector with straight solder pins 10-pole, gray	0	50	1,87
231-240/001-000/105-604	Male connector with straight solder pins 10-pole, black	0	50	2,04
231-240/040-000	Male header (for PCBs) Straight solder pin 1 x 1 mm 10-pole, gray	0	50	2,29
231-241/001-000	Male connector with straight solder pins 11-pole, gray	0	50	2,07
231-242/001-000	Male connector with straight solder pins 12-pole, gray	0	50	2,31
231-242/001-000/105-604	Male connector with straight solder pins 12-pole, black	0	50	2,43
231-243/001-000	Male connector with straight solder pins 13-pole, gray	0	50	2,57
231-246/001-000	Male connector with straight solder pins 16-pole, gray	0	50	3,14
231-262/001-000	Male connector with straight solder pins 2-pole, gray	0	200	0,55
231-262/001-000/105-604	Male connector with straight solder pins 2-pole, black	0	200	0,58
231-262/001-000/105-604/99	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 2-pole	0	1	0,89
231-263/001-000	Male connector with straight solder pins 3-pole, gray	0	200	0,68
231-263/001-000/105-604	Male connector with straight solder pins 3-pole, black	0	200	0,78
231-263/001-000/105-604/99	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 3-pole	0	170	1,11
231-264/001-000	Male connector with straight solder pins 4-pole, gray	0	100	0,83
231-264/001-000/105-604	Male connector with straight solder pins 4-pole, black	0	100	0,97

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-264/001-000/105-604/99	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 4-pole	0	170	1,32
231-265/001-000	Male connector with straight solder pins 5-pole, gray	0	100	0,96
231-265/001-000/105-604	Male connector with straight solder pins 5-pole, black	0	100	1,18
231-265/001-000/105-604/99	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 5-pole	0	170	1,51
231-266/001-000	Male connector with straight solder pins 6-pole, gray	0	100	1,17
231-266/001-000/105-604	Male connector with straight solder pins 6-pole, black	0	50	1,39
231-266/001-000/105-604/99	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 6-pole	0	170	1,74
231-267/001-000	Male connector with straight solder pins 7-pole, gray	0	50	1,31
231-267/001-000/105-604	Male connector with straight solder pins 7-pole, black	0	50	1,6
231-267/001-000/105-604/99	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 7-pole	0	170	1,95
231-268/001-000	Male connector with straight solder pins 8-pole, gray	0	50	1,61
231-268/001-000/105-604	Male connector with straight solder pins 8-pole, black	0	50	1,77
231-268/001-000/105-604/99	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 8-pole	0	170	2,13
231-269/001-000	Male connector with straight solder pins 9-pole, gray	0	50	1,77
231-269/001-000/105-604	Male connector with straight solder pins 9-pole, black	0	50	1,99
231-269/001-000/105-604/99	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 9-pole	0	170	2,34
231-270/001-000	Male connector with straight solder pins 10-pole, gray	0	50	1,99
231-270/001-000/105-604	Male connector with straight solder pins 10-pole, black	0	50	2,19
231-270/040-000	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 10-pole, gray	0	50	2,34
231-270/046-000	Male connector with straight solder pins, gray	0	50	1,99
231-2702/026-000	2-conductor female connector 2-pole Pin spacing 7.62 mm / 0.3 in, orange	0	100	1,55
231-2702/037-000	2-conductor female connector with locking levers 2-pole, orange	0	50	1,82
231-2703/026-000	2-conductor female connector 3-pole Pin spacing 7.62 mm / 0.3 in, orange	0	100	2,35
231-2703/037-000	2-conductor female connector with locking levers 3-pole, orange	0	50	2,61
231-2704/026-000	2-conductor female connector 4-pole Pin spacing 7.62 mm / 0.3 in, orange	0	50	3,14
231-2704/037-000	2-conductor female connector with locking levers 4-pole, orange	0	50	3,39

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-2705/026-000	2-conductor female connector 5-pole Pin spacing 7.62 mm / 0.3 in, orange	0	50	3,92
231-2705/037-000	2-conductor female connector with locking levers 5-pole, orange	0	50	4,16
231-2706/026-000	2-conductor female connector 6-pole Pin spacing 7.62 mm / 0.3 in, orange	0	50	4,68
231-2706/037-000	2-conductor female connector with locking levers 6-pole, orange	0	25	4,95
231-2707/026-000	2-conductor female connector 7-pole Pin spacing 7.62 mm / 0.3 in, orange	0	50	5,48
231-2707/037-000	2-conductor female connector with locking levers 7-pole, orange	0	50	5,74
231-2708/026-000	2-conductor female connector 8-pole Pin spacing 7.62 mm / 0.3 in, orange	0	25	6,27
231-2708/037-000	2-conductor female connector with locking levers 8-pole, orange	0	25	6,51
231-2709/026-000	2-conductor female connector 9-pole Pin spacing 7.62 mm / 0.3 in, orange	0	25	7,04
231-2709/037-000	2-conductor female connector with locking levers 9-pole, orange	0	25	7,29
231-271/001-000	Male connector with straight solder pins 11-pole, gray	0	50	2,23
231-271/001-000/105-604	Male connector with straight solder pins 11-pole, black	0	50	2,38
231-2710/026-000	2-conductor female connector 10-pole Pin spacing 7.62 mm / 0.3 in, orange	0	25	7,81
231-2710/037-000	2-conductor female connector with locking levers 10-pole, orange	0	25	8,09
231-2711/026-000	2-conductor female connector 11-pole Pin spacing 7.62 mm / 0.3 in, orange	0	25	8,59
231-2711/037-000	2-conductor female connector with locking levers 11-pole, orange	0	10	8,86
231-2712/026-000	2-conductor female connector 12-pole Pin spacing 7.62 mm / 0.3 in, orange	0	25	9,39
231-2712/037-000	2-conductor female connector with locking levers 12-pole, orange	0	10	9,63
231-272/001-000	Male connector with straight solder pins 12-pole, gray	0	50	2,48
231-272/001-000/105-604	Male connector with straight solder pins 12-pole, black	0	50	2,6
231-273/001-000	Male connector with straight solder pins 13-pole, gray	0	50	2,67
231-276/001-000	Male connector with straight solder pins 16-pole, gray	0	50	3,23
231-302/008-000	Female plug with snap-in mounting foot 2-pole, orange	0	100	1,09
231-302/025-037/032-000	Female plug with strain relief, orange	0	100	2,03
231-302/026-000	STRAIGHT FEMALE PLUG, PIN SPACING 5.08 MM 2-P, ORANGE 2-pole Pin spacing 5.08 mm / 0.2 in, orange	0	100	1,09
231-302/031-000	Female plug with fixing flanges 2-pole, orange	0	100	1,25

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-302/037-000	Female plug with locking levers 2-pole, orange	0	100	1,33
231-302/102-000	Female plug with integrated end plate 2-pole, orange	0	100	1,09
231-302/107-000	Female plug with screw flange 2-pole, orange	0	100	1,46
231-303/008-000	Female plug with snap-in mounting foot 3-pole, orange	0	100	1,54
231-303/025-037/032-000	Female plug with strain relief with latch, orange	0	100	2,49
231-303/026-000	STRAIGHT FEMALE PLUG, PIN SPACING 5.08 MM 3-P, ORANGE 3-pole Pin spacing 5.08 mm / 0.2 in, orange	0	100	1,54
231-303/031-000	Female plug with fixing flanges 3-pole, orange	0	50	1,72
231-303/037-000	Female plug with locking levers 3-pole, orange	0	50	1,78
231-303/102-000	Female plug with integrated end plate 3-pole, orange	0	100	1,54
231-303/107-000	Female plug with screw flange 3-pole, orange	0	100	1,93
231-304/008-000	FEMALE PLUG WITH SNAP-IN MOUNTING FOOT, PIN SPACING 5.08 MM WITH with snap-in mounting foot 4-pole, orange	0	100	2,03
231-304/026-000	STRAIGHT FEMALE PLUG, PIN SPACING 5.08 MM 4-P, ORANGE 4-pole Pin spacing 5.08 mm / 0.2 in, orange	0	100	2,03
231-304/031-000	FEMALE PLUG WITH FIXING FLANGE, PIN SPACING 5.08 MM WITH CODIG FI with fixing flanges 4-pole, orange	0	50	2,2
231-304/037-000	FEMALE PLUG WITH LOCKING LEVER, PIN SPACING 5.08 MM WITH CODIG FI with locking levers 4-pole, orange	0	50	2,27
231-304/037-000/028-000	Female plug with lateral locking levers with reinforcing strips, orange	0	50	3,18
231-304/102-000	FEMALE PLUG WITH INTEGRATED END PLATE, PIN SPACING 5.08 MM WITH with integrated end plate 4-pole, orange	0	100	2,03
231-304/107-000	Female plug with screw flange 4-pole, orange	0	50	2,4
231-305/008-000	Female plug with snap-in mounting foot 5-pole, orange	0	100	2,51
231-305/026-000	Female plug 5-pole Pin spacing 5.08 mm / 0.2 in, orange	0	100	2,51
231-305/031-000	Female plug with fixing flanges 5-pole, orange	0	50	2,69
231-305/037-000	Female plug with locking levers 5-pole, orange	0	50	2,78
231-305/102-000	Female plug with integrated end plate 5-pole, orange	0	100	2,51
231-305/107-000	Female plug with screw flange 5-pole, orange	0	50	2,88
231-306/008-000	Female plug with snap-in mounting foot 6-pole, orange	0	50	3,03
231-306/026-000	Female plug with coding finger with latch, orange	0	50	3,03
231-306/027-000	Female plug with fixing flanges 6-pole, orange	0	50	4,09

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-306/031-000	Female plug with fixing flanges 6-pole, orange	0	50	3,2
231-306/037-000	Female plug with lateral locking levers 6-pole, orange	0	50	3,26
231-306/102-000	Female plug with integrated end plate 6-pole, orange	0	50	3,03
231-306/107-000	Female plug with screw flange 6-pole, orange	0	50	3,41
231-307/008-000	Female plug with snap-in mounting foot 7-pole, orange	0	50	3,46
231-307/026-000	Female plug 7-pole Pin spacing 5.08 mm / 0.2 in, orange	0	50	3,46
231-307/027-000	Female plug with fixing flanges 7-pole, orange	0	50	4,55
231-307/031-000	Female plug with fixing flanges 7-pole, orange	0	50	3,64
231-307/031-000/034-000	Female plug with strain relief with fixing flange, orange	0	50	4,39
231-307/037-000	Female plug with lateral locking levers 7-pole, orange	0	50	3,72
231-307/102-000	Female plug with integrated end plate 7-pole, orange	0	50	3,46
231-307/107-000	Female plug with screw flange 7-pole, orange	0	50	3,84
231-308/008-000	Female plug with snap-in mounting foot 8-pole, orange	0	50	3,96
231-308/026-000	Female plug with coding finger with latch, orange	0	50	3,96
231-308/027-000	Female plug with fixing flanges with coding finger, orange	0	50	4,99
231-308/031-000	Female plug with fixing flanges with coding finger, orange	0	50	4,13
231-308/037-000	Female plug with locking levers with coding finger, orange	0	25	4,22
231-308/102-000	Female plug with integrated end plate with coding finger, orange	0	50	3,96
231-308/107-000	Female plug with screw flange 8-pole, orange	0	50	4,33
231-309/008-000	Female plug with snap-in mounting foot with coding finger, orange	0	50	4,35
231-309/026-000	Female plug with coding finger with latch, orange	0	50	4,35
231-309/027-000	Female plug with fixing flanges with reinforcing strips, orange	0	25	5,48
231-309/031-000	Female plug with fixing flanges with coding finger, orange	0	25	4,54
231-309/037-000	Female plug with locking levers with coding finger, orange	0	25	4,61
231-309/102-000	Female plug with integrated end plate 9-pole, orange	0	50	4,35
231-309/107-000	Female plug with screw flange 9-pole, orange	0	25	4,74

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-310/008-000	Female plug with snap-in mounting foot 10-pole, orange	0	50	4,84
231-310/026-000	Female plug with coding finger with latch, orange	0	50	4,84
231-310/027-000	Female plug with fixing flanges with coding finger, orange	0	25	5,92
231-310/031-000	Female plug with fixing flanges with coding finger, orange	0	25	5,03
231-310/037-000	Female plug with locking levers with coding finger, orange	0	25	5,11
231-310/102-000	Female plug with integrated end plate with coding finger, orange	0	50	4,84
231-310/102-000/034-000	Female plug with integrated end plate with strain relief, orange	0	25	5,59
231-310/107-000	Female plug with screw flange 10-pole, orange	0	25	5,21
231-311/008-000	Female plug with snap-in mounting foot with coding finger, orange	0	25	5,34
231-311/026-000	Female plug with coding finger with latch, orange	0	25	5,34
231-311/027-000	Female plug with fixing flanges 11-pole, orange	0	25	6,4
231-311/031-000	Female plug with fixing flanges with coding finger, orange	0	25	5,51
231-311/037-000	Female plug with locking levers with coding finger, orange	0	25	5,56
231-311/102-000	Female plug with integrated end plate 11-pole, orange	0	25	5,34
231-312/008-000	Female plug with snap-in mounting foot 12-pole, orange	0	25	5,79
231-312/026-000	Female plug with coding finger with latch, orange	0	25	5,79
231-312/027-000	Female plug with fixing flanges 12-pole, orange	0	25	6,87
231-312/031-000	Female plug with fixing flanges with coding finger, orange	0	25	5,98
231-312/037-000	Female plug with locking levers with coding finger, orange	0	25	6,07
231-312/102-000	Female plug with integrated end plate with coding finger, orange	0	25	5,79
231-312/107-000	Female plug with screw flange 12-pole, orange	0	25	6,16
231-313/008-000	Female plug with snap-in mounting foot with coding finger, orange	0	25	6,17
231-313/026-000	Female plug with coding finger with latch, orange	0	25	6,17
231-313/027-000	Female plug with fixing flanges 13-pole, orange	0	25	7,31
231-313/031-000	Female plug with fixing flanges with coding finger, orange	0	25	6,35
231-313/037-000	Female plug with locking levers with coding finger, orange	0	25	6,43

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-313/102-000	Female plug with integrated end plate with coding finger, orange	0	25	6,17
231-314/008-000	Female plug with snap-in mounting foot with coding finger, orange	0	25	6,66
231-314/026-000	Female plug with coding finger with latch, orange	0	25	6,66
231-314/027-000	Female plug with fixing flanges with coding finger, orange	0	25	7,8
231-314/031-000	Female plug with fixing flanges with coding finger, orange	0	25	6,85
231-314/037-000	Female plug with locking levers with coding finger, orange	0	25	6,91
231-314/102-000	Female plug with integrated end plate with coding finger, orange	0	25	6,66
231-314/107-000	Female plug with screw flange 14-pole, orange	0	25	7,04
231-315/008-000	Female plug with snap-in mounting foot with coding finger, orange	0	25	7,14
231-315/026-000	Female plug with coding finger with latch, orange	0	25	7,14
231-315/027-000	Female plug with fixing flanges with coding finger, orange	0	25	8,3
231-315/031-000	Female plug with fixing flanges with coding finger, orange	0	25	7,3
231-315/037-000	Female plug with locking levers with coding finger, orange	0	25	7,38
231-315/102-000	Female plug with integrated end plate with coding finger, orange	0	25	7,14
231-315/107-000	Female plug with screw flange with coding finger, orange	0	25	7,52
231-316/008-000	Female plug with snap-in mounting foot 16-pole, orange	0	25	7,72
231-316/026-000	Female plug with coding finger with latch, orange	0	25	7,72
231-316/027-000	Female plug with fixing flanges with coding finger, orange	0	10	8,8
231-316/031-000	Female plug with fixing flanges with coding finger, orange	0	10	7,88
231-316/037-000	Female plug with locking levers with coding finger, orange	0	10	7,98
231-316/102-000	Female plug with integrated end plate with coding finger, orange	0	25	7,72
231-316/107-000	Female plug with screw flange 16-pole, orange	0	100	8,1
231-317/008-000	Female plug with snap-in mounting foot 17-pole, orange	0	25	8,11
231-317/026-000	Female plug with coding finger with latch, orange	0	25	8,11
231-317/026-047/035-000	Female plug with strain relief, orange	0	25	9,12
231-317/027-000	Female plug with fixing flanges 17-pole, orange	0	10	9,26

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-317/031-000	Female plug with fixing flanges with coding finger, orange	0	10	8,28
231-317/037-000	Female plug with locking levers 17-pole, orange	0	10	8,37
231-317/037-000/035-000	Female plug with lateral locking levers with strain relief, orange	0	10	9,2
231-317/102-000	Female plug with integrated end plate 17-pole, orange	0	25	8,11
231-318/008-000	Female plug with snap-in mounting foot 18-pole, orange	0	10	8,56
231-318/026-000	Female plug with coding finger with latch, orange	0	10	8,56
231-318/027-000	Female plug with fixing flanges with coding finger, orange	0	10	9,86
231-318/031-000	Female plug with fixing flanges 18-pole, orange	0	10	8,76
231-318/037-000	Female plug with locking levers 18-pole, orange	0	10	8,83
231-318/102-000	Female plug with integrated end plate with coding finger, orange	0	10	8,56
231-319/008-000	Female plug with snap-in mounting foot with coding finger, orange	0	10	9,1
231-319/026-000	Female plug 19-pole Pin spacing 5.08 mm / 0.2 in, orange	0	10	9,1
231-319/026-000/035-000	Female plug with strain relief, orange	0	10	9,96
231-319/027-000	Female plug with fixing flanges with coding finger, orange	0	10	10,37
231-319/031-000	Female plug with fixing flanges with coding finger, orange	0	10	9,25
231-319/037-000	Female plug with locking levers with latch, orange	0	10	9,33
231-319/102-000	Female plug with integrated end plate with coding finger, orange	0	10	9,1
231-320/008-000	Female plug with snap-in mounting foot with coding finger, orange	0	10	9,54
231-320/026-000	Female plug with coding finger with latch, orange	0	10	9,54
231-320/027-000	Female plug with fixing flanges 20-pole, orange	0	10	10,88
231-320/031-000	Female plug with fixing flanges 20-pole, orange	0	10	9,74
231-320/037-000	Female plug with locking levers with coding finger, orange	0	10	9,79
231-320/037-047/035-000	Female plug with latch with coding finger, orange	0	10	10,86
231-320/102-000	Female plug with integrated end plate with coding finger, orange	0	10	9,54
231-321/008-000	Female plug with snap-in mounting foot with coding finger, orange	0	10	10,02
231-321/026-000	Female plug 21-pole Pin spacing 5.08 mm / 0.2 in, orange	0	10	10,02

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-321/027-000	Female plug with fixing flanges with reinforcing strips, orange	0	10	11,35
231-321/031-000	Female plug with fixing flanges with coding finger, orange	0	10	10,18
231-321/037-000	Female plug with locking levers 21-pole, orange	0	10	10,26
231-321/102-000	Female plug with integrated end plate with coding finger, orange	0	10	10,02
231-322/008-000	Female plug with snap-in mounting foot with coding finger, orange	0	10	10,5
231-322/026-000	Female plug with coding finger with latch, orange	0	10	10,5
231-322/027-000	Female plug with fixing flanges with reinforcing strips, orange	0	10	11,89
231-322/031-000	Female plug with latch with coding finger, orange	0	10	10,67
231-322/037-000	Female plug with locking levers with coding finger, orange	0	10	10,74
231-322/102-000	Female plug with integrated end plate with coding finger, orange	0	10	10,5
231-323/008-000	Female plug with snap-in mounting foot with coding finger, orange	0	10	10,98
231-323/026-000	Female plug with coding finger with latch, orange	0	10	10,98
231-323/026-000/035-000	Female plug with strain relief, orange	0	10	11,84
231-323/027-000	Female plug with fixing flanges 23-pole, orange	0	10	12,35
231-323/031-000	Female plug with fixing flanges with coding finger, orange	0	10	11,19
231-323/037-000	Female plug with locking levers with coding finger, orange	0	10	11,24
231-323/102-000	Female plug with integrated end plate with coding finger, orange	0	10	10,98
231-324/008-000	Female plug with snap-in mounting foot with coding finger, orange	0	10	11,49
231-324/026-000	Female plug with coding finger with latch, orange	0	10	11,49
231-324/027-000	Female plug with fixing flanges with coding finger, orange	0	10	12,76
231-324/031-000	Female plug with fixing flanges with coding finger, orange	0	10	11,64
231-324/037-000	Female plug with locking levers with coding finger, orange	0	10	11,7
231-324/102-000	Female plug with integrated end plate 24-pole, orange	0	10	11,49
231-332/001-000	MALE HEADER STRAIGHT SOLDER PIN, 1X1 MM, PIN SPACING 5.08 MM, VER with straight solder pins 2-pole, orange	0	200	0,35
231-332/108-000	Male header (for PCBs) with straight solder pins 2-pole, orange	0	200	1,25
231-333/001-000	MALE HEADER STRAIGHT SOLDER PIN, 1X1 MM, PIN SPACING 5.08 MM, VER with straight solder pins 3-pole, orange	0	200	0,51

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-333/108-000	Male connector with straight solder pins 3-pole, orange	0	200	1,41
231-334/001-000	MALE HEADER STRAIGHT SOLDER PIN, 1X1 MM, PIN SPACING 5.08 MM, VER with straight solder pins 4-pole, orange	0	200	0,69
231-334/108-000	Male connector with straight solder pins 4-pole, orange	0	100	1,61
231-335/001-000	Male connector with straight solder pins 5-pole, orange	0	200	0,85
231-335/108-000	Male connector with straight solder pins 5-pole, orange	0	100	1,75
231-336/001-000	Male connector with straight solder pins 6-pole, orange	0	100	1,05
231-336/108-000	Male connector with straight solder pins 6-pole, orange	0	100	1,94
231-337/001-000	Male connector with straight solder pins 7-pole, orange	0	100	1,21
231-337/108-000	Male header (for PCBs) Straight solder pin 1 x 1 mm 7-pole, orange	0	100	2,1
231-338/001-000	Male connector with straight solder pins 8-pole, orange	0	100	1,39
231-338/108-000	Male header (for PCBs) Straight solder pin 1 x 1 mm 8-pole, orange	0	100	2,27
231-339/001-000	Male connector with straight solder pins 9-pole, orange	0	100	1,54
231-339/108-000	Male header (for PCBs) Straight solder pin 1 x 1 mm 9-pole, orange	0	100	2,43
231-340/001-000	Male connector with straight solder pins 10-pole, orange	0	100	1,72
231-340/108-000	Male header (for PCBs) Straight solder pin 1 x 1 mm 10-pole, orange	0	100	2,61
231-341/001-000	Male connector with straight solder pins 11-pole, orange	0	100	1,91
231-342/001-000	Male connector with straight solder pins 12-pole, orange	0	100	2,06
231-342/108-000	Male header (for PCBs) Straight solder pin 1 x 1 mm 12-pole, orange	0	100	2,95
231-343/001-000	Male connector with straight solder pins 13-pole, orange	0	50	2,26
231-344/001-000	Male connector with straight solder pins 14-pole, orange	0	50	2,42
231-344/108-000	Male connector with straight solder pins 14-pole, orange	0	50	3,32
231-345/001-000	Male connector with straight solder pins 15-pole, orange	0	50	2,6
231-345/108-000	Male connector with straight solder pins 15-pole, orange	0	50	3,49
231-346/001-000	Male connector with straight solder pins 16-pole, orange	0	50	2,79
231-346/108-000	Male connector with straight solder pins 16-pole, orange	0	50	3,67
231-347/001-000	Male connector with straight solder pins 17-pole, orange	0	50	2,94

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-348/001-000	Male connector with straight solder pins 18-pole, orange	0	50	3,13
231-349/001-000	Male connector with straight solder pins 19-pole, orange	0	50	3,28
231-350/001-000	Male connector with straight solder pins 20-pole, orange	0	50	3,44
231-351/001-000	Male header (for PCBs) Straight solder pin 1 x 1 mm 21-pole, orange	0	50	3,58
231-352/001-000	Male connector with straight solder pins 22-pole, orange	0	50	3,72
231-353/001-000	Male connector with straight solder pins 23-pole, orange	0	50	3,87
231-354/001-000	Male connector with straight solder pins 24-pole, orange	0	50	4,02
231-362/001-000	Male connector with straight solder pins 2-pole, orange	0	200	0,38
231-362/108-000	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 2-pole, orange	0	200	1,28
231-363/001-000	Male connector with straight solder pins 3-pole, orange	0	200	0,58
231-363/108-000	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 3-pole, orange	0	200	1,46
231-364/001-000	Male connector with straight solder pins 4-pole, orange	0	200	0,78
231-364/108-000	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 4-pole, orange	0	100	1,68
231-365/001-000	Male connector with straight solder pins 5-pole, orange	0	200	0,95
231-365/108-000	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 5-pole, orange	0	100	1,84
231-366/001-000	Male connector with straight solder pins 6-pole, orange	0	100	1,16
231-366/108-000	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 6-pole, orange	0	100	2,05
231-367/001-000	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 7-pole, orange	0	100	1,35
231-367/108-000	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 7-pole, orange	0	100	2,25
231-368/001-000	Male connector with straight solder pins 8-pole, orange	0	100	1,54
231-368/108-000	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 8-pole, orange	0	100	2,42
231-369/001-000	Male connector with straight solder pins 9-pole, orange	0	100	1,73
231-369/108-000	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 9-pole, orange	0	100	2,63
231-370/001-000	Male connector with straight solder pins 10-pole, orange	0	100	1,93
231-370/108-000	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 10-pole, orange	0	100	2,82
231-371/001-000	Male connector with straight solder pins 11-pole, orange	0	100	2,1

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-372/001-000	Male connector with straight solder pins 12-pole, orange	0	100	2,33
231-372/108-000	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 12-pole, orange	0	100	3,22
231-373/001-000	Male connector with straight solder pins 13-pole, orange	0	50	2,51
231-374/108-000	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 14-pole, orange	0	50	3,63
231-375/001-000	Male connector with straight solder pins 15-pole, orange	0	50	2,91
231-375/108-000	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 15-pole, orange	0	50	3,79
231-376/001-000	Male connector with straight solder pins 16-pole, orange	0	50	3,12
231-376/108-000	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 16-pole, orange	0	50	4,01
231-377/001-000	Male connector with straight solder pins 17-pole, orange	0	50	3,27
231-378/001-000	Male connector with straight solder pins 18-pole, orange	0	50	3,49
231-379/001-000	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 19-pole, orange	0	50	3,65
231-380/001-000	Male connector with straight solder pins 20-pole, orange	0	50	3,81
231-381/001-000	Male connector with straight solder pins 21-pole, orange	0	50	3,97
231-382/001-000	Male connector with straight solder pins 22-pole, orange	0	50	4,13
231-383/001-000	Male connector with straight solder pins 23-pole, orange	0	50	4,3
231-384/001-000	Male connector with straight solder pins 24-pole, orange	0	50	4,5
231-432/001-000	MALE HEADER RIGHT ANGLE SOLDER PIN, 1X1 MM, PIN SPACING 5 MM, MA with angled solder pins 2-pole, gray	0	200	0,35
231-432/001-000/105-604	Male header (for PCBs) Angled solder pin 1 x 1 mm 2-pole, black	0	200	0,37
231-432/001-000/105-604/99	Male header (for PCBs) Angled solder pin 1 x 1 mm 2-pole, black	0	330	0,64
231-432/040-000	Male connector with angled solder pins 2-pole, gray	0	200	0,61
231-433/001-000	MALE HEADER RIGHT ANGLE SOLDER PIN, 1X1 MM, PIN SPACING 5 MM, MA with angled solder pins 3-pole, gray	0	200	0,51
231-433/001-000/105-604	Male header (for PCBs) Angled solder pin 1 x 1 mm 3-pole, black	0	200	0,57
231-433/001-000/105-604/99	Male header (for PCBs) Angled solder pin 1 x 1 mm 3-pole, black	0	330	0,8
231-434/001-000	MALE HEADER RIGHT ANGLE SOLDER PIN, 1X1 MM, PIN SPACING 5 MM, MA with angled solder pins 4-pole, gray	0	200	0,69
231-434/001-000/105-604	Male connector with angled solder pins 4-pole, black	0	200	0,74
231-434/001-000/105-604/99	Male header (for PCBs) Angled solder pin 1 x 1 mm 4-pole, black	0	330	1,03

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-435/001-000	Male connector with angled solder pins 5-pole, gray	0	200	0,85
231-435/001-000/105-604	Male connector with angled solder pins 5-pole, black	0	200	0,91
231-435/001-000/105-604/99	Male header (for PCBs) Angled solder pin 1 x 1 mm 5-pole, black	0	330	1,18
231-435/040-000	Male header (for PCBs) Angled solder pin 1 x 1 mm 5-pole, gray	0	100	1,1
231-436/001-000	HEADER RIGHT ANGLE SOLDER PIN, 1X1 MM, PIN SPACING 5 MM, MATING D with angled solder pins 6-pole, gray	0	100	1,05
231-436/001-000/105-604	Male Connector WITH SOLDER PINS, 6-P	0	100	
231-436/001-000/105-604/99	Male header (for PCBs) Angled solder pin 1 x 1 mm 6-pole, black	0	330	1,38
231-436/040-000	Male header (for PCBs) Angled solder pin 1 x 1 mm 6-pole, gray	0	100	1,26
231-437/001-000	Male connector with angled solder pins 7-pole, gray	0	100	1,21
231-437/001-000/105-604/99	Male header (for PCBs) Angled solder pin 1 x 1 mm 7-pole	0	330	1,57
231-438/001-000	Male connector with angled solder pins 8-pole, gray	0	100	1,39
231-438/001-000/105-604	Male connector with angled solder pins 8-pole, black	0	100	1,45
231-438/001-000/105-604/99	Male header (for PCBs) Angled solder pin 1 x 1 mm 8-pole, black	0	330	1,72
231-439/001-000	Male connector with angled solder pins 9-pole, gray	0	100	1,54
231-440/001-000	Male connector with angled solder pins 10-pole, gray	0	100	1,72
231-440/001-000/105-604	Male connector with angled solder pins 10-pole, black	0	100	1,8
231-440/001-000/105-604/99	Male header (for PCBs) Angled solder pin 1 x 1 mm 10-pole, black	0	330	2,09
231-441/001-000	Male connector with angled solder pins 11-pole, gray	0	100	1,91
231-442/001-000	Male connector with angled solder pins 12-pole, gray	0	100	2,06
231-442/001-000/105-604	Male header (for PCBs) Angled solder pin 1 x 1 mm 12-pole, black	0	100	2,15
231-442/001-000/105-604/99	Male header (for PCBs) Angled solder pin 1 x 1 mm 12-pole, black	0	330	2,47
231-443/001-000	Male connector with angled solder pins 13-pole, gray	0	50	2,26
231-444/001-000	Male connector with angled solder pins 14-pole, gray	0	50	2,42
231-444/040-000	Male header (for PCBs) Angled solder pin 1 x 1 mm 14-pole, gray	0	50	2,61
231-445/001-000	Male connector with angled solder pins 15-pole, gray	0	50	2,6
231-446/001-000	Male connector with angled solder pins 16-pole, gray	0	50	2,79

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-447/001-000	Male connector with angled solder pins 17-pole, gray	0	50	2,94
231-448/001-000	Male connector with angled solder pins 18-pole, gray	0	50	3,13
231-449/001-000	Male header (for PCBs) Angled solder pin 1 x 1 mm 19-pole, gray	0	50	3,28
231-450/001-000	Male connector with angled solder pins 20-pole, gray	0	50	3,44
231-451/001-000	Male connector with angled solder pins 21-pole, gray	0	50	3,58
231-452/001-000	Male connector with angled solder pins 22-pole, gray	0	50	3,72
231-453/001-000	Male connector with angled solder pins 23-pole, gray	0	50	3,87
231-454/001-000	Male connector with angled solder pins 24-pole, gray	0	50	4,02
231-462/001-000	Male connector with angled solder pins 2-pole, gray	0	200	0,38
231-462/001-000/105-604	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 2-pole, black	0	200	0,41
231-462/001-000/105-604/99	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 2-pole, black	0	330	0,67
231-462/040-000	Male header (for PCBs) with angled solder pins 2-pole, gray	0	200	0,65
231-463/001-000	Male connector with angled solder pins 3-pole, gray	0	200	0,58
231-463/001-000/105-604	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 3-pole, black	0	200	0,63
231-463/001-000/105-604/99	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 3-pole	0	330	0,89
231-463/040-000	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 2-pole, gray	0	200	0,83
231-464/001-000	Male connector with angled solder pins 4-pole, gray	0	200	0,78
231-464/001-000/105-604	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 4-pole, black	0	200	0,83
231-464/001-000/105-604/99	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 4-pole	0	330	1,1
231-465/001-000	Male connector with angled solder pins 5-pole, gray	0	200	0,95
231-465/001-000/105-604	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 5-pole, black	0	200	1,03
231-465/001-000/105-604/99	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 5-pole	0	330	1,31
231-465/040-000	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 5-pole, gray	0	100	1,2
231-466/001-000	Male connector with angled solder pins 6-pole, gray	0	100	1,16
231-466/001-000/105-604	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 6-pole, black	0	100	1,23
231-466/001-000/105-604/99	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 6-pole	0	330	1,5

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-466/040-000	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 6-pole, gray	0	100	1,39
231-467/001-000	Male connector with angled solder pins 7-pole, gray	0	100	1,35
231-467/001-000/105-604	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 7-pole, black	0	100	1,43
231-467/001-000/105-604/99	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 7-pole	0	330	1,71
231-468/001-000	Male connector with angled solder pins 8-pole, gray	0	100	1,54
231-468/001-000/105-604	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 8-pole, black	0	100	1,64
231-468/001-000/105-604/99	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 8-pole	0	330	1,92
231-469/001-000	Male connector with angled solder pins 9-pole, gray	0	100	1,73
231-469/001-000/105-604	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 9-pole, black	0	100	1,82
231-469/001-000/105-604/99	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 9-pole	0	330	2,11
231-470/001-000	Male connector with angled solder pins 10-pole, gray	0	100	1,93
231-470/001-000/105-604	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 10-pole, black	0	100	2,02
231-470/001-000/105-604/99	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 10-pole	0	330	2,32
231-471/001-000	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 11-pole, gray	0	100	2,1
231-471/001-000/105-604	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 11-pole, black	0	100	2,23
231-471/001-000/105-604/99	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 11-pole	0	330	2,52
231-472/001-000	Male connector with angled solder pins 12-pole, gray	0	100	2,33
231-472/001-000/105-604	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 12-pole, black	0	100	2,41
231-472/001-000/105-604/99	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 12-pole	0	330	2,71
231-473/001-000	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 13-pole, gray	0	50	2,51
231-474/001-000	Male connector with angled solder pins 14-pole, gray	0	50	2,71
231-474/040-000	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 14-pole, gray	0	50	2,86
231-475/001-000	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 15-pole, gray	0	50	2,91
231-476/001-000	Male connector with angled solder pins 16-pole, gray	0	50	3,12
231-477/001-000	Male connector with angled solder pins 17-pole, gray	0	50	3,27
231-478/001-000	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 18-pole, gray	0	50	3,49

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-479/001-000	Male connector with angled solder pins 19-pole, gray	0	50	3,65
231-480/001-000	Male connector with angled solder pins 20-pole, gray	0	50	3,81
231-481/001-000	Male connector with angled solder pins 21-pole, gray	0	50	3,97
231-482/001-000	Male connector with angled solder pins 22-pole, gray	0	50	4,13
231-483/001-000	Male connector with angled solder pins 23-pole, gray	0	50	4,3
231-484/001-000	Male connector with angled solder pins 24-pole, gray	0	50	4,5
231-532/001-000	MALE HEADER RIGHT ANGLE SOLDER PIN, 1X1 MM, PIN SPACING 5.08 MM, with angled solder pins 2-pole, orange	0	200	0,35
231-532/108-000	Male connector with angled solder pins 2-pole, orange	0	200	1,25
231-533/001-000	MALE HEADER RIGHT ANGLE SOLDER PIN, 1X1 MM, PIN SPACING 5.08 MM, with angled solder pins 3-pole, orange	0	200	0,51
231-533/108-000	Male connector with angled solder pins 3-pole, orange	0	200	1,41
231-534/001-000	MALE HEADER RIGHT ANGLE SOLDER PIN, 1X1 MM, PIN SPACING 5.08 MM, with angled solder pins 4-pole, orange	0	200	0,69
231-534/001-004	Male connector with angled solder pins, black	0	200	0,78
231-534/108-000	Male header (for PCBs) Angled solder pin 1 x 1 mm 4-pole, orange	0	100	1,61
231-535/001-000	Male connector with angled solder pins 5-pole, orange	0	200	0,85
231-535/108-000	Male header (for PCBs) Angled solder pin 1 x 1 mm 5-pole, orange	0	100	1,75
231-536/001-000	Male connector with angled solder pins 6-pole, orange	0	100	1,05
231-536/108-000	Male connector with angled solder pins 6-pole, orange	0	100	1,94
231-537/001-000	Male connector with angled solder pins 7-pole, orange	0	100	1,21
231-537/108-000	Male connector with angled solder pins 7-pole, orange	0	100	2,1
231-538/001-000	Male connector with angled solder pins 8-pole, orange	0	100	1,39
231-538/001-004	Male connector with angled solder pins, black	0	100	1,52
231-538/108-000	Male header (for PCBs) Angled solder pin 1 x 1 mm 8-pole, orange	0	100	2,27
231-539/001-000	Male connector with angled solder pins 9-pole, orange	0	100	1,54
231-539/108-000	Male header (for PCBs) Angled solder pin 1 x 1 mm 9-pole, orange	0	100	2,43
231-540/001-000	Male connector with angled solder pins 10-pole, orange	0	100	1,72
231-540/108-000	Male connector with angled solder pins 10-pole, orange	0	100	2,61

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-541/001-000	Male connector with angled solder pins 11-pole, orange	0	100	1,91
231-542/001-000	Male connector with angled solder pins 12-pole, orange	0	100	2,06
231-542/108-000	Male header (for PCBs) Angled solder pin 1 x 1 mm 12-pole, orange	0	100	2,95
231-543/001-000	Male connector with angled solder pins 13-pole, orange	0	50	2,26
231-544/001-000	Male connector with angled solder pins 14-pole, orange	0	50	2,42
231-544/108-000	Male header (for PCBs) Angled solder pin 1 x 1 mm 14-pole, orange	0	50	3,32
231-545/001-000	Male connector with angled solder pins 15-pole, orange	0	50	2,6
231-545/108-000	Male connector with angled solder pins 15-pole, orange	0	50	3,49
231-546/001-000	Male connector with angled solder pins 16-pole, orange	0	50	2,79
231-546/108-000	Male header (for PCBs) Angled solder pin 1 x 1 mm 16-pole, orange	0	50	3,67
231-547/001-000	Male connector with angled solder pins 17-pole, orange	0	50	2,94
231-548/001-000	Male connector with angled solder pins 18-pole, orange	0	50	3,13
231-549/001-000	Male connector with angled solder pins 19-pole, orange	0	50	3,28
231-550/001-000	Male connector with angled solder pins 20-pole, orange	0	50	3,44
231-551/001-000	Male connector with angled solder pins 21-pole, orange	0	50	3,58
231-552/001-000	Male connector with angled solder pins 22-pole, orange	0	50	3,72
231-553/001-000	Male connector with angled solder pins 23-pole, orange	0	50	3,87
231-554/001-000	Male connector with angled solder pins 24-pole, orange	0	50	4,02
231-562/001-000	Male connector with angled solder pins 2-pole, orange	0	200	0,38
231-562/108-000	Male header (for PCBs) with angled solder pins 2-pole, orange	0	100	1,28
231-563/001-000	Male connector with angled solder pins 3-pole, orange	0	200	0,58
231-563/108-000	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 3-pole, orange	0	200	1,46
231-564/001-000	Male connector with angled solder pins 4-pole, orange	0	200	0,78
231-564/108-000	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 4-pole, orange	0	100	1,68
231-565/001-000	Male connector with angled solder pins 5-pole, orange	0	200	0,95
231-565/108-000	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 5-pole, orange	0	100	1,84

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-566/001-000	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 6-pole, orange	0	100	1,16
231-566/108-000	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 6-pole, orange	0	100	2,05
231-567/001-000	Male connector with angled solder pins 7-pole, orange	0	100	1,35
231-568/001-000	Male connector with angled solder pins 8-pole, orange	0	100	1,54
231-568/108-000	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 8-pole, orange	0	100	2,42
231-569/001-000	Male connector with angled solder pins 9-pole, orange	0	100	1,73
231-569/108-000	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 9-pole, orange	0	100	2,63
231-570/001-000	Male connector with angled solder pins 10-pole, orange	0	100	1,93
231-570/108-000	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 10-pole, orange	0	100	2,82
231-571/001-000	Male connector with angled solder pins 11-pole, orange	0	100	2,1
231-572/001-000	Male connector with angled solder pins 12-pole, orange	0	100	2,33
231-572/108-000	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 12-pole, orange	0	100	3,22
231-573/001-000	Male connector with angled solder pins 13-pole, orange	0	50	2,51
231-574/001-000	Male connector with angled solder pins 14-pole, orange	0	50	2,71
231-574/108-000	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 14-pole, orange	0	50	3,63
231-575/001-000	Male connector with angled solder pins 15-pole, orange	0	50	2,91
231-575/108-000	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 15-pole, orange	0	50	3,79
231-576/001-000	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 16-pole, orange	0	50	3,12
231-576/108-000	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 16-pole, orange	0	50	4,01
231-577/001-000	Male connector with angled solder pins 17-pole, orange	0	50	3,27
231-578/001-000	Male connector with angled solder pins 18-pole, orange	0	50	3,49
231-579/001-000	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 19-pole, orange	0	50	3,65
231-580/001-000	Male connector with angled solder pins 20-pole, orange	0	50	3,81
231-581/001-000	Male connector with angled solder pins 21-pole, orange	0	50	3,97
231-582/001-000	Male connector with angled solder pins 22-pole, orange	0	50	4,13
231-583/001-000	Male connector with angled solder pins 23-pole, orange	0	50	4,3

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-584/001-000	Male connector with angled solder pins 24-pole, orange	0	50	4,5
231-602	MALE CONNECTOR CAGE CLAMP PIN SPACING 5.00MM 2-P, GREY gray	0	100	1,42
231-602/000-044/032-000	Male connector with strain relief, gray	0	50	2,2
231-602/018-000	Male connector with snap-in mounting foot 2-pole, gray	0	100	1,42
231-602/019-000	MALE CONNECTOR WITH FIXING FLANGE, PIN SPACING 5.00MM 2-P, GREY with fixing flanges 2-pole, gray	0	100	1,57
231-602/114-000	Male connector with snap-in flanges for panel feedthrough applications 2-pole, gray	0	50	1,9
231-603	MALE CONNECTOR CAGE CLAMP PIN SPACING 5.00MM 3-P, GREY gray	0	100	1,8
231-603/018-000	Male connector with snap-in mounting foot 3-pole, gray	0	100	1,8
231-603/019-000	MALE CONNECTOR WITH FIXING FLANGE 5.00MM 3-P with fixing flanges 3-pole, gray	0	50	1,99
231-603/032-000	Male connector Strain relief plate, gray	0	100	2,42
231-603/114-000	Male connector with snap-in flanges for panel feedthrough applications 3-pole, gray	0	50	2,27
231-604	MALE CONNECTOR CAGE CLAMP PIN SPACING 5.00MM 4-P, GREY gray	0	100	2,2
231-604/018-000	MALE CONNECTOR WITH SNAP-IN MOUNTING FOOT, PIN SPACING 5.00 MM with snap-in mounting foot 4-pole, gray	0	100	2,2
231-604/019-000	MALE CONNECTOR WITH FIXING FLANGE, PIN SPACING 5.00 MM 4-P, GRE with fixing flanges 4-pole, gray	0	50	2,38
231-604/114-000	Male connector with snap-in flanges for panel feedthrough applications 4-pole, gray	0	50	2,66
231-605	MALE CONNECTOR CAGE CLAMP PIN SPACING 5.00MM 5-P, GREY 5-pole Pin spacing 5 mm / 0.197 in, gray	0	50	2,6
231-605/000-044	Male connector gray	0	100	2,72
231-605/018-000	MALE CONNECTOR WITH SNAP-IN MOUNTING FOOT, PIN SPACING 5.00 MM with snap-in mounting foot 5-pole, gray	0	50	2,6
231-605/019-000	MALE CONNECTOR WITH FIXING FLANGE, PIN SPACING 5.00 MM 5-P, GRE with fixing flanges 5-pole, gray	0	50	2,79
231-605/114-000	Male connector with snap-in flanges for panel feedthrough applications 5-pole, gray	0	50	3,07
231-606	MALE CONNECTOR CAGE CLAMP PIN SPACING 5.00MM 6-P, GREY 6-pole Pin spacing 5 mm / 0.197 in, gray	0	50	2,97
231-606/018-000	MALE CONNECTOR WITH SNAP-IN MOUNTING FOOT, PIN SPACING 5.00 MM with snap-in mounting foot 6-pole, gray	0	50	2,97
231-606/019-000	MALE CONNECTOR WITH FIXING FLANGE, PIN SPACING 5.00 MM 6-P, GRE with fixing flanges 6-pole, gray	0	50	3,16
231-606/114-000	Male connector with snap-in flanges for panel feedthrough applications 6-pole, gray	0	50	3,45
231-607	MALE CONNECTOR CAGE CLAMP PIN SPACING 5.00MM 7-P, GREY 7-pole Pin spacing 5 mm / 0.197 in, gray	0	50	3,49
231-607/018-000	Male connector with snap-in mounting foot 7-pole, gray	0	50	3,49

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-607/019-000	Male connector with fixing flanges 7-pole, gray	0	50	3,66
231-607/019-000/034-000	Male connector Strain relief plate with fixing flange, gray	0	50	4,44
231-607/114-000	Male connector with snap-in flanges for panel feedthrough applications 7-pole, gray	0	25	3,97
231-608	MALE CONNECTOR CAGE CLAMP PIN SPACING 5.00MM 8-P, GREY gray	0	50	3,88
231-608/018-000	MALE CONNECTOR WITH SNAP-IN MOUNTING FOOT 8-P with snap-in mounting foot 8-pole, gray	0	50	3,88
231-608/019-000	MALE CONNECTOR WITH FIXING FLANGE, PIN SPACING 5.00 MM 8-P, GREY with fixing flanges 8-pole, gray	0	50	4,04
231-608/114-000	Male connector with snap-in flanges for panel feedthrough applications 8-pole, gray	0	25	4,35
231-609	MALE CONNECTOR CAGE CLAMP PIN SPACING 5.00MM 9-P, GREY gray	0	50	4,28
231-609/018-000	Male connector with snap-in mounting foot 9-pole, gray	0	50	4,28
231-609/019-000	Male connector with fixing flanges 9-pole, gray	0	25	4,44
231-609/114-000	Male connector with snap-in flanges for panel feedthrough applications 9-pole, gray	0	25	4,75
231-610	MALE CONNECTOR CAGE CLAMP PIN SPACING 5.00MM 10-P, GREY 10-pole Pin spacing 5 mm / 0.197 in, gray	0	50	4,66
231-610/000-044/035-000	Male connector gray	0	50	5,69
231-610/018-000	MALE CONNECTOR WITH SNAP-IN MOUNTING FOOT, PIN SPACING 5.00 MM with snap-in mounting foot 10-pole, gray	0	50	4,66
231-610/019-000	MALE CONNECTOR WITH FIXING FLANGE, PIN SPACING 5.00MM 10-P, GREY with fixing flanges 10-pole, gray	0	25	4,84
231-610/019-000/035-000	Male connector with fixing flange with strain relief, gray	0	25	5,72
231-610/019-044	Male connector with fixing flange, gray	0	25	4,98
231-610/019-044/035-000	Male connector with strain relief with fixing flange, gray	0	25	5,85
231-610/114-000	Male connector with snap-in flanges for panel feedthrough applications 10-pole, gray	0	25	5,15
231-611	MALE CONNECTOR CAGE CLAMP PIN SPACING 5.00MM 11-P, GREY 11-pole Pin spacing 5 mm / 0.197 in, gray	0	25	5,08
231-611/000-044	Male connector gray	0	25	5,2
231-611/018-000	Male connector with snap-in mounting foot 11-pole, gray	0	25	5,08
231-611/019-000	Male connector with fixing flanges 11-pole, gray	0	25	5,22
231-611/114-000	Male connector with snap-in flanges for panel feedthrough applications 11-pole, gray	0	25	5,53
231-612	MALE CONNECTOR CAGE CLAMP PIN SPACING 5.00MM 12-P, GREY 12-pole Pin spacing 5 mm / 0.197 in, gray	0	25	5,45
231-612/000-044	Male connector gray	0	25	5,57

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-612/018-000	Male connector with snap-in mounting foot 12-pole, gray	0	25	5,45
231-612/019-000	MALE CONNECTOR WITH FIXING FLANGE, PIN SPACING 5.00MM 12-P, GRE with fixing flanges 12-pole, gray	0	25	5,59
231-612/019-000/035-000	Male connector with fixing flange, gray	0	25	6,47
231-612/114-000	Male connector with snap-in flanges for panel feedthrough applications 12-pole, gray	0	25	5,91
231-613	Male connector 13-pole Pin spacing 5 mm / 0.197 in, gray	0	25	5,87
231-613/000-044/035-000	Male connector with strain relief, gray	0	25	6,9
231-613/018-000	Male connector with snap-in mounting foot 13-pole, gray	0	25	5,87
231-613/019-000	Male connector with fixing flanges 13-pole, gray	0	25	6,07
231-613/114-000	Male connector with snap-in flanges for panel feedthrough applications 13-pole, gray	0	25	6,35
231-614	MALE CONNECTOR CAGE CLAMP PIN SPACING 5.00MM 14-P, GREY 14-pole Pin spacing 5 mm / 0.197 in, gray	0	25	6,3
231-614/018-000	Male connector with snap-in mounting foot 14-pole, gray	0	25	6,3
231-614/019-000	Male connector with fixing flanges 14-pole, gray	0	25	6,47
231-614/114-000	Male connector with snap-in flanges for panel feedthrough applications 14-pole, gray	0	25	6,76
231-615	Male connector 15-pole Pin spacing 5 mm / 0.197 in, gray	0	25	6,62
231-615/018-000	Male connector with snap-in mounting foot 15-pole, gray	0	25	6,62
231-615/019-000	Male connector with fixing flanges 15-pole, gray	0	25	6,82
231-615/114-000	Male connector with snap-in flanges for panel feedthrough applications 15-pole, gray	0	10	7,09
231-616	MALE CONNECTOR CAGE CLAMP PIN SPACING 5.00MM 16-P, GREY 16-pole Pin spacing 5 mm / 0.197 in, gray	0	25	6,96
231-616/018-000	Male connector with snap-in mounting foot 16-pole, gray	0	25	6,96
231-616/019-000	Male connector with fixing flanges 16-pole, gray	0	10	7,16
231-616/114-000	Male connector with snap-in flanges for panel feedthrough applications 16-pole, gray	0	10	7,44
231-617	Male connector 17-pole Pin spacing 5 mm / 0.197 in, gray	0	25	7,37
231-617/018-000	Male connector with snap-in mounting foot 17-pole, gray	0	25	7,37
231-617/019-000	Male connector with fixing flanges 17-pole, gray	0	10	7,54
231-617/114-000	Male connector with snap-in flanges for panel feedthrough applications 17-pole, gray	0	10	7,84
231-618	Male connector 18-pole Pin spacing 5 mm / 0.197 in, gray	0	25	7,78

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-618/018-000	Male connector with snap-in mounting foot 18-pole, gray	0	25	7,78
231-618/018-000/035-000	Male connector with snap-in mounting feet with strain relief, gray	0	10	8,62
231-618/019-000	Male connector with fixing flanges 18-pole, gray	0	10	7,95
231-618/114-000	Male connector with snap-in flanges for panel feedthrough applications 18-pole, gray	0	10	8,24
231-619	Male connector 19-pole Pin spacing 5 mm / 0.197 in, gray	0	10	8,14
231-619/018-000	Male connector with snap-in mounting foot 19-pole, gray	0	10	8,14
231-619/019-000	Male connector with fixing flanges 19-pole, gray	0	10	8,33
231-619/114-000	Male connector with snap-in flanges for panel feedthrough applications 19-pole, gray	0	10	8,61
231-620	Male connector 20-pole Pin spacing 5 mm / 0.197 in, gray	0	10	8,49
231-620/000-044/035-000	Male connector with strain relief, gray	0	10	9,51
231-620/018-000	Male connector with snap-in mounting foot 20-pole, gray	0	10	8,49
231-620/019-000	Male connector with fixing flanges 20-pole, gray	0	10	8,69
231-620/019-000/035-000	Male connector with fixing flange with strain relief, gray	0	10	9,54
231-620/114-000	Male connector with snap-in flanges for panel feedthrough applications 20-pole, gray	0	10	8,98
231-621	Male connector 21-pole Pin spacing 5 mm / 0.197 in, gray	0	10	8,92
231-621/018-000	Male connector with snap-in mounting foot 21-pole, gray	0	10	8,92
231-621/019-000	Male connector with fixing flanges 21-pole, gray	0	10	9,12
231-621/114-000	Male connector with snap-in flanges for panel feedthrough applications 21-pole, gray	0	10	9,4
231-622	Male connector 22-pole Pin spacing 5 mm / 0.197 in, gray	0	10	9,39
231-622/018-000	Male connector with snap-in mounting foot 22-pole, gray	0	10	9,39
231-622/019-000	Male connector with fixing flanges 22-pole, gray	0	10	9,55
231-622/114-000	Male connector with snap-in flanges for panel feedthrough applications 22-pole, gray	0	10	9,85
231-623	Male connector 23-pole Pin spacing 5 mm / 0.197 in, gray	0	10	9,81
231-623/018-000	Male connector with snap-in mounting foot 23-pole, gray	0	10	9,81
231-623/019-000	Male connector with fixing flanges 23-pole, gray	0	10	9,99
231-623/114-000	Male connector with snap-in flanges for panel feedthrough applications 23-pole, gray	0	10	10,3

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-624	MALE CONNECTOR CAGE CLAMP PIN SPACING 5.00MM 24-P, GREY 24-pole Pin spacing 5 mm / 0.197 in, gray	0	10	10,25
231-624/018-000	Male connector with snap-in mounting foot 24-pole, gray	0	10	10,25
231-624/019-000	MALE CONNECTOR WITH FIXING FLANGE, PIN SPACING 5.00MM 24-P, GREY with fixing flanges 24-pole, gray	0	10	10,44
231-624/114-000	Male connector with snap-in flanges for panel feedthrough applications 24-pole, gray	0	10	10,72
231-632	Male connector 2-pole Pin spacing 5.08 mm / 0.2 in, orange	0	100	1,42
231-632/018-000	Male connector with snap-in mounting foot 2-pole, orange	0	100	1,42
231-632/019-000	Male connector with fixing flanges 2-pole, orange	0	100	1,57
231-632/109-000	Male connector with threaded flanges 2-pole, orange	0	100	2,32
231-632/114-000	Male connector with snap-in flanges for panel feedthrough applications 2-pole, orange	0	50	1,9
231-632/129-000	Male connector with snap-in for panel feedthrough applications 2-pole, orange	0	50	2,8
231-633	Male connector 3-pole Pin spacing 5.08 mm / 0.2 in, orange	0	100	1,8
231-633/000-043/032-000	Male connector with ground contact with strain relief, orange	0	100	2,66
231-633/018-000	Male connector with snap-in mounting foot 3-pole, orange	0	100	1,8
231-633/019-000	Male connector with fixing flanges 3-pole, orange	0	50	1,99
231-633/109-000	Male connector with threaded flanges 3-pole, orange	0	100	2,69
231-633/114-000	Male connector with snap-in flanges for panel feedthrough applications 3-pole, orange	0	50	2,27
231-633/129-000	Male connector with snap-in for panel feedthrough applications 3-pole, orange	0	50	3,17
231-634	MALE CONNECTOR, PIN SPACING 5.08 MM 4-P, ORANGE 4-pole Pin spacing 5.08 mm / 0.2 in, orange	0	100	2,2
231-634/018-000	MALE CONNECTOR WITH SNAP-IN MOUNTING FOOT, PIN SPACING 5.08 MM with snap-in mounting foot 4-pole, orange	0	100	2,2
231-634/019-000	MALE CONNECTOR WITH FIXING FLANGE, PIN SPACING 5.08 MM 4-P, ORANGE with fixing flanges 4-pole, orange	0	50	2,38
231-634/109-000	Male connector with threaded flanges 4-pole, orange	0	50	3,09
231-634/114-000	Male connector with snap-in flanges for panel feedthrough applications 4-pole, orange	0	50	2,66
231-634/129-000	Male connector with snap-in for panel feedthrough applications 4-pole, orange	0	50	3,56
231-635	Male connector 5-pole Pin spacing 5.08 mm / 0.2 in, orange	0	50	2,6
231-635/018-000	Male connector with snap-in mounting foot 5-pole, orange	0	50	2,6
231-635/019-000	Male connector with fixing flanges 5-pole, orange	0	50	2,79

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-635/109-000	Male connector with threaded flanges 5-pole, orange	0	50	3,48
231-635/114-000	Male connector with snap-in flanges for panel feedthrough applications 5-pole, orange	0	50	3,07
231-635/129-000	Male connector with snap-in for panel feedthrough applications 5-pole, orange	0	50	3,96
231-636	Male connector 6-pole Pin spacing 5.08 mm / 0.2 in, orange	0	50	2,97
231-636/018-000	Male connector with snap-in mounting foot 6-pole, orange	0	50	2,97
231-636/019-000	Male connector with fixing flanges 6-pole, orange	0	50	3,16
231-636/109-000	Male connector with threaded flanges 6-pole, orange	0	50	3,86
231-636/114-000	Male connector with snap-in flanges for panel feedthrough applications 6-pole, orange	0	50	3,45
231-636/129-000	Male connector with snap-in for panel feedthrough applications 6-pole, orange	0	50	4,33
231-637	Male connector 7-pole Pin spacing 5.08 mm / 0.2 in, orange	0	50	3,49
231-637/018-000	Male connector with snap-in mounting foot 7-pole, orange	0	50	3,49
231-637/019-000	Male connector with fixing flanges 7-pole, orange	0	50	3,66
231-637/019-000/034-000	Male connector with fixing flange with strain relief, orange	0	50	4,44
231-637/109-000	Male connector with threaded flanges 7-pole, orange	0	50	4,38
231-637/114-000	Male connector with snap-in flanges for panel feedthrough applications 7-pole, orange	0	25	3,97
231-637/129-000	Male connector with snap-in for panel feedthrough applications 7-pole, orange	0	25	4,87
231-638	Male connector 8-pole Pin spacing 5.08 mm / 0.2 in, orange	0	50	3,88
231-638/018-000	Male connector with snap-in mounting foot 8-pole, orange	0	50	3,88
231-638/019-000	Male connector with fixing flanges 8-pole, orange	0	50	4,04
231-638/109-000	Male connector with threaded flanges 8-pole, orange	0	50	4,8
231-638/114-000	Male connector with snap-in flanges for panel feedthrough applications 8-pole, orange	0	25	4,35
231-638/129-000	Male connector with snap-in for panel feedthrough applications 8-pole, orange	0	25	5,25
231-639	Male connector 9-pole Pin spacing 5.08 mm / 0.2 in, orange	0	50	4,28
231-639/018-000	Male connector with snap-in mounting foot 9-pole, orange	0	50	4,28
231-639/019-000	Male connector with fixing flanges 9-pole, orange	0	25	4,44
231-639/023-000	1-conductor feedthrough ts angled contact pin 1x1.2 mm 9-pole, orange	0	25	3,15

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-639/109-000	Male connector with threaded flanges 9-pole, orange	0	25	5,17
231-639/114-000	Male connector with snap-in flanges for panel feedthrough applications 9-pole, orange	0	25	4,75
231-639/129-000	Male connector with snap-in for panel feedthrough applications 9-pole, orange	0	25	5,64
231-640	Male connector 10-pole Pin spacing 5.08 mm / 0.2 in, orange	0	50	4,66
231-640/018-000	Male connector with snap-in mounting foot 10-pole, orange	0	50	4,66
231-640/019-000	Male connector with fixing flanges 10-pole, orange	0	25	4,84
231-640/109-000	Male connector with threaded flanges 10-pole, orange	0	25	5,55
231-640/114-000	Male connector with snap-in flanges for panel feedthrough applications 10-pole, orange	0	25	5,15
231-640/129-000	Male connector with snap-in for panel feedthrough applications 10-pole, orange	0	25	6,03
231-641	Male connector 11-pole Pin spacing 5.08 mm / 0.2 in, orange	0	25	5,08
231-641/018-000	Male connector with snap-in mounting foot 11-pole, orange	0	25	5,08
231-641/019-000	Male connector with fixing flanges 11-pole, orange	0	25	5,22
231-641/114-000	Male connector with snap-in flanges for panel feedthrough applications 11-pole, orange	0	25	5,53
231-642	Male connector 12-pole Pin spacing 5.08 mm / 0.2 in, orange	0	25	5,45
231-642/018-000	Male connector with snap-in mounting foot 12-pole, orange	0	25	5,45
231-642/019-000	Male connector with fixing flanges 12-pole, orange	0	25	5,59
231-642/109-000	Male connector with threaded flanges 12-pole, orange	0	25	6,34
231-642/114-000	Male connector with snap-in flanges for panel feedthrough applications 12-pole, orange	0	25	5,91
231-642/129-000	Male connector with snap-in for panel feedthrough applications 12-pole, orange	0	25	6,82
231-643	Male connector 13-pole Pin spacing 5.08 mm / 0.2 in, orange	0	25	5,87
231-643/018-000	Male connector with snap-in mounting foot 13-pole, orange	0	25	5,87
231-643/019-000	Male connector with fixing flanges 13-pole, orange	0	25	6,07
231-643/023-000	1-conductor feedthrough ts angled contact pin 1x1.2 mm 13-pole	0	25	4,36
231-643/114-000	Male connector with snap-in flanges for panel feedthrough applications 13-pole, orange	0	25	6,35
231-644	Male connector 14-pole Pin spacing 5.08 mm / 0.2 in, orange	0	25	6,3
231-644/018-000	Male connector with snap-in mounting foot 14-pole, orange	0	25	6,3

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-644/019-000	Male connector with fixing flanges 14-pole, orange	0	25	6,47
231-644/109-000	Male connector with threaded flanges 14-pole, orange	0	25	7,2
231-644/114-000	Male connector with snap-in flanges for panel feedthrough applications 14-pole, orange	0	25	6,76
231-644/129-000	Male connector with snap-in for panel feedthrough applications 14-pole, orange	0	25	7,67
231-645	Male connector 15-pole Pin spacing 5.08 mm / 0.2 in, orange	0	25	6,62
231-645/018-000	Male connector with snap-in mounting foot 15-pole, orange	0	25	6,62
231-645/019-000	Male connector with fixing flanges 15-pole, orange	0	25	6,82
231-645/109-000	Male connector with threaded flanges 15-pole, orange	0	25	7,52
231-645/114-000	Male connector with snap-in flanges for panel feedthrough applications 15-pole, orange	0	10	7,09
231-645/129-000	Male connector with snap-in for panel feedthrough applications 15-pole, orange	0	10	8
231-646	Male connector 16-pole Pin spacing 5.08 mm / 0.2 in, orange	0	25	6,96
231-646/017-000	1-conductor feedthrough ts angled contact pin 1x1.2 mm 16-pole	0	25	5,28
231-646/018-000	Male connector with snap-in mounting foot 16-pole, orange	0	25	6,96
231-646/019-000	Male connector with fixing flanges 16-pole, orange	0	10	7,16
231-646/109-000	Male connector with threaded flanges 16-pole, orange	0	10	7,86
231-646/114-000	Male connector with snap-in flanges for panel feedthrough applications 16-pole, orange	0	10	7,44
231-646/129-000	Male connector with snap-in for panel feedthrough applications 16-pole, orange	0	10	8,34
231-647	Male connector 17-pole Pin spacing 5.08 mm / 0.2 in, orange	0	25	7,37
231-647/018-000	Male connector with snap-in mounting foot 17-pole, orange	0	25	7,37
231-647/019-000	Male connector with fixing flanges 17-pole, orange	0	10	7,54
231-647/114-000	Male connector with snap-in flanges for panel feedthrough applications 17-pole, orange	0	10	7,84
231-648	Male connector 18-pole Pin spacing 5.08 mm / 0.2 in, orange	0	10	7,78
231-648/018-000	Male connector with snap-in mounting foot 18-pole, orange	0	10	7,78
231-648/019-000	Male connector with fixing flanges 18-pole, orange	0	10	7,95
231-648/114-000	Male connector with snap-in flanges for panel feedthrough applications 18-pole, orange	0	10	8,24
231-649	Male connector 19-pole Pin spacing 5.08 mm / 0.2 in, orange	0	10	8,14

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-649/018-000	Male connector with snap-in mounting foot 19-pole, orange	0	10	8,14
231-649/019-000	Male connector with fixing flanges 19-pole, orange	0	10	8,33
231-649/114-000	Male connector with snap-in flanges for panel feedthrough applications 19-pole, orange	0	10	8,61
231-650	Male connector 20-pole Pin spacing 5.08 mm / 0.2 in, orange	0	10	8,49
231-650/018-000	Male connector with snap-in mounting foot 20-pole, orange	0	10	8,49
231-650/019-000	Male connector with fixing flanges 20-pole, orange	0	10	8,69
231-650/114-000	Male connector with snap-in flanges for panel feedthrough applications 20-pole, orange	0	10	8,98
231-651	Male connector 21-pole Pin spacing 5.08 mm / 0.2 in, orange	0	10	8,92
231-651/018-000	Male connector with snap-in mounting foot 21-pole, orange	0	10	8,92
231-651/019-000	Male connector with fixing flanges 21-pole, orange	0	10	9,12
231-651/114-000	Male connector with snap-in flanges for panel feedthrough applications 21-pole, orange	0	10	9,4
231-652	Male connector 22-pole Pin spacing 5.08 mm / 0.2 in, orange	0	10	9,39
231-652/018-000	Male connector with snap-in mounting foot 22-pole, orange	0	10	9,39
231-652/019-000	Male connector with fixing flanges 22-pole, orange	0	10	9,55
231-652/114-000	Male connector with snap-in flanges for panel feedthrough applications 22-pole, orange	0	10	9,85
231-653	Male connector 23-pole Pin spacing 5.08 mm / 0.2 in, orange	0	10	9,81
231-653/018-000	Male connector with snap-in mounting foot 23-pole, orange	0	10	9,81
231-653/019-000	Male connector with fixing flanges 23-pole, orange	0	10	9,99
231-653/114-000	Male connector with snap-in flanges for panel feedthrough applications 23-pole, orange	0	10	10,3
231-654	Male connector 24-pole Pin spacing 5.08 mm / 0.2 in, orange	0	10	10,25
231-654/018-000	Male connector with snap-in mounting foot 24-pole, orange	0	10	10,25
231-654/018-000/035-000	Male connector with angled solder pins with snap-in mounting foot, orange	0	10	11,13
231-654/018-044	Male connector with snap-in mounting feet, orange	0	10	10,39
231-654/019-000	Male connector with fixing flanges 24-pole, orange	0	10	10,44
231-654/114-000	Male connector with snap-in flanges for panel feedthrough applications 24-pole, orange	0	10	10,72
231-702/008-000	Female plug with snap-in mounting foot 2-pole, orange	0	100	1,13

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-702/026-000	Female plug 2-pole Pin spacing 7.62 mm / 0.3 in, orange	0	100	1,13
231-702/026-047	Female plug with latch with coding finger, orange	0	100	1,28
231-702/031-000	Female plug with fixing flanges 2-pole, orange	0	50	1,32
231-702/037-000	Female plug with locking levers 2-pole, orange	0	50	1,4
231-702/037-047/032-000	Female plug with lateral locking levers with strain relief, orange	0	100	2,18
231-703/008-000	Female plug with snap-in mounting foot 3-pole, orange	0	100	1,62
231-703/025-000	Female plug with latch, orange	0	50	1,62
231-703/026-000	Female plug 3-pole Pin spacing 7.62 mm / 0.3 in, orange	0	100	1,62
231-703/031-000	Female plug with fixing flanges 3-pole, orange	0	50	1,78
231-703/037-000	Female plug with locking levers 3-pole, orange	0	50	1,85
231-704/008-000	FEMALE PLUG WITH SNAP-IN MOUNTING FOOT, PIN SPACING 7.62 MM WITH with snap-in mounting foot 4-pole, orange	0	50	2,09
231-704/025-000	Female plug with latch, orange	0	50	2,09
231-704/026-000	STRAIGHT FEMALE PLUG, PIN SPACING 7.62 MM 4-P, ORANGE 4-pole Pin spacing 7.62 mm / 0.3 in, orange	0	50	2,09
231-704/031-000	FEMALE PLUG WITH FIXING FLANGE, PIN SPACING 7.62 MM WITH CODIG FI with fixing flanges 4-pole, orange	0	50	2,29
231-704/037-000	FEMALE PLUG WITH LOCKING LEVER, PIN SPACING 7.62 MM WITH CODIG FI with locking levers 4-pole, orange	0	50	2,35
231-705/008-000	Female plug with snap-in mounting foot 5-pole, orange	0	50	2,63
231-705/026-000	Female plug with coding finger with latch, orange	0	50	2,63
231-705/031-000	Female plug with fixing flanges 5-pole, orange	0	50	2,81
231-705/037-000	Female plug with locking levers 5-pole, orange	0	50	2,86
231-706/008-000	Female plug with snap-in mounting foot 6-pole, orange	0	50	3,15
231-706/026-000	Female plug with coding finger with latch, orange	0	50	3,15
231-706/027-000	Female plug with fixing flanges 6-pole, orange	0	25	4,19
231-706/031-000	Female plug with fixing flanges 6-pole, orange	0	25	3,32
231-706/037-000	Female plug with locking levers with coding finger, orange	0	25	3,39
231-707/008-000	Female plug with snap-in mounting foot 7-pole, orange	0	50	3,59
231-707/026-000	Female plug with coding finger with latch, orange	0	50	3,59

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-707/027-000	Female plug with fixing flanges 7-pole, orange	0	25	4,68
231-707/031-000	Female plug with fixing flanges 7-pole, orange	0	25	3,77
231-707/037-000	Female plug with locking levers 7-pole, orange	0	25	3,86
231-708/008-000	Female plug with snap-in mounting foot 8-pole, orange	0	25	4,12
231-708/026-000	Female plug with coding finger with latch, orange	0	25	4,12
231-708/027-000	Female plug with fixing flanges 8-pole, orange	0	25	5,18
231-708/031-000	Female plug with fixing flanges 8-pole, orange	0	25	4,3
231-708/037-000	Female plug with locking levers 8-pole, orange	0	25	4,35
231-709/008-000	Female plug with snap-in mounting foot 9-pole, orange	0	25	4,53
231-709/026-000	Female plug with coding finger with latch, orange	0	25	4,53
231-709/027-000	Female plug with fixing flanges 9-pole, orange	0	25	5,7
231-709/031-000	Female plug with fixing flanges 9-pole, orange	0	25	4,69
231-709/037-000	Female plug with locking levers 9-pole, orange	0	25	4,8
231-710/008-000	Female plug with snap-in mounting foot 10-pole, orange	0	25	5,06
231-710/026-000	Female plug with coding finger with latch, orange	0	25	5,06
231-710/027-000	Female plug with fixing flanges 10-pole, orange	0	25	6,17
231-710/031-000	Female plug with fixing flanges 10-pole, orange	0	25	5,21
231-710/037-000	Female plug with locking levers with coding finger, orange	0	25	5,28
231-711/008-000	Female plug with snap-in mounting foot 11-pole, orange	0	25	5,53
231-711/026-000	Female plug with coding finger with latch, orange	0	25	5,53
231-711/027-000	Female plug with fixing flanges 11-pole, orange	0	10	6,79
231-711/031-000	Female plug with fixing flanges 11-pole, orange	0	10	5,73
231-711/037-000	Female plug with locking levers with coding finger, orange	0	10	5,79
231-712/008-000	Female plug with snap-in mounting foot 12-pole, orange	0	25	6,05
231-712/026-000	Female plug with coding finger with latch, orange	0	25	6,05
231-712/027-000	Female plug with fixing flanges 12-pole, orange	0	10	7,4

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-712/031-000	Female plug with fixing flanges 12-pole, orange	0	10	6,2
231-712/037-000	Female plug with locking levers with coding finger, orange	0	10	6,29
231-732/001-000	Male connector with straight solder pins 2-pole, orange	0	200	0,55
231-733/001-000	Male connector with straight solder pins 3-pole, orange	0	200	0,67
231-734/001-000	HEADER STRAIGHT SOLDER PIN, 1X1 MM, PIN SPACING 7.62 MM, MATING DI with straight solder pins 4-pole, orange	0	100	0,81
231-735/001-000	Male connector with straight solder pins 5-pole, orange	0	100	0,94
231-736/001-000	Male connector with straight solder pins 6-pole, orange	0	100	1,13
231-737/001-000	Male connector with straight solder pins 7-pole, orange	0	50	1,26
231-738/001-000	Male connector with straight solder pins 8-pole, orange	0	50	1,55
231-739/001-000	Male connector with straight solder pins 9-pole, orange	0	50	1,72
231-740/001-000	Male connector with straight solder pins 10-pole, orange	0	50	1,93
231-741/001-000	Male header (for PCBs) Straight solder pin 1 x 1 mm 11-pole, orange	0	50	2,14
231-742/001-000	Male connector with straight solder pins 12-pole, orange	0	50	2,39
231-762/001-000	Male connector with straight solder pins 2-pole, orange	0	200	0,55
231-763/001-000	Male connector with straight solder pins 3-pole, orange	0	200	0,68
231-764/001-000	Male connector with straight solder pins 4-pole, orange	0	100	0,83
231-765/001-000	Male connector with straight solder pins 5-pole, orange	0	100	0,96
231-766/001-000	Male connector with straight solder pins 6-pole, orange	0	100	1,17
231-767/001-000	Male connector with straight solder pins 7-pole, orange	0	50	1,31
231-768/001-000	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 8-pole, orange	0	50	1,61
231-769/001-000	Male connector with straight solder pins 9-pole, orange	0	50	1,77
231-770/001-000	Male connector with straight solder pins 10-pole, orange	0	50	1,99
231-771/001-000	Male connector with straight solder pins 11-pole, orange	0	50	2,23
231-772/001-000	Male connector with straight solder pins 12-pole, orange	0	50	2,48
231-832/001-000	Male connector with angled solder pins 2-pole, gray	0	200	0,55
231-832/001-000/105-604	Male connector with angled solder pins 2-pole, black	0	200	0,58

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-832/001-000/105-604/99	Male header (for PCBs) Angled solder pin 1 x 1 mm 2-pole	0	330	0,83
231-833/001-000	Male connector with angled solder pins 3-pole, gray	0	200	0,67
231-833/001-000/105-604	Male connector with angled solder pins 3-pole, black	0	200	0,77
231-834/001-000	MALE HEADER RIGHT ANGLE SOLDER PIN, 1X1 MM, PIN SPACING 7.5 MM, M with angled solder pins 4-pole, gray	0	100	0,81
231-834/001-000/105-604	Male connector with angled solder pins 4-pole, black	0	100	0,95
231-834/001-000/105-604/99	Male header (for PCBs) Angled solder pin 1 x 1 mm 4-pole	0	330	1,23
231-835/001-000	Male connector with angled solder pins 5-pole, gray	0	100	0,94
231-835/001-000/105-604	Male connector with angled solder pins 5-pole, black	0	100	1,16
231-835/001-000/105-604/99	Male header (for PCBs) Angled solder pin 1 x 1 mm 5-pole	0	330	1,43
231-836/001-000	MALE HEADER RIGHT ANGLE SOLDER PIN, 1X1 MM, PIN SPACING 7.5 MM, M with angled solder pins 6-pole, gray	0	100	1,13
231-836/001-000/105-604	Male connector with angled solder pins 6-pole, black	0	100	1,35
231-836/001-000/105-604/99	Male header (for PCBs) Angled solder pin 1 x 1 mm 6-pole	0	330	1,65
231-837/001-000	Male header (for PCBs) Angled solder pin 1 x 1 mm 7-pole, gray	0	50	1,26
231-837/001-000/105-604	Male connector with angled solder pins 7-pole, black	0	50	1,54
231-837/001-000/105-604/99	Male header (for PCBs) Angled solder pin 1 x 1 mm 7-pole	0	330	1,83
231-838/001-000	Male connector with angled solder pins 8-pole, gray	0	50	1,55
231-838/001-000/105-604	Male connector with angled solder pins 8-pole, black	0	50	1,73
231-838/001-000/105-604/99	Male header (for PCBs) Angled solder pin 1 x 1 mm 8-pole	0	330	2,03
231-839/001-000	Male header (for PCBs) Angled solder pin 1 x 1 mm 9-pole, gray	0	50	1,72
231-839/001-000/105-604	Male connector with angled solder pins 9-pole, black	0	50	1,93
231-839/001-000/105-604/99	Male header (for PCBs) Angled solder pin 1 x 1 mm 9-pole	0	330	2,23
231-840/001-000	Male connector with angled solder pins 10-pole, gray	0	50	1,93
231-840/001-000/105-604	Male connector with angled solder pins 10-pole, black	0	50	2,11
231-840/040-000	Male header (for PCBs) Angled solder pin 1 x 1 mm 10-pole, gray	0	50	2,29
231-841/001-000	Male header (for PCBs) Angled solder pin 1 x 1 mm 11-pole, gray	0	50	2,14
231-842/001-000	Male header (for PCBs) Angled solder pin 1 x 1 mm 12-pole, gray	0	50	2,39

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-842/001-000/105-604	Male connector with angled solder pins 12-pole, black	0	50	2,51
231-843/001-000	Male header (for PCBs) Angled solder pin 1 x 1 mm 13-pole, gray	0	50	2,57
231-846/001-000	Male connector with angled solder pins 16-pole, gray	0	50	3,14
231-862/001-000	Male connector with angled solder pins 2-pole, gray	0	200	0,55
231-862/001-000/105-604	Male connector with angled solder pins 2-pole, black	0	200	0,59
231-862/001-000/105-604/99	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 2-pole	0	330	0,83
231-863/001-000	Male connector with angled solder pins 3-pole, gray	0	200	0,68
231-863/001-000/105-604	Male connector with angled solder pins 3-pole, black	0	200	0,78
231-863/001-000/105-604/99	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 3-pole	0	330	1,05
231-864/001-000	Male connector with angled solder pins 4-pole, gray	0	100	0,83
231-864/001-000/105-604	Male connector with angled solder pins 4-pole, black	0	100	0,97
231-864/001-000/105-604/99	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 4-pole	0	330	1,25
231-865/001-000	Male connector with angled solder pins 5-pole, gray	0	100	0,96
231-865/001-000/105-604	Male connector with angled solder pins 5-pole, black	0	100	1,18
231-865/001-000/105-604/99	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 5-pole	0	330	1,45
231-866/001-000	Male connector with angled solder pins 6-pole, gray	0	100	1,17
231-866/001-000/105-604	Male connector with angled solder pins 6-pole, black	0	100	1,39
231-866/001-000/105-604/99	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 6-pole	0	330	1,69
231-867/001-000	Male connector with angled solder pins 7-pole, gray	0	50	1,31
231-867/001-000/105-604	Male connector with angled solder pins 7-pole, black	0	50	1,6
231-867/001-000/105-604/99	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 7-pole	0	330	1,9
231-868/001-000	Male connector with angled solder pins 8-pole, gray	0	50	1,61
231-868/001-000/105-604	Male connector with angled solder pins 8-pole, black	0	50	1,77
231-868/001-000/105-604/99	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 8-pole	0	330	2,07
231-869/001-000	Male connector with angled solder pins 9-pole, gray	0	50	1,77
231-869/001-000/105-604	Male connector with angled solder pins 9-pole, black	0	50	1,99

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-869/001-000/105-604/99	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 9-pole	0	330	2,29
231-870/001-000	Male connector with angled solder pins 10-pole, gray	0	50	1,99
231-870/001-000/105-604	Male connector with angled solder pins 10-pole, black	0	50	2,19
231-870/040-000	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 10-pole, gray	0	50	2,34
231-871/001-000	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 11-pole, gray	0	50	2,23
231-871/001-000/105-604	Male connector with angled solder pins 11-pole, black	0	50	2,38
231-872/001-000	Male connector with angled solder pins 12-pole, gray	0	50	2,48
231-872/001-000/105-604	Male connector with angled solder pins 12-pole, black	0	50	2,6
231-873/001-000	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 13-pole, gray	0	50	2,67
231-876/001-000	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 16-pole, gray	0	50	3,23
231-932/001-000	Male connector with angled solder pins 2-pole, orange	0	200	0,55
231-933/001-000	Male connector with angled solder pins 3-pole, orange	0	200	0,67
231-934/001-000	MALE HEADER RIGHT ANGLE SOLDER PIN, 1X1 MM, PIN SPACING 7.62 MM, Angled solder pin 1 x 1 mm 4-pole, orange	0	100	0,81
231-935/001-000	Male header (for PCBs) Angled solder pin 1 x 1 mm 5-pole, orange	0	100	0,94
231-936/001-000	Male connector with angled solder pins 6-pole, orange	0	50	1,13
231-937/001-000	Male connector with angled solder pins 7-pole, orange	0	50	1,26
231-938/001-000	Male header (for PCBs) Angled solder pin 1 x 1 mm 8-pole, orange	0	50	1,55
231-939/001-000	Male header (for PCBs) Angled solder pin 1 x 1 mm 9-pole, orange	0	50	1,72
231-940/001-000	Male connector with angled solder pins 10-pole, orange	0	50	1,93
231-941/001-000	Male header (for PCBs) Angled solder pin 1 x 1 mm 11-pole, orange	0	50	2,14
231-942/001-000	Male connector Angled solder pin 1 x 1 mm 12-pole, orange	0	50	2,39
231-962/001-000	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 2-pole, orange	0	200	0,55
231-963/001-000	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 3-pole, orange	0	200	0,68
231-964/001-000	Male connector with angled solder pins 4-pole, orange	0	100	0,83
231-965/001-000	Male connector with angled solder pins 5-pole, orange	0	100	0,96
231-966/001-000	Male connector with angled solder pins 6-pole, orange	0	100	1,17

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
231-967/001-000	Male connector with angled solder pins 7-pole, orange	0	50	1,31
231-968/001-000	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 8-pole, orange	0	50	1,61
231-969/001-000	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 9-pole, orange	0	50	1,77
231-970/001-000	Male connector with angled solder pins 10-pole, orange	0	50	1,99
231-971/001-000	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 11-pole, orange	0	50	2,23
231-972/001-000	Male connector with angled solder pins 12-pole, orange	0	50	2,48
232-102/026-000	ANGLED FEMALE PLUG PIN SPACING 5MM 2-P, GREY 2-pole Pin spacing 5 mm / 0.197 in, gray	0	100	1,1
232-103/026-000	ANGLED FEMALE PLUG PIN SPACING 5MM 3-P, GREY 3-pole Pin spacing 5 mm / 0.197 in, gray	0	100	1,55
232-104/026-000	ANGLED FEMALE PLUG, PIN SPACING 5MM, EXIT OPPOSITE TO LATCHES 4-pole Pin spacing 5 mm / 0.197 in, gray	0	100	2,04
232-105/026-000	Angled female connector 5-pole Pin spacing 5 mm / 0.197 in, gray	0	100	2,54
232-106/026-000	ANGLED FEMALE PLUG, PIN SPACING 5MM, EXIT OPPOSITE TO LATCHES 6-pole Pin spacing 5 mm / 0.197 in, gray	0	50	3,06
232-107/026-000	Angled female connector 7-pole Pin spacing 5 mm / 0.197 in, gray	0	50	3,51
232-108/026-000	ANGLED FEMALE PLUG PIN SPACING 5MM 8-P, GREY 8-pole Pin spacing 5 mm / 0.197 in, gray	0	50	3,99
232-109/026-000	Angled female connector 9-pole Pin spacing 5 mm / 0.197 in, gray	0	50	4,38
232-110/026-000	ANGLED FEMALE PLUG PIN SPACING 5MM 10-P, GREY 10-pole Pin spacing 5 mm / 0.197 in, gray	0	50	4,89
232-111/026-000	Angled female connector 11-pole Pin spacing 5 mm / 0.197 in, gray	0	25	5,38
232-112/026-000	Angled female connector 12-pole Pin spacing 5 mm / 0.197 in, gray	0	25	5,85
232-113/026-000	Angled female connector 13-pole Pin spacing 5 mm / 0.197 in, gray	0	25	6,25
232-114/026-000	Angled female connector 14-pole Pin spacing 5 mm / 0.197 in, gray	0	25	6,71
232-115/026-000	Angled female connector 15-pole Pin spacing 5 mm / 0.197 in, gray	0	25	7,21
232-116/026-000	Angled female connector 16-pole Pin spacing 5 mm / 0.197 in, gray	0	25	7,79
232-117/026-000	Angled female connector 17-pole Pin spacing 5 mm / 0.197 in, gray	0	25	8,17
232-118/026-000	Angled female connector 18-pole Pin spacing 5 mm / 0.197 in, gray	0	25	8,68
232-119/026-000	Angled female connector 19-pole Pin spacing 5 mm / 0.197 in, gray	0	10	9,18
232-120/026-000	Angled female connector 20-pole Pin spacing 5 mm / 0.197 in, gray	0	10	9,63
232-121/026-000	Angled female connector 21-pole Pin spacing 5 mm / 0.197 in, gray	0	10	10,12

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
232-122/026-000	Angled female connector 22-pole Pin spacing 5 mm / 0.197 in, gray	0	10	10,59
232-123/026-000	Angled female connector 23-pole Pin spacing 5 mm / 0.197 in, gray	0	10	11,11
232-124/026-000	Angled female connector 24-pole Pin spacing 5 mm / 0.197 in, gray	0	10	11,59
232-132	Female plug with straight solder pins 2-pole, gray	0	100	0,87
232-132/005-000	Female plug with straight, long contact pins 2-pole, gray	0	100	1,12
232-132/005-000/039-000	Female plug with straight, long contact pins 2-pole, gray	0	100	1,4
232-132/031-000	Female plug with straight solder pins 2-pole, gray	0	100	1,07
232-132/039-000	Female plug with straight solder pins 2-pole, gray	0	100	1,11
232-132/047-000	Female plug with straight solder pins 2-pole, gray	0	100	1,07
232-133	Female plug with straight solder pins 3-pole, gray	0	100	1,2
232-133/005-000	Female plug with straight, long contact pins 3-pole, gray	0	100	1,54
232-133/005-000/039-000	Female plug with straight, long contact pins 3-pole, gray	0	50	1,8
232-133/031-000	Female plug with straight solder pins 3-pole, gray	0	50	1,39
232-133/039-000	Female plug with straight solder pins 3-pole, gray	0	50	1,46
232-133/047-000	Female plug with straight solder pins 3-pole, gray	0	50	1,39
232-134	FEMALE PLUG WITH STRAIGHT SOLDER PIN 0.6X1.0 MM, PIN SPACING 5 MM with straight solder pins 4-pole, gray	0	100	1,54
232-134/005-000	Female plug with straight, long contact pins 4-pole, gray	0	100	1,96
232-134/005-000/025-000	Female plug with straight, long contact pins 4-pole, gray	0	100	1,84
232-134/005-000/039-000	Female plug with straight, long contact pins 4-pole, gray	0	50	2,22
232-134/031-000	FEMALE PLUG WITH STRAIGHT SOLDER PIN 0.6X1.0 MM WITH FIXING FLAN with straight solder pins 4-pole, gray	0	50	1,72
232-134/039-000	FEMALE PLUG WITH STRAIGHT SOLDER PIN 0.6X1.0 MM WITH LOCKING LEV with straight solder pins 4-pole, gray	0	50	1,78
232-134/047-000	FEMALE PLUG WITH STRAIGHT SOLDER PIN 0.6X1.0 MM, WITH SPACERS, PI with straight solder pins 4-pole, gray	0	50	1,72
232-135	Female plug with straight solder pins 5-pole, gray	0	100	1,86
232-135/005-000	FEMALE PLUG WITH STRAIGHT LONG CONTACT PINS 5-P with straight, long contact pins 5-pole, gray	0	100	2,41
232-135/005-000/039-000	Female plug with straight, long contact pins 5-pole, gray	0	50	2,66
232-135/031-000	Female plug with straight solder pins 5-pole, gray	0	50	2,05

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
232-135/039-000	Female plug with straight solder pins 5-pole, gray	0	50	2,1
232-135/047-000	Female plug with straight solder pins 5-pole, gray	0	50	2,05
232-136	FEMALE PLUG WITH STRAIGHT SOLDER PIN 0.6X1.0 MM, PIN SPACING 5 MM with straight solder pins 6-pole, gray	0	50	2,23
232-136/005-000	Female plug with straight, long contact pins 6-pole, gray	0	50	2,83
232-136/005-000/039-000	Female plug with straight, long contact pins 6-pole, gray	0	50	3,07
232-136/031-000	Female plug with straight solder pins 6-pole, gray	0	50	2,39
232-136/039-000	Female plug with straight solder pins 6-pole, gray	0	50	2,47
232-136/047-000	Female plug with straight solder pins 6-pole, gray	0	50	2,39
232-137	Female plug with straight solder pins 7-pole, gray	0	50	2,54
232-137/005-000	Female plug with straight, long contact pins 7-pole, gray	0	50	3,27
232-137/005-000/039-000	Female plug with straight, long contact pins 7-pole, gray	0	50	3,51
232-137/031-000	Female plug with straight solder pins 7-pole, gray	0	50	2,71
232-137/047-000	Female plug with straight solder pins 7-pole, gray	0	50	2,72
232-138	Female plug with straight solder pins 8-pole, gray	0	50	2,87
232-138/005-000	Female plug with straight, long contact pins 8-pole, gray	0	50	3,69
232-138/005-000/025-000	Female plug with straight, long contact pins 8-pole, gray	0	50	3,46
232-138/005-000/039-000	Female plug with straight, long contact pins 8-pole, gray	0	50	3,95
232-138/031-000	Female plug with straight solder pins 8-pole, gray	0	50	3,07
232-138/039-000	Female plug with straight solder pins 8-pole, gray	0	50	3,14
232-138/047-000	Female plug with straight solder pins 8-pole, gray	0	50	3,07
232-139	Female plug with straight solder pins 9-pole, gray	0	50	3,22
232-139/005-000	Female plug with straight, long contact pins 9-pole, gray	0	50	4,11
232-139/005-000/039-000	Female plug with straight, long contact pins 9-pole, gray	0	25	4,38
232-139/031-000	Female plug with straight solder pins 9-pole, gray	0	25	3,4
232-139/047-000	Female plug with straight solder pins 9-pole, gray	0	25	3,4
232-140	Female plug with straight solder pins 10-pole, gray	0	50	3,55

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
232-140/005-000	Female plug with straight, long contact pins 10-pole, gray	0	50	4,55
232-140/005-000/039-000	Female plug with straight, long contact pins 10-pole, gray	0	25	4,81
232-140/031-000	Female plug with straight solder pins 10-pole, gray	0	25	3,73
232-140/039-000	Female plug with straight solder pins 10-pole, gray	0	25	3,79
232-141	Female plug with straight solder pins 11-pole, gray	0	25	3,9
232-141/031-000	Female plug with straight solder pins 11-pole, gray	0	25	4,08
232-141/039-000	Female plug with straight solder pins 11-pole, gray	0	25	4,14
232-141/047-000	Female plug with straight solder pins 11-pole, gray	0	25	4,08
232-142	Female plug with straight solder pins 12-pole, gray	0	25	4,24
232-142/005-000	Female plug with straight, long contact pins 12-pole, gray	0	25	5,41
232-142/005-000/039-000	Female plug with straight, long contact pins 12-pole, gray	0	25	5,65
232-142/031-000	Female plug with straight solder pins 12-pole, gray	0	25	4,38
232-142/039-000	Female plug with straight solder pins 12-pole, gray	0	25	4,46
232-142/047-000	Female plug with straight solder pins 12-pole, gray	0	25	4,42
232-143	Female plug with straight solder pins 13-pole, gray	0	25	4,56
232-143/031-000	Female plug with straight solder pins 13-pole, gray	0	25	4,74
232-143/039-000	Female plug with straight solder pins 13-pole, gray	0	25	4,82
232-143/047-000	Female plug with straight solder pins 13-pole, gray	0	25	4,74
232-144	Female plug with straight solder pins 14-pole, gray	0	25	4,89
232-144/039-000	Female plug with straight solder pins 14-pole, gray	0	25	5,15
232-144/047-000	Female plug with straight solder pins 14-pole, gray	0	25	5,08
232-145	Female plug with straight solder pins 15-pole, gray	0	25	5,22
232-145/047-000	Female plug with straight solder pins 15-pole, gray	0	25	5,41
232-146	Female plug with straight solder pins 16-pole, gray	0	25	5,55
232-146/005-000	Female plug with straight, long contact pins 14-pole, gray	0	25	7,1
232-146/005-000/039-000	Female plug with straight, long contact pins 16-pole, gray	0	10	7,37

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
232-146/039-000	Female plug with straight solder pins 16-pole, gray	0	10	5,8
232-146/047-000	Female plug with straight solder pins 16-pole, gray	0	10	5,76
232-147	Female plug with straight solder pins 17-pole, gray	0	25	5,89
232-147/047-000	Female plug with straight solder pins 17-pole, gray	0	10	6,08
232-148	Female plug with straight solder pins 18-pole, gray	0	25	6,25
232-148/047-000	Female plug with straight solder pins 18-pole, gray	0	10	6,42
232-149	Female plug with straight solder pins 19-pole, gray	0	10	6,58
232-149/047-000	Female plug with straight solder pins 19-pole, gray	0	10	6,75
232-150	Female plug with straight solder pins 20-pole, gray	0	10	6,91
232-150/005-000	Female plug with straight, long contact pins 20-pole, gray	0	10	8,81
232-150/005-000/039-000	Female plug with straight, long contact pins 20-pole, gray	0	10	9,06
232-150/047-000	Female plug with straight solder pins 20-pole, gray	0	10	7,08
232-151	Female plug with straight solder pins 21-pole, gray	0	10	7,25
232-151/047-000	Female plug with straight solder pins 21-pole, gray	0	10	7,43
232-152	Female plug with straight solder pins 22-pole, gray	0	10	7,59
232-152/047-000	Female plug with straight solder pins 22-pole, gray	0	10	7,78
232-153	Female plug with straight solder pins 23-pole, gray	0	10	7,9
232-153/047-000	Female plug with straight solder pins 23-pole, gray	0	10	8,09
232-154	Female plug with straight solder pins 24-pole, gray	0	10	8,25
232-154/031-000	Female plug with straight solder pins 24-pole, gray	0	10	8,44
232-154/047-000	Female plug with straight solder pins 24-pole, gray	0	10	8,44
232-162	Female plug with straight solder pins 2-pole, orange	0	100	0,87
232-162/031-000	Female plug with straight solder pins 2-pole, orange	0	100	1,07
232-162/039-000	Female plug with straight solder pins 2-pole, orange	0	100	1,12
232-162/047-000	Female plug with straight solder pins 2-pole, orange	0	100	1,07
232-163	Female plug with straight solder pins 3-pole, orange	0	100	1,2

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
232-163/025-000	Female plug orange	0	100	1,2
232-163/031-000	Female plug with straight solder pins 3-pole, orange	0	50	1,39
232-163/039-000	Female plug with straight solder pins 3-pole, orange	0	50	1,45
232-163/047-000	Female plug with straight solder pins 3-pole, orange	0	50	1,39
232-164	FEMALE PLUG WITH STRAIGHT SOLDER PIN 0.6X1.0 MM, PIN SPACING 5.08 with straight solder pins 4-pole, orange	0	100	1,54
232-164/031-000	FEMALE PLUG WITH STRAIGHT SOLDER PIN 0.6X1.0 MM WITH FIXING FLAN with straight solder pins 4-pole, orange	0	50	1,72
232-164/039-000	FEMALE PLUG WITH STRAIGHT SOLDER PIN 0.6X1.0 MM WITH LOCKING LEV with straight solder pins 4-pole, orange	0	50	1,78
232-164/047-000	FEMALE PLUG WITH STRAIGHT SOLDER PIN 0.6X1.0 MM, WITH SPACERS, PI with straight solder pins 4-pole, orange	0	50	1,72
232-165	Female plug with straight solder pins 5-pole, orange	0	100	1,86
232-165/031-000	Female plug with straight solder pins 5-pole, orange	0	50	2,05
232-165/039-000	Female plug with straight solder pins 5-pole, orange	0	50	2,11
232-165/047-000	Female plug with straight solder pins 5-pole, orange	0	50	2,05
232-166	Female plug with straight solder pins 6-pole, orange	0	50	2,23
232-166/031-000	Female plug with straight solder pins 6-pole, orange	0	50	2,39
232-166/039-000	Female plug with straight solder pins 6-pole, orange	0	50	2,47
232-166/047-000	Female plug with straight solder pins 6-pole, orange	0	50	2,39
232-167	Female plug with straight solder pins 7-pole, orange	0	50	2,54
232-167/031-000	Female plug with straight solder pins 7-pole, orange	0	50	2,71
232-167/039-000	Female plug with straight solder pins 7-pole, orange	0	50	2,8
232-167/047-000	Female plug with straight solder pins 7-pole, orange	0	50	2,71
232-168	Female plug with straight solder pins 8-pole, orange	0	50	2,87
232-168/031-000	Female plug with straight solder pins 8-pole, orange	0	50	3,07
232-168/039-000	Female plug with straight solder pins 8-pole, orange	0	50	3,14
232-168/047-000	Female plug with straight solder pins 8-pole	0	50	3,07
232-169	Female plug with straight solder pins 9-pole, orange	0	50	3,22
232-169/039-000	Female plug with straight solder pins 9-pole, orange	0	25	3,48

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
232-169/047-000	Female plug with straight solder pins 9-pole, orange	0	25	3,4
232-170	Female plug with straight solder pins 10-pole, orange	0	50	3,55
232-170/031-000	Female plug with straight solder pins 10-pole, orange	0	25	3,73
232-170/039-000	Female plug with straight solder pins 10-pole, orange	0	25	3,79
232-170/047-000	Female plug with straight solder pins 10-pole, orange	0	25	3,73
232-171	Female plug with straight solder pins 11-pole, orange	0	25	3,9
232-171/031-000	Female plug with straight solder pins 11-pole, orange	0	25	4,06
232-171/039-000	Female plug with straight solder pins 11-pole, orange	0	25	4,16
232-171/047-000	Female plug with straight solder pins codable, orange	0	25	4,08
232-172	Female plug with straight solder pins 12-pole, orange	0	25	4,24
232-172/031-000	Female plug with straight solder pins 12-pole	0	25	4,38
232-172/039-000	Female plug with straight solder pins 12-pole, orange	0	25	4,46
232-172/047-000	Female plug with straight solder pins 12-pole	0	25	4,38
232-173	Female plug with straight solder pins 13-pole, orange	0	25	4,56
232-173/047-000	Female plug with straight solder pins codable, orange	0	25	4,74
232-174	Female plug with straight solder pins 14-pole, orange	0	25	4,89
232-174/031-000	Female plug with straight solder pins 14-pole, orange	0	25	5,09
232-174/039-000	Female plug with straight solder pins 14-pole, orange	0	25	5,15
232-174/047-000	Female plug with straight solder pins codable, orange	0	25	5,08
232-175	Female plug with straight solder pins 15-pole, orange	0	25	5,22
232-175/031-000	Female plug with straight solder pins 15-pole, orange	0	25	5,42
232-175/047-000	Female plug with straight solder pins codable, orange	0	25	5,41
232-176	Female plug with straight solder pins 16-pole, orange	0	25	5,55
232-176/031-000	Female plug with straight solder pins 16-pole, orange	0	10	5,75
232-176/039-000	Female plug with straight solder pins 16-pole, orange	0	10	5,81
232-176/047-000	Female plug with straight solder pins codable, orange	0	10	5,74

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
232-177	Female plug with straight solder pins 17-pole, orange	0	25	5,89
232-177/031-000	Female plug with straight solder pins 17-pole, orange	0	10	6,09
232-177/047-000	Female plug with straight solder pins codable, orange	0	10	6,08
232-178	Female plug with straight solder pins 18-pole, orange	0	25	6,25
232-178/031-000	Female plug codable with straight solder pins, orange	0	10	6,42
232-178/047-000	Female plug with straight solder pins codable, orange	0	10	6,42
232-179	Female plug with straight solder pins 19-pole, orange	0	10	6,58
232-179/047-000	Female plug with straight solder pins codable, orange	0	10	6,75
232-180	Female plug with straight solder pins 20-pole, orange	0	20	6,91
232-180/031-000	Female plug with straight solder pins 20-pole, orange	0	10	7,08
232-180/047-000	Female plug with straight solder pins codable, orange	0	10	7,08
232-181	Female plug with straight solder pins 21-pole, orange	0	10	7,25
232-181/047-000	Female plug with straight solder pins codable, orange	0	10	7,43
232-182	Female plug with straight solder pins 22-pole, orange	0	10	7,59
232-182/047-000	Female plug with straight solder pins codable, orange	0	10	7,78
232-183	Female plug with straight solder pins 23-pole, orange	0	10	7,9
232-183/031-000	Female plug with straight solder pins 23-pole, orange	0	10	8,1
232-183/047-000	Female plug with straight solder pins codable, orange	0	10	8,09
232-184	Female plug with straight solder pins 24-pole, orange	0	10	8,25
232-184/039-000	Female plug with straight solder pins 24-pole, orange	0	20	8,49
232-184/047-000	Female plug with straight solder pins 24-pole, orange	0	10	8,44
232-202/026-000	Angled female connector 2-pole Pin spacing 5 mm / 0.197 in, gray	0	100	1,1
232-203/026-000	Angled female connector 3-pole Pin spacing 5 mm / 0.197 in, gray	0	100	1,55
232-204/026-000	ANGLED FEMALE PLUG, PIN SPACING 5MM, EXIT SAME DIRECTION AS LATC 4-pole Pin spacing 5 mm / 0.197 in, gray	0	100	2,04
232-205/026-000	Angled female connector 5-pole Pin spacing 5 mm / 0.197 in, gray	0	100	2,54
232-206/026-000	ANGLED FEMALE PLUG, PIN SPACING 5MM, EXIT SAME DIRECTION AS LATC 6-pole Pin spacing 5 mm / 0.197 in, gray	0	50	3,06

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
232-207/026-000	Angled female connector 7-pole Pin spacing 5 mm / 0.197 in, gray	0	50	3,51
232-208/026-000	Angled female connector 8-pole Pin spacing 5 mm / 0.197 in, gray	0	50	3,99
232-209/026-000	Angled female connector 9-pole Pin spacing 5 mm / 0.197 in, gray	0	50	4,38
232-210/026-000	ANGL.FEM.CONN.SAME DIR. 5MM 10 POLES	0	50	
232-211/026-000	MOD GRY PLUG-RT ANG-INT LATCH	0	25	
232-212/026-000	ANGL.FEM.CONN.SAME DIR. 5MM 12 POLES	0	25	
232-213/026-000	MOD GRY PLUG-RT ANG-INT LATCH	0	25	
232-214/026-000	ANGL.FEM.CONN.SAME DIR. 5MM 14 POLES	0	25	
232-215/026-000	FEDERL. ABGEW. GLATT.S. 5MM 15POLIG	0	25	
232-216/026-000	16 POLE 90 PLUG	0	25	
232-217/026-000	MOD GRY PLUG-RT ANG-INT LATCH	0	25	
232-218/026-000	ANGL.FEM.CONN.SAME DIR. 5MM 18 POLES	0	25	
232-219/026-000	MOD GRY PLUG-RT ANG-INT LATCH	0	10	
232-220/026-000	ANGL.FEM.CONN.SAME DIR. 5MM 20 POLES	0	10	
232-221/026-000	MOD GRY PLUG-RT ANG-INT LATCH	0	10	
232-222/026-000	FEDERL. ABGEW, GLATT.S.5MM 22-POLIG	0	10	
232-223/026-000	MOD GRY PLUG-RT ANG-INT LATCH	0	10	
232-224/026-000	ANGLED FEMALE PLUG, PIN SPACING 5MM, EXIT SAME DIRECTION AS LATC	0	10	
232-232	Female plug with angled solder pins 2-pole, gray	0	200	0,87
232-232/005-000	Female plug with angled, long contact pins 2-pole, gray	0	100	1,12
232-232/005-000/039-000	Female plug with angled, long contact pins 2-pole, gray	0	100	1,4
232-232/031-000	Female plug with angled solder pins 2-pole, gray	0	100	1,07
232-232/039-000	Female plug with angled solder pins 2-pole, gray	0	100	1,12
232-232/047-000	Female plug with angled solder pins 2-pole, gray	0	100	1,07
232-233	Female plug with angled solder pins 3-pole, gray	0	100	1,2
232-233/005-000	Female plug with angled, long contact pins 3-pole, gray	0	100	1,54

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
232-233/005-000/039-000	Female plug with angled, long contact pins 3-pole, gray	0	50	1,8
232-233/031-000	Female plug with angled solder pins 3-pole, gray	0	50	1,39
232-233/039-000	Female plug with angled solder pins 3-pole, gray	0	50	1,46
232-233/047-000	Female plug with angled solder pins 3-pole, gray	0	50	1,39
232-234	FEMALE PLUG WITH RIGHT ANGLED SOLDER PIN 0.6X1.0 MM, PIN SPACING with angled solder pins 4-pole, gray	0	100	1,54
232-234/005-000	Female plug with angled, long contact pins 4-pole, gray	0	100	1,96
232-234/005-000/039-000	Female plug with angled, long contact pins 4-pole, gray	0	50	2,22
232-234/031-000	FEMALE PLUG WITH RIGHT ANGLED SOLDER PIN 0.6X1.0 MM WITH FIXING F with angled solder pins 4-pole, gray	0	50	1,72
232-234/039-000	FEMALE PLUG WITH RIGHT ANGLED SOLDER PIN 0.6X1.0 MM WITH LOCKIN with angled solder pins 4-pole, gray	0	50	1,78
232-234/047-000	FEMALE PLUG WITH RIGHT ANGLED SOLDER PIN 0.6X1.0 MM, WITH SPACE with angled solder pins 4-pole, gray	0	50	1,72
232-235	Female plug with angled solder pins 5-pole, gray	0	100	1,86
232-235/005-000	Female plug with angled, long contact pins 5-pole, gray	0	100	2,41
232-235/005-000/039-000	Female plug with angled, long contact pins 5-pole, gray	0	50	2,66
232-235/031-000	Female plug with angled solder pins 5-pole, gray	0	50	2,05
232-235/039-000	Female plug with angled solder pins 5-pole, gray	0	50	2,11
232-235/047-000	Female plug with angled solder pins 5-pole, gray	0	50	2,05
232-236	FEMALE PLUG WITH RIGHT ANGLED SOLDER PIN 0.6X1.0 MM, PIN SPACING with angled solder pins 6-pole, gray	0	50	2,23
232-236/005-000	FEMALE PLUG WITH RIGHT ANGLE LONG PINS, PIN SPACING 5.00MM, DIRE with angled, long contact pins 6-pole, gray	0	50	2,83
232-236/005-000/039-000	Female plug with angled, long contact pins 6-pole, gray	0	50	3,07
232-236/031-000	Female plug with angled solder pins 6-pole, gray	0	50	2,39
232-236/039-000	Female plug with angled solder pins 6-pole, gray	0	50	2,47
232-236/047-000	Female plug with angled solder pins 6-pole, gray	0	50	2,39
232-237	Female plug with angled solder pins 7-pole, gray	0	50	2,54
232-237/005-000	Female plug with angled, long contact pins 7-pole, gray	0	50	3,27
232-237/031-000	Female plug with angled solder pins 7-pole, gray	0	50	2,71
232-237/039-000	Female plug with coding finger with latch, gray	0	50	2,8

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
232-237/045-000	FEDERL.ABGEW.EINLÖT. 5,00MM 7-POL	0	50	
232-237/047-000	Female plug with angled solder pins with flange, gray	0	50	2,72
232-238	Female plug with angled solder pins 8-pole, gray	0	50	2,87
232-238/005-000	Female plug with angled, long contact pins 8-pole, gray	0	50	3,69
232-238/031-000	Female plug with angled solder pins 8-pole, gray	0	50	3,07
232-238/039-000	Female plug with angled solder pins 8-pole, gray	0	50	3,14
232-238/047-000	Female plug with angled solder pins 8-pole, gray	0	50	3,07
232-239	Female plug with angled solder pins 9-pole, gray	0	50	3,22
232-239/005-000	Female plug with angled, long contact pins 9-pole, gray	0	50	4,11
232-239/031-000	Female plug with angled solder pins 9-pole	0	25	3,4
232-239/039-000	Female plug with angled solder pins 9-pole, gray	0	25	3,48
232-239/047-000	Female plug with angled solder pins with flange, gray	0	25	3,4
232-240	Female plug with angled solder pins 10-pole, gray	0	50	3,55
232-240/005-000	Female plug with angled, long contact pins 10-pole, gray	0	50	4,55
232-240/005-000/039-000	Female plug with angled, long contact pins 10-pole, gray	0	25	4,81
232-240/031-000	Female plug with angled solder pins 10-pole, gray	0	25	3,73
232-240/039-000	Female plug with angled solder pins with locking levers, gray	0	25	3,79
232-240/047-000	Female plug with angled solder pins 10-pole, gray	0	25	3,73
232-241	Female plug with angled solder pins 11-pole, gray	0	25	3,9
232-241/039-000	Female plug with angled solder pins with locking levers, gray	0	25	4,15
232-241/047-000	Female plug with angled solder pins with flange, gray	0	25	4,08
232-242	Female plug with angled solder pins 12-pole, gray	0	25	4,24
232-242/005-000	Female plug with angled, long contact pins 12-pole, gray	0	25	5,41
232-242/005-000/039-000	Female plug with angled, long contact pins 12-pole, gray	0	25	5,65
232-242/031-000	Female plug with angled solder pins 12-pole, gray	0	25	4,38
232-242/039-000	Female plug with angled solder pins 12-pole, gray	0	25	4,46

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
232-242/047-000	Female plug with angled solder pins 12-pole, gray	0	25	4,38
232-243	Female plug with angled solder pins 13-pole, gray	0	25	4,56
232-243/039-000	Female plug with angled solder pins with locking levers, gray	0	25	4,81
232-243/047-000	Female plug with angled solder pins with flange, gray	0	25	4,74
232-244	Female plug with angled solder pins 14-pole, gray	0	25	4,89
232-244/031-000	Female plug with angled solder pins 14-pole, gray	0	25	5,09
232-244/039-000	Female plug with angled solder pins 14-pole	0	25	5,16
232-244/047-000	Female plug with angled solder pins with flange, gray	0	25	5,08
232-245	Female plug with angled solder pins 15-pole, gray	0	25	5,22
232-245/039-000	Female plug with angled solder pins with locking levers, gray	0	25	5,47
232-245/047-000	Female plug with angled solder pins with flange, gray	0	1	5,41
232-246	Female plug with angled solder pins 16-pole, gray	0	25	5,55
232-246/005-000	Female plug with angled, long contact pins 16-pole, gray	0	25	7,1
232-246/005-000/039-000	Female plug with angled, long contact pins 16-pole, gray	0	10	7,37
232-246/031-000	Female plug with angled solder pins 16-pole, gray	0	10	5,75
232-246/039-000	Female plug with angled solder pins 16-pole, gray	0	10	5,81
232-246/045-000	Female plug gray	0	25	5,55
232-246/047-000	Female plug with angled solder pins with flange, gray	0	10	5,74
232-247	Female plug with angled solder pins 17-pole, gray	0	25	5,89
232-247/039-000	Female plug with angled solder pins with locking levers, gray	0	10	6,14
232-247/047-000	Female plug with angled solder pins with flange, gray	0	10	6,08
232-248	Female plug with angled solder pins 18-pole, gray	0	25	6,25
232-248/039-000	Female plug with angled solder pins 18-pole, gray	0	10	6,49
232-248/047-000	Female plug with angled solder pins with flange, gray	0	10	6,42
232-249	Female plug with angled solder pins 19-pole, gray	0	10	6,58
232-249/039-000	Female plug with angled solder pins with locking levers, gray	0	10	6,82

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
232-249/047-000	Female plug with angled solder pins with flange, gray	0	10	6,75
232-250	Female plug with angled solder pins 20-pole, gray	0	10	6,91
232-250/005-000	Female plug with angled, long contact pins 20-pole, gray	0	10	8,81
232-250/005-000/039-000	Female plug with angled, long contact pins 20-pole, gray	0	10	9,06
232-250/031-000	Female plug with angled solder pins 20-pole, gray	0	10	7,09
232-250/039-000	Female plug with angled solder pins with locking levers, gray	0	10	7,16
232-250/047-000	Female plug with angled solder pins with flange, gray	0	10	7,08
232-251	Female plug with angled solder pins 21-pole, gray	0	10	7,25
232-251/039-000	Female plug with angled solder pins 21-pole, gray	0	10	7,5
232-251/047-000	Female plug with angled solder pins with flange, gray	0	10	7,43
232-252	Female plug with angled solder pins 22-pole, gray	0	10	7,59
232-252/039-000	Female plug with angled solder pins with locking levers, gray	0	10	7,84
232-252/047-000	Female plug with angled solder pins with flange, gray	0	10	7,78
232-253	Female plug with angled solder pins 23-pole, gray	0	10	7,9
232-253/039-000	Female plug with angled solder pins with locking levers, gray	0	10	8,15
232-253/047-000	Female plug with angled solder pins with flange, gray	0	10	8,09
232-254	Female plug with angled solder pins 24-pole, gray	0	20	8,25
232-254/039-000	Female plug with lateral locking levers, gray	0	10	8,49
232-254/047-000	Female plug with angled solder pins with flange, gray	0	10	8,44
232-262	Female plug with angled solder pins 2-pole, orange	0	100	0,87
232-262/031-000	Female plug with angled solder pins 2-pole, orange	0	100	1,07
232-262/039-000	Female plug with angled solder pins 2-pole, orange	0	100	1,12
232-262/047-000	Female plug with angled solder pins 2-pole, orange	0	100	1,07
232-263	Female plug with angled solder pins 3-pole, orange	0	100	1,2
232-263/031-000	Female plug with angled solder pins 3-pole, orange	0	50	1,39
232-263/039-000	Female plug with angled solder pins 3-pole, orange	0	50	1,45

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
232-263/047-000	Female plug with fixing flange, orange	0	50	1,39
232-264	FEMALE PLUG WITH RIGHT ANGLED SOLDER PIN 0.6X1.0 MM, PIN SPACING with angled solder pins 4-pole, orange	0	100	1,54
232-264/031-000	FEMALE PLUG WITH RIGHT ANGLED SOLDER PIN 0.6X1.0 MM WITH FIXING F with angled solder pins 4-pole, orange	0	50	1,72
232-264/039-000	FEMALE PLUG WITH RIGHT ANGLED SOLDER PIN 0.6X1.0 MM WITH LOCKIN with angled solder pins 4-pole, orange	0	50	1,78
232-264/047-000	FEMALE PLUG WITH RIGHT ANGLED SOLDER PIN 0.6X1.0 MM, WITH SPACE with angled solder pins 4-pole, orange	0	50	1,72
232-265	Female plug with angled solder pins 5-pole, orange	0	100	1,86
232-265/039-000	Female plug with angled solder pins 5-pole, orange	0	50	2,11
232-265/047-000	Female plug with angled solder pins 5-pole, orange	0	50	2,05
232-266	Female plug with angled solder pins 6-pole, orange	0	50	2,23
232-266/031-000	Female plug with angled solder pins 6-pole, orange	0	50	2,39
232-266/039-000	Female plug with angled solder pins 6-pole, orange	0	50	2,47
232-266/047-000	Female plug with angled solder pins 6-pole, orange	0	50	2,4
232-267	Female plug with angled solder pins 7-pole, orange	0	50	2,54
232-267/031-000	Female plug with angled solder pins 7-pole, orange	0	50	2,71
232-267/039-000	Female plug with angled solder pins with locking levers, orange	0	50	2,79
232-267/047-000	Female plug with angled solder pins codable, orange	0	50	2,72
232-268	Female plug with angled solder pins 8-pole, orange	0	50	2,87
232-268/031-000	Female plug with angled solder pins 8-pole, orange	0	50	3,07
232-268/039-000	Female plug with angled solder pins 8-pole, orange	0	50	3,14
232-268/047-000	Female plug with angled solder pins codable, orange	0	50	3,06
232-269	Female plug with angled solder pins 9-pole, orange	0	50	3,22
232-269/047-000	Female plug with angled solder pins codable, orange	0	25	3,4
232-270	Female plug with angled solder pins 10-pole, orange	0	50	3,55
232-270/031-000	Female plug with angled solder pins 10-pole, orange	0	25	3,73
232-270/039-000	Female plug with angled solder pins 10-pole, orange	0	25	3,79
232-270/047-000	Female plug with angled solder pins 10-pole, orange	0	25	3,73

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
232-271	Female plug with angled solder pins 11-pole, orange	0	25	3,9
232-271/039-000	Female plug with angled solder pins with locking levers, orange	0	25	4,15
232-271/047-000	Female plug with angled solder pins codable, orange	0	25	4,08
232-272	Female plug with angled solder pins 12-pole, orange	0	25	4,24
232-272/031-000	Female plug with angled solder pins 12-pole, orange	0	25	4,38
232-272/039-000	Female plug with angled solder pins 12-pole, orange	0	25	4,5
232-272/047-000	Female plug with angled solder pins 12-pole, orange	0	25	4,38
232-273	Female plug with angled solder pins 13-pole, orange	0	25	4,56
232-273/039-000	Female plug with angled solder pins with locking levers, orange	0	25	4,81
232-273/047-000	Female plug with angled solder pins codable, orange	0	25	4,74
232-274	Female plug with angled solder pins 14-pole, orange	0	25	4,89
232-274/039-000	Female plug with angled solder pins 14-pole, orange	0	25	5,15
232-274/047-000	Female plug with angled solder pins codable, orange	0	25	5,08
232-275	Female plug with angled solder pins 15-pole, orange	0	25	5,22
232-275/039-000	Female plug with angled solder pins with locking levers, orange	0	25	5,47
232-275/047-000	Female plug with angled solder pins codable, orange	0	25	5,41
232-276	Female plug with angled solder pins 16-pole, orange	0	25	5,55
232-276/031-000	Female plug with angled solder pins 16-pole, orange	0	10	5,75
232-276/039-000	Female plug with angled solder pins 16-pole, orange	0	10	5,81
232-276/047-000	Female plug with angled solder pins codable, orange	0	10	5,74
232-277	Female plug with angled solder pins 17-pole, orange	0	25	5,89
232-277/039-000	Female plug with angled solder pins with locking levers, orange	0	10	6,14
232-277/047-000	Female plug with angled solder pins codable, orange	0	10	6,08
232-278	Female plug with angled solder pins 18-pole, orange	0	25	6,25
232-278/039-000	Female plug with lateral locking levers, orange	0	10	6,5
232-278/047-000	Female plug with angled solder pins codable, orange	0	10	6,42

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
232-279	Female plug with angled solder pins 19-pole, orange	0	10	6,58
232-279/031-000	Female plug with angled solder pins 9-pole	0	10	6,74
232-279/039-000	Female plug with angled solder pins with locking levers, orange	0	10	6,82
232-279/047-000	Female plug with angled solder pins codable, orange	0	10	6,75
232-280	Female plug with angled solder pins 20-pole, orange	0	10	6,91
232-280/039-000	Female plug with lateral locking levers, orange	0	10	7,17
232-280/047-000	Female plug with angled solder pins codable, orange	0	10	7,08
232-281	Female plug with angled solder pins 21-pole, orange	0	10	7,25
232-281/039-000	Female plug with angled solder pins with locking levers, orange	0	10	7,5
232-281/047-000	Female plug with angled solder pins codable, orange	0	10	7,43
232-282	Female plug with angled solder pins 22-pole, orange	0	10	7,59
232-282/031-000	Female plug with angled solder pins 22-pole, orange	0	10	7,77
232-282/039-000	Female plug with angled solder pins with locking levers, orange	0	10	7,84
232-282/047-000	Female plug with angled solder pins codable, orange	0	10	7,78
232-283	Female plug with angled solder pins 23-pole, orange	0	10	7,9
232-283/039-000	Female plug with angled solder pins with locking levers, orange	0	10	8,15
232-283/047-000	Female plug with angled solder pins codable, orange	0	10	8,09
232-284	Female plug with angled solder pins 24-pole, orange	0	10	8,25
232-284/039-000	Female plug with angled solder pins 24-pole, orange	0	10	8,51
232-284/047-000	Female plug with angled solder pins codable, orange	0	10	8,44
232-302/026-000	Angled female connector 2-pole Pin spacing 5.08 mm / 0.2 in, orange	0	100	1,1
232-302/026-047	Angled female connector Conductor entry opposite of latches, orange	0	100	1,24
232-303/026-000	Angled female connector 3-pole Pin spacing 5.08 mm / 0.2 in, orange	0	100	1,55
232-304/026-000	ANGLED FEMALE PLUG, PIN SPACING 5.08MM, EXIT OPPOSITE DIRECTION 4-pole Pin spacing 5.08 mm / 0.2 in, orange	0	100	2,04
232-305/026-000	Angled female connector 5-pole Pin spacing 5.08 mm / 0.2 in, orange	0	100	2,54
232-306/026-000	Angled female connector 6-pole Pin spacing 5.08 mm / 0.2 in, orange	0	50	3,06

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
232-306/026-047	Angled female connector Conductor entry opposite of latches, orange	0	25	3,2
232-307/026-000	Angled female connector 7-pole Pin spacing 5.08 mm / 0.2 in, orange	0	50	3,51
232-308/026-000	Angled female connector 8-pole Pin spacing 5.08 mm / 0.2 in, orange	0	50	3,99
232-309/026-000	Angled female connector 9-pole Pin spacing 5.08 mm / 0.2 in, orange	0	50	4,38
232-310/026-000	Angled female connector 10-pole Pin spacing 5.08 mm / 0.2 in, orange	0	50	4,89
232-310/026-047	Angled female connector orange	0	25	5,06
232-311/026-000	Angled female connector 11-pole Pin spacing 5.08 mm / 0.2 in, orange	0	25	5,38
232-311/026-047	Angled female connector orange	0	25	5,52
232-312/026-000	Angled female connector 12-pole Pin spacing 5.08 mm / 0.2 in, orange	0	25	5,85
232-312/026-047	Angled female connector orange	0	25	6
232-313/026-000	Angled female connector 13-pole Pin spacing 5.08 mm / 0.2 in, orange	0	25	6,25
232-314/026-000	Angled female connector 14-pole Pin spacing 5.08 mm / 0.2 in, orange	0	25	6,71
232-315/026-000	Angled female connector 15-pole Pin spacing 5.08 mm / 0.2 in, orange	0	25	7,21
232-316/026-000	Angled female connector 16-pole Pin spacing 5.08 mm / 0.2 in, orange	0	25	7,79
232-317/026-000	Angled female connector 17-pole Pin spacing 5.08 mm / 0.2 in, orange	0	25	8,17
232-318/026-000	Angled female connector 18-pole Pin spacing 5.08 mm / 0.2 in, orange	0	10	8,68
232-319/026-000	Angled female connector 19-pole Pin spacing 5.08 mm / 0.2 in, orange	0	10	9,18
232-320/026-000	Angled female connector 20-pole Pin spacing 5.08 mm / 0.2 in, orange	0	10	9,63
232-321/026-000	Angled female connector 21-pole Pin spacing 5.08 mm / 0.2 in, orange	0	10	10,12
232-322/026-000	Angled female connector 22-pole Pin spacing 5.08 mm / 0.2 in, orange	0	10	10,59
232-323/026-000	Angled female connector 23-pole Pin spacing 5.08 mm / 0.2 in, orange	0	10	11,11
232-324/026-000	Angled female connector 24-pole Pin spacing 5.08 mm / 0.2 in, orange	0	10	11,59
232-332	MALE HEADERS FOR DOUBLE DECK ASSEMBLY RIGHT ANGLE SOLDER PIN, with angled solder pins 2-pole, gray	0	100	0,83
232-333	Male headers for double-deck with angled solder pins 3-pole, gray	0	100	0,98
232-334	MALE HEADERS FOR DOUBLE DECK ASSEMBLY RIGHT ANGLE SOLDER PIN, with angled solder pins 4-pole, gray	0	100	1,26
232-335	Male headers for double-deck with angled solder pins 5-pole, gray	0	100	1,49

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
232-336	MALE HEADERS FOR DOUBLE DECK ASSEMBLY RIGHT ANGLE SOLDER PIN, with angled solder pins 6-pole, gray	0	50	1,7
232-337	Male headers for double-deck Angled solder pin 1 x 1 mm 7-pole, gray	0	50	1,92
232-338	Male headers for double-deck with angled solder pins 8-pole, gray	0	50	2,11
232-340	Male headers for double-deck with angled solder pins 10-pole, gray	0	50	2,6
232-342	Male headers for double-deck with angled solder pins 12-pole, gray	0	50	2,98
232-346	Male headers for double-deck with angled solder pins 16-pole, gray	0	25	4,24
232-362	MALE HEADERS FOR DOUBLE DECK ASSEMBLY RIGHT ANGLE SOLDER PIN, Angled solder pin 1 x 1 mm 2-pole, orange	0	100	0,83
232-363	Male headers for double-deck with angled solder pins 3-pole, orange	0	100	0,98
232-364	MALE HEADERS FOR DOUBLE DECK ASSEMBLY RIGHT ANGLE SOLDER PIN, Angled solder pin 1 x 1 mm 4-pole, orange	0	100	1,26
232-366	Male headers for double-deck with angled solder pins 6-pole, orange	0	50	1,7
232-368	Male headers for double-deck with angled solder pins 8-pole, orange	0	50	2,11
232-370	Male headers for double-deck with angled solder pins 10-pole, orange	0	50	2,6
232-372	Male headers for double-deck with angled solder pins 12-pole, orange	0	50	2,98
232-376	Male headers for double-deck with angled solder pins 16-pole, orange	0	25	4,24
232-402/026-000	Angled female connector 2-pole Pin spacing 5.08 mm / 0.2 in, orange	0	100	1,1
232-403/026-000	Angled female connector 3-pole Pin spacing 5.08 mm / 0.2 in, orange	0	100	1,55
232-404/026-000	ANGLED FEMALE PLUG, PIN SPACING 5.08 MM, EXIT SAME DIRECTION AS L 4-pole Pin spacing 5.08 mm / 0.2 in, orange	0	100	2,04
232-405/026-000	Angled female connector 5-pole Pin spacing 5.08 mm / 0.2 in, orange	0	100	2,54
232-406/026-000	Angled female connector 6-pole Pin spacing 5.08 mm / 0.2 in, orange	0	50	3,06
232-407/026-000	Angled female connector 7-pole Pin spacing 5.08 mm / 0.2 in, orange	0	50	3,51
232-408/026-000	Angled female connector 8-pole Pin spacing 5.08 mm / 0.2 in, orange	0	50	3,99
232-409/026-000	Angled female connector 9-pole Pin spacing 5.08 mm / 0.2 in, orange	0	50	4,38
232-410/026-000	Angled female connector 10-pole Pin spacing 5.08 mm / 0.2 in, orange	0	50	4,89
232-411/026-000	Angled female connector 11-pole Pin spacing 5.08 mm / 0.2 in, orange	0	25	5,38
232-411/026-000/035-000	Angled female connector Cond. entry same dir. as latches with strain relief, orange	0	10	6,25
232-412/026-000	Angled female connector 12-pole Pin spacing 5.08 mm / 0.2 in, orange	0	25	5,85

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
232-413/026-000	Angled female connector 13-pole Pin spacing 5.08 mm / 0.2 in, orange	0	25	6,25
232-414/026-000	Angled female connector 14-pole Pin spacing 5.08 mm / 0.2 in, orange	0	25	6,71
232-415/026-000	Angled female connector 15-pole Pin spacing 5.08 mm / 0.2 in, orange	0	25	7,21
232-416/026-000	Angled female connector 16-pole Pin spacing 5.08 mm / 0.2 in, orange	0	25	7,79
232-417/026-000	Angled female connector 17-pole Pin spacing 5.08 mm / 0.2 in, orange	0	25	8,17
232-418/026-000	Angled female connector 18-pole Pin spacing 5.08 mm / 0.2 in, orange	0	10	8,68
232-419/026-000	Angled female connector 19-pole Pin spacing 5.08 mm / 0.2 in, orange	0	10	9,18
232-420/026-000	Angled female connector 20-pole Pin spacing 5.08 mm / 0.2 in, orange	0	10	9,63
232-421/026-000	Angled female connector 21-pole Pin spacing 5.08 mm / 0.2 in, orange	0	10	10,12
232-422/026-000	Angled female connector 22-pole Pin spacing 5.08 mm / 0.2 in, orange	0	10	10,59
232-423/026-000	Angled female connector 23-pole Pin spacing 5.08 mm / 0.2 in, orange	0	10	11,11
232-424/026-000	Angled female connector 24-pole Pin spacing 5.08 mm / 0.2 in, orange	0	10	11,59
232-502/007-000	Double pin header Pin 1.2 x 1.2 mm 2-pole, gray	0	100	1,56
232-503/007-000	Double pin header Pin 1.2 x 1.2 mm 3-pole, gray	0	50	1,85
232-504/007-000	DOUBLE MALE PIN HEADERS PIN 1.2X1.2 MM, PIN SPACING 5 MM WITH MOU Pin 1.2 x 1.2 mm 4-pole, gray	0	50	2,15
232-505/007-000	Double pin header Pin 1.2 x 1.2 mm 5-pole, gray	0	50	2,42
232-506/007-000	DOUBLE MALE PIN HEADERS PIN 1.2X1.2 MM, PIN SPACING 5 MM WITH MOU Pin 1.2 x 1.2 mm 6-pole, gray	0	50	2,7
232-507/007-000	Double pin header Pin 1.2 x 1.2 mm 7-pole, gray	0	25	3,03
232-508/007-000	Double pin header Pin 1.2 x 1.2 mm 8-pole, gray	0	25	3,28
232-509/007-000	Double pin header Pin 1.2 x 1.2 mm 9-pole, gray	0	25	3,58
232-510/007-000	Double pin header Pin 1.2 x 1.2 mm 10-pole, gray	0	25	3,85
232-511/007-000	Double pin header Pin 1.2 x 1.2 mm 11-pole, gray	0	25	4,1
232-512/007-000	Double pin header Pin 1.2 x 1.2 mm 12-pole, gray	0	25	4,38
232-513/007-000	Double pin header Pin 1.2 x 1.2 mm 13-pole, gray	0	25	5,16
232-514/007-000	DOUBLE PIN Male Connector 5,00MM 14	0	25	
232-515/007-000	Double pin header Pin 1.2 x 1.2 mm 15-pole, gray	0	25	5,74

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
232-516/007-000	Double pin header Pin 1.2 x 1.2 mm 16-pole, gray	0	25	6
232-517/007-000	Double pin header Pin 1.2 x 1.2 mm 17-pole, gray	0	25	6,35
232-518/007-000	Double pin header Pin 1.2 x 1.2 mm 18-pole, gray	0	25	6,71
232-519/007-000	Double pin header Pin 1.2 x 1.2 mm 19-pole, gray	0	25	7,08
232-520/007-000	Double pin header Pin 1.2 x 1.2 mm 20-pole, gray	0	25	7,43
232-521/007-000	Double pin header Pin 1.2 x 1.2 mm 21-pole, gray	0	10	7,8
232-522/007-000	Double pin header Pin 1.2 x 1.2 mm 22-pole, gray	0	10	8,16
232-523/007-000	Double pin header Pin 1.2 x 1.2 mm 23-pole, gray	0	10	8,52
232-524/007-000	Double pin header Pin 1.2 x 1.2 mm 24-pole, gray	0	10	8,89
232-532/007-000	Double pin header Pin 1.2 x 1.2 mm 2-pole, orange	0	100	1,56
232-533/007-000	Double pin header Pin 1.2 x 1.2 mm 3-pole, orange	0	50	1,85
232-534/007-000	DOUBLE MALE PIN HEADERS PIN 1.2X1.2 MM, PIN SPACING 5.08 MM WITH M Pin 1.2 x 1.2 mm 4-pole, orange	0	50	2,15
232-535/007-000	Double pin header Pin 1.2 x 1.2 mm 5-pole, orange	0	50	2,42
232-536/007-000	Double pin header Pin 1.2 x 1.2 mm 6-pole, orange	0	50	2,7
232-537/007-000	Double pin header Pin 1.2 x 1.2 mm 7-pole, orange	0	25	3,03
232-538/007-000	Double pin header Pin 1.2 x 1.2 mm 8-pole, orange	0	25	3,28
232-539/007-000	Double pin header Pin 1.2 x 1.2 mm 9-pole, orange	0	25	3,58
232-540/007-000	Double pin header Pin 1.2 x 1.2 mm 10-pole, orange	0	25	3,85
232-541/007-000	Double pin header Pin 1.2 x 1.2 mm 11-pole, orange	0	25	4,1
232-542/007-000	Double pin header Pin 1.2 x 1.2 mm 12-pole, orange	0	25	4,38
232-543/007-000	Double pin header Pin 1.2 x 1.2 mm 13-pole, orange	0	25	5,16
232-544/007-000	Double pin header Pin 1.2 x 1.2 mm 14-pole, orange	0	25	5,45
232-545/007-000	Double pin header Pin 1.2 x 1.2 mm 15-pole, orange	0	25	5,74
232-546/007-000	Double pin header Pin 1.2 x 1.2 mm 16-pole, orange	0	25	6
232-547/007-000	Double pin header Pin 1.2 x 1.2 mm 17-pole, orange	0	25	6,35
232-548/007-000	Double pin header Pin 1.2 x 1.2 mm 18-pole, orange	0	25	6,71

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
232-549/007-000	Double pin header Pin 1.2 x 1.2 mm 19-pole, orange	0	10	7,08
232-550/007-000	Double pin header Pin 1.2 x 1.2 mm 20-pole, orange	0	25	7,43
232-551/007-000	Double pin header Pin 1.2 x 1.2 mm 21-pole, orange	0	10	7,8
232-552/007-000	Double pin header Pin 1.2 x 1.2 mm 22-pole, orange	0	10	8,16
232-553/007-000	Double pin header Pin 1.2 x 1.2 mm 23-pole, orange	0	10	8,52
232-554/007-000	Double pin header Pin 1.2 x 1.2 mm 24-pole, orange	0	10	8,89
232-562/007-000	Double pin header Pin 1.2 x 1.2 mm 2-pole, gray	0	50	1,66
232-563/007-000	Double pin header Pin 1.2 x 1.2 mm 3-pole, gray	0	50	1,97
232-564/007-000	Double pin header Pin 1.2 x 1.2 mm 4-pole, gray	0	25	2,29
232-565/007-000	Double pin header Pin 1.2 x 1.2 mm 5-pole, gray	0	50	2,57
232-566/007-000	Double pin header Pin 1.2 x 1.2 mm 6-pole, gray	0	25	2,88
232-567/007-000	Double pin header Pin 1.2 x 1.2 mm 7-pole, gray	0	10	3,2
232-568/007-000	Double pin header Pin 1.2 x 1.2 mm 8-pole, gray	0	10	3,51
232-569/007-000	Double pin header Pin 1.2 x 1.2 mm 9-pole, gray	0	10	3,88
232-570/007-000	Double pin header Pin 1.2 x 1.2 mm 10-pole, gray	0	10	4,17
232-571/007-000	Double pin header Pin 1.2 x 1.2 mm 11-pole, gray	0	10	4,5
232-572/007-000	Double pin header Pin 1.2 x 1.2 mm 12-pole, gray	0	10	4,8
232-576/007-000	Double pin header Pin 1.2 x 1.2 mm 16-pole	0	10	6,06
232-582/007-000	Double pin header Pin 1.2 x 1.2 mm 2-pole, orange	0	50	1,66
232-583/007-000	Double pin header Pin 1.2 x 1.2 mm 3-pole, orange	0	50	1,97
232-584/007-000	Double pin header Pin 1.2 x 1.2 mm 4-pole, orange	0	25	2,29
232-585/007-000	Double pin header Pin 1.2 x 1.2 mm 5-pole, orange	0	25	2,57
232-586/007-000	Double pin header Pin 1.2 x 1.2 mm 6-pole, orange	0	25	2,88
232-587/007-000	Double pin header Pin 1.2 x 1.2 mm 7-pole, orange	0	10	3,2
232-588/007-000	Double pin header Pin 1.2 x 1.2 mm 8-pole, orange	0	10	3,51
232-589/007-000	Double pin header Pin 1.2 x 1.2 mm 9-pole, orange	0	10	3,88

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
232-590/007-000	Double pin header Pin 1.2 x 1.2 mm 10-pole, orange	0	10	4,17
232-591/007-000	Double pin header Pin 1.2 x 1.2 mm 11-pole, orange	0	10	4,5
232-592/007-000	Double pin header Pin 1.2 x 1.2 mm 12-pole, orange	0	10	4,8
232-732	Female plug with straight solder pins 2-pole, gray	0	100	0,93
232-732/005-000	Female plug with straight, long contact pins 2-pole, gray	0	200	1,1
232-732/039-000	Female plug with straight solder pins 2-pole, gray	0	50	1,17
232-732/047-000	Female plug with straight solder pins codable, gray	0	100	1,12
232-733	Female plug with straight solder pins 3-pole, gray	0	100	1,28
232-733/005-000	Female plug with straight, long contact pins 3-pole, gray	0	50	1,51
232-733/031-000	Female plug with straight solder pins 3-pole, gray	0	50	1,46
232-733/039-000	Female plug with straight solder pins 3-pole	0	50	1,55
232-733/047-000	Female plug with straight solder pins 3-pole, gray	0	50	1,46
232-734	FEMALE PLUG WITH STRAIGHT SOLDER PIN 0.6X1.0 MM, PIN SPACING 7.5 M with straight solder pins 4-pole, gray	0	50	1,64
232-734/005-000	Female plug with straight, long contact pins 4-pole, gray	0	50	1,94
232-734/005-000/039-000	Female plug with straight, long contact pins 4-pole, gray	0	50	2,19
232-734/031-000	Female plug with straight solder pins 4-pole, gray	0	50	1,8
232-734/039-000	FEMALE PLUG WITH STRAIGHT SOLDER PIN 0.6X1.0 MM WITH LOCKING LEV with straight solder pins 4-pole, gray	0	50	1,9
232-734/047-000	FEMALE PLUG WITH STRAIGHT SOLDER PIN 0.6X1.0 MM, WITH SPACERS, PI with straight solder pins 4-pole, gray	0	50	1,82
232-735	Female plug with straight solder pins 5-pole, gray	0	50	2
232-735/005-000	Female plug with straight, long contact pins 5-pole, gray	0	25	2,36
232-735/005-000/039-000	Female plug with straight, long contact pins 5-pole, gray	0	50	2,61
232-735/039-000	Female plug with straight solder pins 5-pole, gray	0	50	2,25
232-735/047-000	Female plug with straight solder pins codable, gray	0	50	2,18
232-736	FEMALE PLUG WITH STRAIGHT SOLDER PIN 0.6X1.0 MM, PIN SPACING 7.5 M with straight solder pins 6-pole, gray	0	50	2,35
232-736/005-000	Female plug with straight, long contact pins 6-pole, gray	0	50	2,8
232-736/005-000/039-000	Female plug with straight, long contact pins 6-pole, gray	0	50	3,05

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
232-736/031-000	Female plug with straight solder pins 6-pole, gray	0	25	2,52
232-736/039-000	Female plug with straight solder pins 6-pole, gray	0	25	2,6
232-736/047-000	Female plug with straight solder pins 6-pole, gray	0	25	2,5
232-737	Female plug with straight solder pins 7-pole, gray	0	50	2,7
232-737/047-000	Female plug with straight solder pins codable, gray	0	50	2,88
232-738	Female plug with straight solder pins 8-pole, gray	0	25	3,07
232-738/005-000	Female plug with straight, long contact pins 8-pole, gray	0	25	3,64
232-738/031-000	Female plug with straight solder pins 8-pole, gray	0	25	3,25
232-738/039-000	Female plug with straight solder pins 8-pole	0	25	3,3
232-738/047-000	Female plug with straight solder pins codable, gray	0	25	3,25
232-739	Female plug with straight solder pins 9-pole, gray	0	25	3,43
232-739/031-000	Female plug with straight solder pins 9-pole, gray	0	25	3,59
232-739/047-000	Female plug with straight solder pins codable, gray	0	25	3,61
232-740	Female plug with straight solder pins 10-pole, gray	0	25	3,77
232-740/005-000	Female plug with straight, long contact pins 10-pole, gray	0	25	4,5
232-740/031-000	Female plug with straight solder pins 10-pole, gray	0	25	3,96
232-740/047-000	Female plug with straight solder pins codable, gray	0	25	3,96
232-741	Female plug with straight solder pins 11-pole, gray	0	25	4,13
232-741/047-000	Female plug with straight solder pins codable, gray	0	25	4,31
232-742	Female plug with straight solder pins 12-pole, gray	0	25	4,5
232-742/005-000	Female plug with straight, long contact pins 12-pole, gray	0	25	5,31
232-742/031-000	Female plug with straight solder pins 12-pole, gray	0	25	4,65
232-742/047-000	Female plug with straight solder pins codable, gray	0	25	4,67
232-743	Female plug with straight solder pins 13-pole, gray	0	10	4,84
232-743/045-000	Female plug gray	0	10	4,84
232-743/047-000	Female plug with straight solder pins codable, gray	0	10	5,01

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
232-746	Female plug with straight solder pins 16-pole, gray	0	10	5,89
232-746/047-000	Female plug with straight solder pins codable, gray	0	10	6,08
232-762	Female plug with straight solder pins 2-pole, orange	0	100	0,93
232-762/031-000	Female plug with straight solder pins 2-pole, orange	0	50	1,11
232-762/047-000	Female plug with straight solder pins 2-pole, orange	0	50	1,11
232-763	Female plug with straight solder pins 3-pole, orange	0	100	1,28
232-763/031-000	Female plug with straight solder pins 3-pole, orange	0	50	1,46
232-763/039-000	Female plug with straight solder pins 3-pole, orange	0	50	1,55
232-763/047-000	Female plug with straight solder pins 3-pole, orange	0	50	1,46
232-764	FEMALE PLUG WITH STRAIGHT SOLDER PIN 0.6X1.0 MM, PIN SPACING 7.62 with straight solder pins 4-pole, orange	0	50	1,64
232-764/031-000	Female plug with straight solder pins 4-pole, orange	0	50	1,82
232-764/039-000	FEMALE PLUG WITH STRAIGHT SOLDER PIN 0.6X1.0 MM WITH LOCKING LEV with straight solder pins 4-pole, orange	0	50	1,9
232-764/047-000	FEMALE PLUG WITH STRAIGHT SOLDER PIN 0.6X1.0 MM, WITH SPACERS, PI with straight solder pins 4-pole, orange	0	50	1,82
232-765	Female plug with straight solder pins 5-pole, orange	0	50	2
232-765/031-000	Female plug with straight solder pins 5-pole, orange	0	50	2,18
232-765/039-000	Female plug with straight solder pins 5-pole, orange	0	50	2,25
232-765/047-000	Female plug with straight solder pins 5-pole, orange	0	50	2,18
232-766	Female plug with straight solder pins 6-pole, orange	0	50	2,35
232-766/031-000	Female plug with straight solder pins 6-pole, orange	0	25	2,52
232-766/039-000	Female plug with straight solder pins 6-pole, orange	0	25	2,6
232-766/047-000	Female plug with straight solder pins 6-pole, orange	0	25	2,52
232-767	Female plug with straight solder pins 7-pole, orange	0	50	2,7
232-767/031-000	Female plug with straight solder pins 7-pole, orange	0	25	2,87
232-767/039-000	Female plug with straight solder pins 7-pole, orange	0	25	2,95
232-767/047-000	Female plug with straight solder pins 7-pole, orange	0	25	2,87
232-768	Female plug with straight solder pins 8-pole, orange	0	25	3,07

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
232-768/031-000	Female plug with straight solder pins 8-pole, orange	0	25	3,23
232-768/047-000	Female plug with straight solder pins 8-pole, orange	0	25	3,23
232-769	Female plug with straight solder pins 9-pole, orange	0	25	3,43
232-769/031-000	Female plug with straight solder pins 9-pole, orange	0	25	3,59
232-769/047-000	Female plug with straight solder pins 9-pole, orange	0	25	3,59
232-770	Female plug with straight solder pins 10-pole, orange	0	25	3,77
232-770/031-000	Female plug with straight solder pins 10-pole, orange	0	25	3,97
232-770/047-000	Female plug with straight solder pins 10-pole, orange	0	25	3,96
232-771	Female plug with straight solder pins 11-pole, orange	0	25	4,13
232-771/031-000	Female plug with straight solder pins 11-pole, orange	0	10	4,31
232-771/047-000	Female plug with straight solder pins 11-pole, orange	0	10	4,31
232-772	Female plug with straight solder pins 12-pole, orange	0	25	4,5
232-772/031-000	Female plug with straight solder pins 12-pole, orange	0	10	4,66
232-772/047-000	Female plug with straight solder pins 12-pole, orange	0	10	4,66
232-832	Female plug with angled solder pins 2-pole, gray	0	100	0,93
232-832/005-000	Female plug with angled, long contact pins 2-pole, gray	0	50	1,1
232-832/031-000	Female plug with angled solder pins 2-pole, gray	0	50	1,11
232-832/039-000	Female plug with angled solder pins 2-pole	0	50	1,17
232-832/047-000	Female plug with angled solder pins 2-pole, gray	0	50	1,11
232-833	Female plug with angled solder pins 3-pole, gray	0	100	1,28
232-833/005-000	Female plug with angled, long contact pins 3-pole, gray	0	50	1,51
232-833/031-000	Female plug with angled solder pins 3-pole, gray	0	50	1,46
232-833/039-000	Female plug with angled solder pins 3-pole, gray	0	50	1,52
232-833/047-000	Female plug with angled solder pins 3-pole, gray	0	50	1,46
232-834	FEMALE PLUG WITH RIGHT ANGLED SOLDER PIN 0.6X1.0 MM, PIN SPACING with angled solder pins 4-pole, gray	0	50	1,64
232-834/005-000	Female plug with angled, long contact pins 4-pole, gray	0	50	1,94

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
232-834/031-000	FEMALE PLUG WITH RIGHT ANGLED SOLDER PIN 0.6X1.0 MM WITH FIXING F with angled solder pins 4-pole, gray	0	50	1,82
232-834/039-000	Female plug with angled solder pins 4-pole, gray	0	50	1,9
232-834/047-000	Female plug with angled solder pins codable, gray	0	50	1,82
232-835	Female plug with angled solder pins 5-pole, gray	0	50	2
232-835/039-000	Female plug with angled solder pins 5-pole, gray	0	50	2,25
232-835/047-000	Female plug with angled solder pins codable, gray	0	50	2,18
232-836	FEMALE PLUG WITH RIGHT ANGLED SOLDER PIN 0.6X1.0 MM, PIN SPACING with angled solder pins 6-pole, gray	0	50	2,35
232-836/005-000	Female plug with angled, long contact pins 6-pole, gray	0	50	2,8
232-836/005-000/039-000	Female plug with angled, long contact pins 6-pole, gray	0	50	3,05
232-836/031-000	Female plug with angled solder pins 6-pole, gray	0	25	2,52
232-836/039-000	Female plug with angled solder pins 6-pole, gray	0	25	2,6
232-836/047-000	Female plug with angled solder pins 6-pole, gray	0	25	2,52
232-837	Female plug with angled solder pins 7-pole, gray	0	50	2,7
232-837/031-000	Female plug with angled solder pins 7-pole, gray	0	25	2,87
232-837/039-000	Female plug with angled solder pins 7-pole	0	25	2,95
232-837/047-000	Female plug with angled solder pins codable, gray	0	25	2,88
232-838	Female plug with angled solder pins 8-pole, gray	0	25	3,07
232-838/047-000	Female plug with angled solder pins codable, gray	0	25	3,25
232-839	Female plug with angled solder pins 9-pole, gray	0	25	3,43
232-839/039-000	Female plug with angled solder pins 9-pole, gray	0	25	3,66
232-839/047-000	Female plug with angled solder pins codable, gray	0	25	3,61
232-840	Female plug with angled solder pins 10-pole, gray	0	25	3,77
232-840/005-000	Female plug with angled, long contact pins 10-pole, gray	0	25	4,5
232-840/031-000	Female plug with angled solder pins 10-pole, gray	0	25	3,96
232-840/047-000	Female plug with angled solder pins codable, gray	0	25	3,96
232-841	Female plug with angled solder pins 11-pole, gray	0	25	4,13

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
232-841/047-000	Female plug with angled solder pins codable, gray	0	10	4,31
232-842	Female plug with angled solder pins 12-pole, gray	0	25	4,5
232-842/005-000	Female plug with angled, long contact pins 12-pole, gray	0	25	5,31
232-842/047-000	Female plug with angled solder pins codable, gray	0	10	4,67
232-843	Female plug with angled solder pins 13-pole, gray	0	10	4,84
232-843/047-000	Female plug with angled solder pins codable, gray	0	10	5,01
232-846	Female plug with angled solder pins 16-pole, gray	0	10	5,89
232-846/047-000	Female plug with angled solder pins codable, gray	0	10	6,08
232-862	Female plug with angled solder pins 2-pole, orange	0	100	0,93
232-862/031-000	Female plug with angled solder pins 2-pole, orange	0	50	1,11
232-862/039-000	Female plug with angled solder pins 2-pole, orange	0	50	1,17
232-862/047-000	Female plug with angled solder pins 2-pole, orange	0	50	1,11
232-863	Female plug with angled solder pins 3-pole, orange	0	100	1,28
232-863/031-000	Female plug with angled solder pins 3-pole, orange	0	50	1,46
232-863/039-000	Female plug with angled solder pins 3-pole, orange	0	50	1,55
232-863/047-000	Female plug with angled solder pins 3-pole, orange	0	50	1,46
232-864	FEMALE PLUG WITH RIGHT ANGLED SOLDER PIN 0.6X1.0 MM, PIN SPACING with angled solder pins 4-pole, orange	0	50	1,64
232-864/031-000	FEMALE PLUG WITH RIGHT ANGLED SOLDER PIN 0.6X1.0 MM WITH FIXING F with angled solder pins 4-pole, orange	0	50	1,82
232-864/039-000	Female plug with angled solder pins 4-pole, orange	0	50	1,9
232-864/047-000	Female plug with angled solder pins 4-pole, orange	0	50	1,82
232-865	Female plug with angled solder pins 5-pole, orange	0	50	2
232-865/031-000	Female plug with angled solder pins 5-pole, orange	0	50	2,18
232-865/039-000	Female plug with angled solder pins 5-pole, orange	0	50	2,25
232-865/047-000	Female plug with angled solder pins 5-pole, orange	0	50	2,18
232-866	Female plug with angled solder pins 6-pole, orange	0	50	2,35
232-866/031-000	Female plug with angled solder pins 6-pole, orange	0	25	2,52

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
232-866/039-000	Female plug with angled solder pins 6-pole, orange	0	25	2,6
232-866/047-000	Female plug with angled solder pins 6-pole, orange	0	25	2,52
232-867	Female plug with angled solder pins 7-pole, orange	0	50	2,7
232-867/031-000	Female plug with angled solder pins 7-pole, orange	0	25	2,87
232-867/039-000	Female plug with angled solder pins 7-pole, orange	0	25	2,95
232-867/047-000	Female plug with angled solder pins 7-pole, orange	0	25	2,87
232-868	Female plug with angled solder pins 8-pole, orange	0	25	3,07
232-868/031-000	Female plug with angled solder pins 8-pole, orange	0	25	3,23
232-868/039-000	Female plug with angled solder pins 8-pole, orange	0	25	3,3
232-868/047-000	Female plug with angled solder pins 8-pole, orange	0	25	3,23
232-869	Female plug with angled solder pins 9-pole, orange	0	25	3,43
232-869/031-000	Female plug with angled solder pins 9-pole, orange	0	25	3,59
232-869/039-000	Female plug with angled solder pins 9-pole, orange	0	25	3,66
232-869/047-000	Female plug with angled solder pins 9-pole, orange	0	25	3,59
232-870	Female plug with angled solder pins 10-pole, orange	0	25	3,77
232-870/031-000	Female plug with angled solder pins 10-pole, orange	0	25	3,96
232-870/039-000	Female plug with angled solder pins 10-pole, orange	0	25	4,01
232-870/047-000	Female plug with angled solder pins 10-pole, orange	0	25	3,96
232-871	Female plug with angled solder pins 11-pole, orange	0	25	4,13
232-871/031-000	Female plug with angled solder pins 11-pole, orange	0	10	4,31
232-871/039-000	Female plug with angled solder pins 11-pole, orange	0	10	4,36
232-871/047-000	Female plug with angled solder pins 11-pole, orange	0	10	4,31
232-872	Female plug with angled solder pins 12-pole, orange	0	25	4,5
232-872/031-000	Female plug with angled solder pins 12-pole, orange	0	10	4,66
232-872/039-000	Female plug with angled solder pins 12-pole, orange	0	10	4,72
232-872/047-000	Female plug with angled solder pins 12-pole, orange	0	10	4,66

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
2721-102/008-000	Female plug with snap-in mounting feet 2-pole, light gray	0	100	1,15
2721-102/026-000	Female plug with integrated push-buttons 2-pole, light gray	0	100	1,15
2721-102/031-000	Female plug with fixing flanges 2-pole, light gray	0	100	1,33
2721-102/037-000	Female plug with locking levers 2-pole, light gray	0	100	1,4
2721-103/008-000	Female plug with snap-in mounting feet 3-pole, light gray	0	100	1,72
2721-103/026-000	Female plug with integrated push-buttons 3-pole, light gray	0	100	1,72
2721-103/026-000/133-000	Female plug with integrated push-buttons 3-pole, light gray	0	100	2,18
2721-103/031-000	Female plug with fixing flanges 3-pole, light gray	0	50	1,91
2721-103/037-000	Female plug with locking levers 3-pole, light gray	0	50	1,97
2721-104/008-000	Female plug with snap-in mounting feet 4-pole, light gray	0	100	2,3
2721-104/026-000	Female plug with integrated push-buttons 4-pole, light gray	0	100	2,3
2721-104/031-000	Female plug with fixing flanges 4-pole, light gray	0	50	2,48
2721-104/037-000	Female plug with locking levers 4-pole, light gray	0	50	2,54
2721-105/008-000	Female plug with snap-in mounting feet 5-pole, light gray	0	100	2,86
2721-105/026-000	Female plug with integrated push-buttons 5-pole, light gray	0	100	2,86
2721-105/026-000/134-000	Female plug 100% protected against mismatching codable, light gray	0	100	3,35
2721-105/031-000	Female plug with fixing flanges 5-pole, light gray	0	50	3,05
2721-105/037-000	Female plug with locking levers 5-pole, light gray	0	50	3,12
2721-105/037-000/134-000	Female plug 100% protected against mismatching codable, light gray	0	50	3,59
2721-106/008-000	Female plug with snap-in mounting feet 6-pole, light gray	0	50	3,44
2721-106/026-000	Female plug with integrated push-buttons 6-pole, light gray	0	50	3,44
2721-106/031-000	Female plug with fixing flanges 6-pole, light gray	0	50	3,63
2721-106/037-000	Female plug with locking levers 6-pole, light gray	0	50	3,69
2721-107/008-000	Female plug with snap-in mounting feet 7-pole, light gray	0	50	4,01
2721-107/026-000	Female plug with integrated push-buttons 7-pole, light gray	0	50	4,01
2721-107/031-000	Female plug with fixing flanges 7-pole, light gray	0	50	4,19

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
2721-107/037-000	Female plug with locking levers 7-pole, light gray	0	50	4,26
2721-108/008-000	Female plug with snap-in mounting feet 8-pole, light gray	0	50	4,58
2721-108/026-000	Female plug with integrated push-buttons 8-pole, light gray	0	50	4,58
2721-108/031-000	Female plug with fixing flanges 8-pole, light gray	0	50	4,77
2721-108/037-000	Female plug with locking levers 8-pole, light gray	0	25	4,84
2721-109/008-000	Female plug with snap-in mounting feet 9-pole, light gray	0	50	5,16
2721-109/026-000	Female plug with integrated push-buttons 9-pole, light gray	0	50	5,16
2721-109/031-000	Female plug with fixing flanges 9-pole, light gray	0	50	5,34
2721-109/037-000	Female plug with locking levers 9-pole, light gray	0	25	5,42
2721-110/008-000	Female plug with snap-in mounting feet 10-pole, light gray	0	50	5,74
2721-110/026-000	Female plug with integrated push-buttons 10-pole, light gray	0	50	5,74
2721-110/031-000	Female plug with fixing flanges 10-pole, light gray	0	25	5,89
2721-110/037-000	Female plug with locking levers 10-pole, light gray	0	25	5,99
2721-111/026-000	Female plug with coding finger 100% protected against mismatching, light gray	0	25	6,3
2721-111/037-000	Female plug with locking levers 11-pole, light gray	0	25	6,56
2721-112/008-000	Female plug with snap-in mounting feet 12-pole, light gray	0	25	6,88
2721-112/026-000	Female plug with integrated push-buttons 12-pole, light gray	0	25	6,88
2721-112/031-000	Female plug with fixing flanges 12-pole, light gray	0	25	7,05
2721-112/037-000	Female plug with locking levers 12-pole, light gray	0	25	7,13
2721-113/026-000	Female plug with push-button with coding finger, light gray	0	25	7,46
2721-114/008-000	Female plug with snap-in mounting feet 14-pole, light gray	0	25	8,03
2721-114/026-000	Female plug with integrated push-buttons 14-pole, light gray	0	25	8,03
2721-114/031-000	Female plug with fixing flanges 14-pole, light gray	0	10	8,19
2721-114/037-000	Female plug with locking levers 14-pole, light gray	0	25	8,27
2721-115/008-000	Female plug with push-button with snap-in mounting feet, light gray	0	25	8,59
2721-115/026-000	Female plug with integrated push-buttons 15-pole, light gray	0	25	8,59

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
2721-115/026-000/136-000	Female plug codable with protection against mismatching, light gray	0	10	9,36
2721-115/037-000	Female plug 100% protected against mismatching with lateral locking levers, light gray	0	25	8,85
2721-116/008-000	Female plug with snap-in mounting feet 16-pole, light gray	0	25	9,17
2721-116/026-000	Female plug with integrated push-buttons 16-pole, light gray	0	25	9,17
2721-116/031-000	Female plug with fixing flanges 16-pole, light gray	0	10	9,34
2721-116/037-000	Female plug with locking levers 16-pole, light gray	0	10	9,43
2721-120/008-000	Female plug with snap-in mounting feet 20-pole, light gray	0	25	11,47
2721-120/026-000	Female plug with integrated push-buttons 20-pole, light gray	0	10	11,47
2721-120/031-000	Female plug with fixing flanges 20-pole, light gray	0	10	11,63
2721-120/037-000	Female plug with locking levers 20-pole, light gray	0	10	11,7
2721-202/008-000	Female plug with snap-in mounting feet 2-pole, light gray	0	100	1,2
2721-202/026-000	Female plug with integrated push-buttons 2-pole, light gray	0	100	1,2
2721-202/031-000	Female plug with fixing flanges 2-pole, light gray	0	50	1,38
2721-202/037-000	Female plug with locking levers 2-pole, light gray	0	50	1,44
2721-203/008-000	Female plug with snap-in mounting feet 3-pole, light gray	0	100	1,78
2721-203/026-000	Female plug with integrated push-buttons 3-pole, light gray	0	100	1,78
2721-203/031-000	Female plug with fixing flanges 3-pole, light gray	0	50	1,97
2721-203/037-000	Female plug with locking levers 3-pole, light gray	0	50	2,04
2721-204/008-000	Female plug with snap-in mounting feet 4-pole, light gray	0	50	2,38
2721-204/026-000	Female plug with integrated push-buttons 4-pole, light gray	0	50	2,38
2721-204/031-000	Female plug with fixing flanges 4-pole, light gray	0	50	2,57
2721-204/037-000	Female plug with locking levers 4-pole, light gray	0	50	2,64
2721-205/008-000	Female plug with snap-in mounting feet 5-pole, light gray	0	50	2,98
2721-205/026-000	Female plug with integrated push-buttons 5-pole, light gray	0	50	2,98
2721-205/031-000	Female plug with fixing flanges 5-pole, light gray	0	50	3,16
2721-205/037-000	Female plug with locking levers 5-pole, light gray	0	50	3,23

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
2721-206/008-000	Female plug with snap-in mounting feet 6-pole, light gray	0	50	3,58
2721-206/026-000	Female plug with integrated push-buttons 6-pole, light gray	0	50	3,58
2721-206/031-000	Female plug with fixing flanges 6-pole, light gray	0	25	3,76
2721-206/037-000	Female plug with locking levers 6-pole, light gray	0	25	3,83
2721-207/008-000	Female plug with snap-in mounting feet 7-pole, light gray	0	50	4,17
2721-207/026-000	Female plug with integrated push-buttons 7-pole, light gray	0	50	4,17
2721-207/031-000	Female plug with fixing flanges 7-pole, light gray	0	25	4,35
2721-207/037-000	Female plug with locking levers 7-pole, light gray	0	25	4,43
2721-208/008-000	Female plug with snap-in mounting feet 8-pole, light gray	0	25	4,79
2721-208/026-000	Female plug with integrated push-buttons 8-pole, light gray	0	25	4,79
2721-208/031-000	Female plug with fixing flanges 8-pole, light gray	0	25	4,95
2721-208/037-000	Female plug with locking levers 8-pole, light gray	0	25	5,01
2721-209/008-000	Female plug with snap-in mounting feet 9-pole, light gray	0	25	5,38
2721-209/026-000	Female plug with integrated push-buttons 9-pole, light gray	0	25	5,38
2721-209/031-000	Female plug with fixing flanges 9-pole, light gray	0	25	5,54
2721-209/037-000	Female plug with locking levers 9-pole, light gray	0	25	5,6
2721-210/008-000	Female plug with snap-in mounting feet 10-pole, light gray	0	25	5,98
2721-210/026-000	Female plug with integrated push-buttons 10-pole, light gray	0	25	5,98
2721-210/031-000	Female plug with fixing flanges 10-pole, light gray	0	25	6,14
2721-210/037-000	Female plug with locking levers 10-pole, light gray	0	25	6,21
2721-211/008-000	Female plug with snap-in mounting feet 11-pole, light gray	0	10	6,57
2721-211/026-000	Female plug with integrated push-buttons 11-pole, light gray	0	25	6,57
2721-211/031-000	Female plug with fixing flanges 11-pole, light gray	0	10	6,74
2721-211/037-000	Female plug with locking levers 11-pole, light gray	0	10	6,82
2721-212/008-000	Female plug with snap-in mounting feet 12-pole, light gray	0	25	7,17
2721-212/026-000	Female plug with integrated push-buttons 12-pole, light gray	0	25	7,17

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
2721-212/031-000	Female plug with fixing flanges 12-pole, light gray	0	10	7,34
2721-212/037-000	Female plug with locking levers 12-pole, light gray	0	10	7,42
721-102/008-000	Female plug with snap-in mounting foot 2-pole, light gray	0	100	1,15
721-102/008-000/037-000	FL m. CC 2.5qmm, FS, KN, RF, VK, Tlg 100% protected against mismatching with coding finger, light gray	0	100	1,42
721-102/026-000	FEMALE CONNECTOR, PIN SPACING 5 MM, 100% PROTECTED AGAINST MIS 2-pole Pin spacing 5 mm / 0.197 in, light gray	0	100	1,15
721-102/031-000	Female plug with fixing flanges 2-pole, light gray	0	100	1,34
721-102/037-000	Female plug with locking levers 2-pole, light gray	0	100	1,42
721-103/008-000	Female plug with snap-in mounting foot 3-pole, light gray	0	100	1,64
721-103/008-000/037-000	Female plug 100% protected against mismatching with coding finger, light gray	0	50	1,91
721-103/008-035	Female plug with snap-in mounting feet with protection against mismatching, light gray	0	100	1,94
721-103/008-045	Female plug with coding finger with snap-in mounting foot, light gray	0	100	1,78
721-103/026-000	Female plug 3-pole Pin spacing 5 mm / 0.197 in, light gray	0	100	1,64
721-103/026-037	Female plug 100% protected against mismatching, light gray	0	100	1,94
721-103/026-046	Female plug 100% protected against mismatching, light gray	0	100	1,78
721-103/031-000	Female plug with fixing flanges 3-pole, light gray	0	50	1,83
721-103/037-000	Female plug with locking levers 3-pole, light gray	0	50	1,91
721-104/008-000	FEMALE PLUG WITH SNAP-IN MOUNTING FOOT, 100% MISMATCHING PROTEC with snap-in mounting foot 4-pole, light gray	0	100	2,11
721-104/008-000/037-000	Female plug with coding finger with locking levers, light gray	0	50	2,4
721-104/008-037	Female plug with snap-in mounting feet with protection against mismatching, light gray	0	100	2,42
721-104/008-045	Female plug with coding finger with snap-in mounting foot, light gray	0	100	2,29
721-104/026-000	Female plug 4-pole Pin spacing 5 mm / 0.197 in, light gray	0	100	2,11
721-104/026-000/032-000	Female plug with strain relief with protection against mismatching, light gray	0	100	2,79
721-104/031-000	Female plug with fixing flanges 4-pole, light gray	0	50	2,33
721-104/037-000	Female plug with locking levers 4-pole, light gray	0	50	2,4
721-105/008-000	Female plug with snap-in mounting foot 5-pole, light gray	0	100	2,67
721-105/008-000/037-000	Female plug with coding finger with locking levers, light gray	0	50	2,94

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
721-105/026-000	STRAIGHT FEMALE PLUG 100% MISMATING PROTECTION, PIN SPACING 5M 5-pole Pin spacing 5 mm / 0.197 in, light gray	0	100	2,67
721-105/026-037	Female plug with coding finger, light gray	0	100	2,96
721-105/031-000	Female plug with fixing flanges 5-pole, light gray	0	50	2,85
721-105/037-000	Female plug with locking levers 5-pole, light gray	0	50	2,94
721-106/008-000	FEMALE PLUG WITH SNAP-IN MOUNTING FOOT, 100% MISMATING PROTEC with snap-in mounting foot 6-pole, light gray	0	50	3,2
721-106/008-000/037-000	Female plug with coding finger with locking levers, light gray	0	50	3,46
721-106/026-000	STRAIGHT FEMALE PLUG 100% MISMATING PROTECTION, PIN SPACING 5M 6-pole Pin spacing 5 mm / 0.197 in, light gray	0	50	3,2
721-106/027-000	Female plug with fixing flanges 6-pole, light gray	0	50	4,3
721-106/031-000	FEMALE PLUG WITH FIXING FLANGES, 100% MISMATING PROTECTION, PIN with fixing flanges 6-pole, light gray	0	50	3,39
721-106/037-000	Female plug with locking levers 6-pole, light gray	0	50	3,46
721-107/008-000	Female plug with snap-in mounting foot 7-pole, light gray	0	50	3,67
721-107/008-000/037-000	Female plug 100% protected against mismatching with coding finger, light gray	0	50	3,95
721-107/026-000	Female plug 7-pole Pin spacing 5 mm / 0.197 in, light gray	0	50	3,67
721-107/026-037	Female plug with coding finger	0	50	3,98
721-107/027-000	Female plug with fixing flanges 7-pole, light gray	0	50	4,82
721-107/031-000	Female plug with fixing flanges 7-pole, light gray	0	50	3,86
721-107/037-000	Female plug with locking levers 7-pole, light gray	0	50	3,95
721-108/008-000	Female plug with snap-in mounting foot 8-pole, light gray	0	50	4,19
721-108/008-000/037-000	Female plug with coding finger with locking levers, light gray	0	50	4,45
721-108/026-000	STRAIGHT FEMALE PLUG 100% MISMATING PROTECTION, PIN SPACING 5M 8-pole Pin spacing 5 mm / 0.197 in, light gray	0	50	4,19
721-108/026-037	Female plug with coding finger, light gray	0	50	4,51
721-108/027-000	Female plug with fixing flanges 8-pole, light gray	0	50	5,31
721-108/031-000	FEMALE PLUG WITH FIXING FLANGES, 100% MISMATING PROTECTION, PIN with fixing flanges 8-pole, light gray	0	50	4,36
721-108/037-000	Female plug with locking levers 8-pole, light gray	0	25	4,45
721-109/008-000	Female plug with snap-in mounting foot 9-pole, light gray	0	50	4,62
721-109/008-000/037-000	Female plug 100% protected against mismatching with coding finger, light gray	0	25	4,88

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
721-109/026-000	Female plug 9-pole Pin spacing 5 mm / 0.197 in, light gray	0	50	4,62
721-109/027-000	Female plug with fixing flanges 9-pole, light gray	0	25	5,84
721-109/031-000	Female plug with fixing flanges 9-pole, light gray	0	25	4,82
721-109/037-000	Female plug with locking levers 9-pole, light gray	0	25	4,88
721-110/008-000	Female plug with snap-in mounting foot 10-pole, light gray	0	50	5,15
721-110/008-000/037-000	Female plug with coding finger with locking levers, light gray	0	25	5,41
721-110/026-000	Female plug 10-pole Pin spacing 5 mm / 0.197 in, light gray	0	50	5,15
721-110/026-037	Female plug with coding finger, light gray	0	50	5,45
721-110/027-000	Female plug with fixing flanges 10-pole, light gray	0	25	6,35
721-110/031-000	Female plug with fixing flanges 10-pole, light gray	0	25	5,34
721-110/037-000	Female plug with locking levers 10-pole, light gray	0	25	5,41
721-111/008-000	Female plug with snap-in mounting foot 11-pole, light gray	0	25	5,65
721-111/008-000/037-000	Female plug 100% protected against mismatching with coding finger, light gray	0	25	5,9
721-111/026-000	Female plug 11-pole Pin spacing 5 mm / 0.197 in, light gray	0	25	5,65
721-111/027-000	Female plug with fixing flanges 11-pole, light gray	0	25	6,89
721-111/031-000	Female plug with fixing flanges 11-pole, light gray	0	25	5,83
721-111/037-000/035-000	Female plug with coding finger 100% protected against mismatching, light gray	0	25	6,72
721-112/008-000	Female plug with snap-in mounting foot 12-pole, light gray	0	25	6,14
721-112/008-000/037-000	Female plug 100% protected against mismatching with coding finger, light gray	0	25	6,41
721-112/026-000	STRAIGHT FEMALE PLUG 100% MISMATCHING PROTECTION, PIN SPACING 5M 12-pole Pin spacing 5 mm / 0.197 in, light gray	0	25	6,14
721-112/026-035	FEDERL. KZF 5MM FEHLSTECK 12-POL.	0	25	
721-112/027-000	Female plug with fixing flanges 12-pole, light gray	0	25	7,37
721-112/031-000	FEMALE PLUG WITH FIXING FLANGES, 100% MISMATCHING PROTECTION, PIN with fixing flanges 12-pole, light gray	0	25	6,34
721-112/037-000	Female plug with locking levers 12-pole, light gray	0	25	6,41
721-113/008-000	Female plug with snap-in mounting foot 13-pole, light gray	0	25	6,56
721-113/008-000/037-000	Female plug 100% protected against mismatching with coding finger, light gray	0	25	6,8

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
721-113/027-000	Female plug with fixing flanges 13-pole	0	25	7,83
721-113/031-000	Female plug with fixing flanges 13-pole	0	25	6,8
721-114/008-000	Female plug with snap-in mounting foot 14-pole, light gray	0	25	7,05
721-114/008-000/037-000	Female plug 100% protected against mismatching with coding finger, light gray	0	25	7,31
721-114/026-000	Female plug 14-pole Pin spacing 5 mm / 0.197 in, light gray	0	25	7,05
721-114/027-000	Female plug with fixing flanges 14-pole, light gray	0	25	8,28
721-114/031-000	Female plug with fixing flanges 14-pole, light gray	0	25	7,25
721-114/037-000	Female plug with locking levers 14-pole, light gray	0	25	7,31
721-115/008-000	Female plug with snap-in mounting foot 15-pole, light gray	0	25	7,61
721-115/008-000/037-000	Female plug 100% protected against mismatching with coding finger, light gray	0	25	7,87
721-115/026-000	Female plug 15-pole Pin spacing 5 mm / 0.197 in, light gray	0	25	7,61
721-115/027-000	Female plug with fixing flanges 15-pole, light gray	0	25	8,9
721-115/031-000	Female plug with fixing flanges 15-pole, light gray	0	25	7,81
721-115/037-000	Female plug with locking levers 15-pole, light gray	0	25	7,87
721-116/008-000	Female plug with snap-in mounting foot 16-pole, light gray	0	25	8,16
721-116/008-000/037-000	Female plug 100% protected against mismatching with coding finger, light gray	0	10	8,44
721-116/008-037	Female plug with coding finger with snap-in mounting foot, light gray	0	10	8,47
721-116/026-000	Female plug 16-pole Pin spacing 5 mm / 0.197 in, light gray	0	25	8,16
721-116/027-000	Female plug with fixing flanges 16-pole, light gray	0	10	9,51
721-116/031-000	Female plug with fixing flanges 16-pole, light gray	0	10	8,39
721-116/037-000	Female plug with locking levers 16-pole, light gray	0	10	8,44
721-120/008-000	Female plug with snap-in mounting foot 20-pole, light gray	0	10	10,12
721-120/008-000/037-000	Female plug 100% protected against mismatching with coding finger, light gray	0	10	10,37
721-120/026-000	STRAIGHT FEMALE PLUG 100% MISMATCHING PROTECTION, PIN SPACING 5M 20-pole Pin spacing 5 mm / 0.197 in, light gray	0	10	10,12
721-120/027-000	Female plug with fixing flanges 20-pole, light gray	0	10	11,54
721-120/031-000	FEMALE PLUG WITH FIXING FLANGES, 100% MISMATCHING PROTECTION, PIN with fixing flanges 20-pole, light gray	0	10	10,32

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
721-120/037-000	Female plug with locking levers 20-pole, light gray	0	10	10,37
721-132/001-000	Male connector with straight solder pins 2-pole, light gray	0	200	0,36
721-133/001-000	Male connector with straight solder pins 3-pole, light gray	0	200	0,53
721-133/001-040	Male connector with straight solder pins 3-pole, light gray	0	200	0,61
721-134/001-000	Male connector with straight solder pins 4-pole, light gray	0	200	0,73
721-134/001-040	Male connector with straight solder pins 4-pole, light gray	0	200	0,79
721-135/001-000	Male connector with straight solder pins 5-pole, light gray	0	200	0,9
721-135/001-040	Male connector with straight solder pins 5-pole, light gray	0	200	0,96
721-136/001-000	MALE HEADER STRAIGHT SOLDER PIN, 1X1 MM, PIN SPACING 5 MM, 100% P with straight solder pins 6-pole, light gray	0	100	1,1
721-137/001-000	Male connector with straight solder pins 7-pole, light gray	0	100	1,28
721-137/046-000	Male connector with straight solder pins 100% protected against mismatching, light gray	0	100	1,28
721-138/001-000	Male connector with straight solder pins 8-pole, light gray	0	100	1,46
721-139/001-000	Male connector with straight solder pins 9-pole, light gray	0	100	1,64
721-140/001-000	Male connector with straight solder pins 10-pole, light gray	0	100	1,82
721-141/001-000	Male connector with straight solder pins 11-pole, light gray	0	100	2,01
721-141/046-000	Male connector with straight solder pins 100% protected against mismatching, light gray	0	100	2,01
721-142/001-000	Male connector with straight solder pins 12-pole, light gray	0	100	2,19
721-142/046-000	Male connector with straight solder pins 100% protected against mismatching, light gray	0	100	2,19
721-144/001-000	Male connector with straight solder pins 14-pole, light gray	0	50	2,57
721-145/001-000	Male connector with straight solder pins 15-pole, light gray	0	50	2,74
721-146/001-000	Male connector with straight solder pins 16-pole, light gray	0	50	2,94
721-146/046-000	Male connector with straight solder pins 100% protected against mismatching, light gray	0	50	2,94
721-150/001-000	Male connector with straight solder pins 20-pole, light gray	0	50	3,64
721-150/046-000	Male connector with straight solder pins 100% protected against mismatching, light gray	0	50	3,64
721-162/001-000	Male connector with straight solder pins 2-pole, light gray	0	200	0,39
721-162/003-000	Male connector with straight, long contact pins 2-pole, light gray	0	200	0,44

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
721-162/100-000	Male header (for PCBs) 2-pole Pin spacing 5 mm / 0.197 in, light gray	0	200	0,45
721-163/001-000	Male connector with straight solder pins 3-pole, light gray	0	200	0,61
721-163/001-040	Male header (for PCBs) with fixing flanges 3-pole, light gray	0	200	0,67
721-163/003-000	MALE CONNECTOR WITH STRAIGHT LONG PINS, 100% MISMATING PROTEC with straight, long contact pins 3-pole, light gray	0	200	0,72
721-163/100-000	Male connector 3-pole Pin spacing 5 mm / 0.197 in, light gray	0	200	0,69
721-164/001-000	Male connector with straight solder pins 4-pole, light gray	0	200	0,8
721-164/001-040	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 4-pole, light gray	0	200	0,87
721-164/003-000	MALE CONNECTOR WITH STRAIGHT LONG PINS, 100% MISMATING PROTEC with straight, long contact pins 4-pole, light gray	0	200	0,94
721-164/100-000	Male connector 4-pole Pin spacing 5 mm / 0.197 in, light gray	0	200	0,93
721-165/001-000	Male connector with straight solder pins 5-pole, light gray	0	200	1,03
721-165/001-040	Male connector with straight solder pins 5-pole, light gray	0	200	1,09
721-165/003-000	Male connector with straight, long contact pins 5-pole, light gray	0	200	1,19
721-165/100-000	Male connector 5-pole Pin spacing 5 mm / 0.197 in, light gray	0	200	1,16
721-166/001-000	Male connector with straight solder pins 6-pole, light gray	0	100	1,22
721-166/003-000	MALE CONNECTOR WITH STRAIGHT LONG PINS, 100% MISMATING PROTEC with straight, long contact pins 6-pole, light gray	0	100	1,43
721-166/100-000	Male header (for PCBs) 6-pole Pin spacing 5 mm / 0.197 in, light gray	0	100	1,42
721-167/001-000	Male connector with straight solder pins 7-pole, light gray	0	100	1,44
721-167/003-000	Male connector with straight, long contact pins 7-pole, light gray	0	100	1,66
721-167/100-000	Male connector 7-pole Pin spacing 5 mm / 0.197 in, light gray	0	100	1,66
721-168/001-000	Male connector with straight solder pins 8-pole, light gray	0	100	1,64
721-168/003-000	MALE CONNECTOR WITH STRAIGHT LONG PINS, 100% MISMATING PROTEC with straight, long contact pins 8-pole, light gray	0	100	1,89
721-168/100-000	Male header (for PCBs) 8-pole Pin spacing 5 mm / 0.197 in, light gray	0	100	1,9
721-169/001-000	Male connector with straight solder pins 9-pole, light gray	0	100	1,83
721-169/003-000	Male connector with straight, long contact pins 9-pole, light gray	0	100	2,16
721-169/046-000	Male connector with straight solder pins 100% protected against mismatching, light gray	0	100	1,83
721-169/100-000	Male header (for PCBs) 9-pole Pin spacing 5 mm / 0.197 in, light gray	0	100	2,1

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
721-170/001-000	Male connector with straight solder pins 10-pole, light gray	0	100	2,04
721-170/003-000	MALE CONNECTOR WITH STRAIGHT LONG PINS, 100% MISMATING PROTEC with straight, long contact pins 10-pole, light gray	0	100	2,4
721-170/100-000	Male header (for PCBs) 10-pole Pin spacing 5 mm / 0.197 in, light gray	0	100	2,34
721-170/104-000	Male connector with protection against mismatching, light gray	0	100	2,25
721-171/001-000	Male connector with straight solder pins 11-pole, light gray	0	100	2,24
721-171/003-000	Male connector with straight, long contact pins 11-pole, light gray	0	100	2,64
721-171/046-000	Male connector with straight solder pins 100% protected against mismatching, light gray	0	100	2,24
721-172/001-000	Male connector with straight solder pins 12-pole, light gray	0	100	2,47
721-172/003-000	Male connector with straight, long contact pins 12-pole, light gray	0	100	2,86
721-172/100-000	Male header (for PCBs) 12-pole Pin spacing 5 mm / 0.197 in, light gray	0	100	2,83
721-173/001-000	Male connector with straight solder pins 13-pole, light gray	0	50	2,66
721-173/003-000	Male connector with straight, long contact pins 13-pole, light gray	0	50	3,12
721-174/001-000	Male connector with straight solder pins 14-pole, light gray	0	50	2,86
721-174/003-000	Male connector with straight, long contact pins 14-pole, light gray	0	50	3,37
721-174/046-000	Male connector with straight solder pins 100% protected against mismatching, light gray	0	50	2,86
721-175/001-000	Male connector with straight solder pins 15-pole, light gray	0	50	3,08
721-175/003-000	Male connector with straight, long contact pins 15-pole, light gray	0	50	3,6
721-176/001-000	Male connector with straight solder pins 16-pole, light gray	0	50	3,28
721-176/003-000	Male connector with straight, long contact pins 16-pole, light gray	0	50	3,82
721-180/001-000	Male connector with straight solder pins 20-pole, light gray	0	50	4,02
721-180/003-000	Male connector with straight, long contact pins 20-pole, light gray	0	50	4,8
721-180/046-000	Male connector with straight solder pins 100% protected against mismatching, light gray	0	50	4,02
721-202/008-000	Female plug with snap-in mounting foot 2-pole, light gray	0	100	1,2
721-202/008-037	Female plug 100% protected against mismatching with snap-in mounting foot, light gray	0	100	1,5
721-202/026-000	Female plug 2-pole Pin spacing 7.5 mm / 0.295 in, light gray	0	100	1,2
721-202/026-047	Female plug 100% protected against mismatching, light gray	0	100	1,35

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
721-202/031-000	Female plug with fixing flanges 2-pole, light gray	0	50	1,4
721-202/037-000	Female plug with locking levers 2-pole, light gray	0	50	1,48
721-203/008-000	Female plug with snap-in mounting foot 3-pole, light gray	0	100	1,71
721-203/008-000/037-000	Female plug 100% protected against mismatching with coding finger, light gray	0	50	1,97
721-203/008-035	Female plug with 209-137 also for DIN 35 rail with coding finger, light gray	0	100	2,01
721-203/008-037	Female plug 100% protected against mismatching with coding finger, light gray	0	100	2,01
721-203/026-000	Female plug 3-pole Pin spacing 7.5 mm / 0.295 in, light gray	0	100	1,71
721-203/026-047/032-000	Female plug 100% protected against mismatching with strain relief, light gray	0	100	2,5
721-203/031-000	Female plug with fixing flanges 3-pole, light gray	0	50	1,9
721-203/037-000	Female plug with locking levers 3-pole, light gray	0	50	1,97
721-203/037-045	Female plug 100% protected against mismatching with lateral locking levers, light gray	0	50	2,1
721-204/008-000	Female plug with snap-in mounting foot 4-pole, light gray	0	50	2,24
721-204/026-000	Female plug 4-pole Pin spacing 7.5 mm / 0.295 in, light gray	0	50	2,24
721-204/031-000	Female plug with fixing flanges 4-pole, light gray	0	50	2,41
721-204/037-000	Female plug with locking levers 4-pole, light gray	0	50	2,49
721-204/037-000/033-000	Female plug with lateral locking levers with strain relief, light gray	0	50	3,2
721-204/037-047	Female plug 100% protected against mismatching with lateral locking levers, light gray	0	50	2,64
721-205/008-000	Female plug with snap-in mounting foot 5-pole, light gray	0	50	2,79
721-205/026-000	Female plug with coding finger, light gray	0	50	2,79
721-205/026-035/034-000	Female plug 100% protected against mismatching with strain relief, light gray	0	50	3,86
721-205/031-000	Female plug with fixing flanges 5-pole, light gray	0	50	2,96
721-205/037-000	Female plug with locking levers 5-pole, light gray	0	50	3,05
721-206/008-000	Female plug with snap-in mounting foot 6-pole, light gray	0	50	3,32
721-206/008-037	Female plug with coding finger with protection against mismatching, light gray	0	50	3,63
721-206/026-000	FEMALE PLUG, 100% MISMATCHING PROTECTION, PIN SPACING 7.5MM 6-P, L 6-pole Pin spacing 7.5 mm / 0.295 in, light gray	0	50	3,32
721-206/026-000/034-000	Female plug 100% protected against mismatching with strain relief, light gray	0	50	4,1

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
721-206/027-000	Female plug with fixing flanges 6-pole, light gray	0	25	4,45
721-206/031-000	Female plug with fixing flanges 6-pole, light gray	0	25	3,52
721-206/031-047	Female plug with fixing flange, light gray	0	25	3,66
721-206/037-000	Female plug with locking levers 6-pole, light gray	0	25	3,59
721-207/008-000	Female plug with snap-in mounting foot 7-pole, light gray	0	50	3,81
721-207/008-037	Female plug with coding finger with 209-137 also for DIN 35 rail, light gray	0	50	4,1
721-207/026-000	Female plug 7-pole Pin spacing 7.5 mm / 0.295 in, light gray	0	50	3,81
721-207/027-000	Female plug with fixing flanges 7-pole, light gray	0	25	4,97
721-207/031-000	Female plug with fixing flanges 7-pole, light gray	0	25	4
721-207/037-000	Female plug with locking levers 7-pole, light gray	0	25	4,09
721-208/008-000	Female plug with snap-in mounting foot 8-pole, light gray	0	25	4,35
721-208/026-000	Female plug 8-pole Pin spacing 7.5 mm / 0.295 in, light gray	0	25	4,35
721-208/026-000/035-000	Female plug 100% protected against mismatching with strain relief, light gray	0	50	5,2
721-208/026-037	Female plug 100% protected against mismatching, light gray	0	25	4,65
721-208/027-000	Female plug with fixing flanges 8-pole, light gray	0	25	5,59
721-208/031-000	Female plug with fixing flanges 8-pole, light gray	0	25	4,55
721-208/037-000	Female plug with locking levers 8-pole, light gray	0	25	4,62
721-208/037-000/035-000	Female plug with lateral locking levers with strain relief, light gray	0	50	5,49
721-208/037-047	Female plug with lateral locking levers with protection against mismatching	0	25	4,62
721-209/008-000	Female plug with snap-in mounting foot 9-pole, light gray	0	25	4,81
721-209/026-000	Female plug 9-pole Pin spacing 7.5 mm / 0.295 in, light gray	0	25	4,81
721-209/026-000/035-000	Female plug 100% protected against mismatching with strain relief, light gray	0	25	5,68
721-209/027-000	Female plug with fixing flanges 9-pole, light gray	0	25	6,14
721-209/031-000	Female plug with fixing flanges 9-pole, light gray	0	25	4,98
721-209/037-000	Female plug with locking levers 9-pole, light gray	0	25	5,09
721-209/037-000/035-000	Female plug with lateral locking levers with strain relief, light gray	0	25	5,92

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
721-210/008-000	Female plug with snap-in mounting foot 10-pole, light gray	0	25	5,35
721-210/026-000	Female plug 10-pole Pin spacing 7.5 mm / 0.295 in, light gray	0	25	5,35
721-210/026-045	Female plug codable 100% protected against mismatching, light gray	0	25	5,5
721-210/027-000	Female plug with fixing flanges 10-pole, light gray	0	25	6,71
721-210/031-000	Female plug with fixing flanges 10-pole, light gray	0	25	5,53
721-210/037-000	Female plug with locking levers 10-pole, light gray	0	25	5,58
721-2102/026-000	2-conductor female connector 2-pole Pin spacing 5 mm / 0.197 in, light gray	0	100	1,61
721-2102/037-000	2-conductor female connector with locking levers 2-pole, light gray	0	100	1,85
721-2103/026-000	2-conductor female connector 3-pole Pin spacing 5 mm / 0.197 in, light gray	0	100	2,39
721-2103/037-000	2-conductor female connector with locking levers 3-pole, light gray	0	50	2,66
721-2103/037-045	Female plug 100% protected against mismatching with coding finger, light gray	0	50	2,81
721-2103/037-047	Female plug 100% protected against mismatching with coding finger, light gray	0	50	2,81
721-2104/026-000	2-conductor female connector 4-pole Pin spacing 5 mm / 0.197 in, light gray	0	100	3,18
721-2104/037-000	2-conductor female connector with locking levers 4-pole, light gray	0	50	3,45
721-2105/026-000	2-conductor female connector 5-pole Pin spacing 5 mm / 0.197 in, light gray	0	50	3,99
721-2105/026-000/134-000	2-conductor female connector 100% protected against mismatching codable, light gray	0	50	4,46
721-2105/026-045	Female plug 100% protected against mismatching with coding finger, light gray	0	100	4,14
721-2105/037-000	2-conductor female connector with locking levers 5-pole, light gray	0	50	4,26
721-2105/037-047	Female plug 100% protected against mismatching with coding finger, light gray	0	50	4,38
721-2106/026-000	2-conductor female connector 6-pole Pin spacing 5 mm / 0.197 in, light gray	0	50	4,8
721-2106/026-000/134-000	Female plug 100% protected against mismatching with coding finger, light gray	0	50	5,28
721-2106/037-000	2-conductor female connector with locking levers 6-pole, light gray	0	50	5,06
721-2106/037-045	Female plug 100% protected against mismatching with coding finger, light gray	0	50	5,19
721-2107/026-000	2-conductor female connector 7-pole Pin spacing 5 mm / 0.197 in, light gray	0	50	5,56
721-2107/037-000	2-conductor female connector with locking levers 7-pole, light gray	0	50	5,84
721-2108/026-000	2-conductor female connector 8-pole Pin spacing 5 mm / 0.197 in, light gray	0	50	6,37

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
721-2108/037-000	2-conductor female connector with locking levers 8-pole, light gray	0	25	6,62
721-2108/037-045	Female plug 100% protected against mismatching with coding finger, light gray	0	50	6,76
721-2109/026-000	2-conductor female connector 9-pole Pin spacing 5 mm / 0.197 in, light gray	0	50	7,18
721-2109/037-000	2-conductor female connector with locking levers 9-pole, light gray	0	25	7,43
721-211/008-000	Female plug with snap-in mounting foot 11-pole, light gray	0	10	5,87
721-211/026-000	Female plug 11-pole Pin spacing 7.5 mm / 0.295 in, light gray	0	25	5,87
721-211/027-000	Female plug with fixing flanges 11-pole, light gray	0	10	7,19
721-211/031-000	Female plug with fixing flanges 11-pole, light gray	0	10	6,07
721-211/037-000	Female plug with locking levers 11-pole, light gray	0	10	6,13
721-2110/026-000	2-conductor female connector 10-pole Pin spacing 5 mm / 0.197 in, light gray	0	50	7,98
721-2110/026-000/135-000	Female plug 100% protected against mismatching with coding finger, light gray	0	50	8,47
721-2110/037-000	2-conductor female connector with locking levers 10-pole, light gray	0	25	8,22
721-2111/026-000	2-conductor female connector 11-pole Pin spacing 5 mm / 0.197 in, light gray	0	25	8,77
721-2111/037-000	2-conductor female connector with locking levers 11-pole, light gray	0	25	9,02
721-2112/026-000	2-conductor female connector 12-pole Pin spacing 5 mm / 0.197 in, light gray	0	25	9,56
721-2112/037-000	2-conductor female connector with locking levers 12-pole, light gray	0	25	9,82
721-2113/026-000	2-conductor female connector 13-pole Pin spacing 5 mm / 0.197 in, light gray	0	25	10,36
721-2113/037-000	2-conductor female connector with locking levers 13-pole, light gray	0	25	10,62
721-2114/026-000	2-conductor female connector 14-pole Pin spacing 5 mm / 0.197 in, light gray	0	25	11,18
721-2114/037-000	2-conductor female connector with locking levers 14-pole, light gray	0	25	11,39
721-2115/026-000	2-conductor female connector 15-pole Pin spacing 5 mm / 0.197 in, light gray	0	25	11,97
721-2115/037-000	2-conductor female connector with locking levers 15-pole, light gray	0	10	12,2
721-2116/026-000	2-conductor female connector 16-pole Pin spacing 5 mm / 0.197 in, light gray	0	25	12,75
721-2116/037-000	2-conductor female connector with locking levers 16-pole, light gray	0	10	13,01
721-212/008-000	Female plug with snap-in mounting foot 12-pole, light gray	0	25	6,4
721-212/026-000	Female plug 12-pole Pin spacing 7.5 mm / 0.295 in, light gray	0	25	6,4

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
721-212/026-037	Female plug with coding finger, light gray	0	25	6,7
721-212/027-000	Female plug with fixing flanges 12-pole, light gray	0	10	7,84
721-212/031-000	Female plug with fixing flanges 12-pole, light gray	0	10	6,59
721-212/037-000	Female plug with locking levers 12-pole, light gray	0	10	6,66
721-216/026-000	Female plug 16-pole Pin spacing 7.5 mm / 0.295 in	0	25	8,47
721-2202/026-000	2-conductor female connector 2-pole Pin spacing 7.5 mm / 0.295 in, light gray	0	100	1,68
721-2202/037-000	2-conductor female connector with locking levers 2-pole, light gray	0	50	1,93
721-2203/026-000	2-conductor female connector 3-pole Pin spacing 7.5 mm / 0.295 in, light gray	0	100	2,49
721-2203/037-000	2-conductor female connector with locking levers 3-pole, light gray	0	50	2,76
721-2204/026-000	2-conductor female connector 4-pole Pin spacing 7.5 mm / 0.295 in, light gray	0	50	3,3
721-2204/037-000	2-conductor female connector with locking levers 4-pole, light gray	0	50	3,56
721-2205/026-000	2-conductor female connector 5-pole Pin spacing 7.5 mm / 0.295 in, light gray	0	50	4,15
721-2205/037-000	2-conductor female connector with locking levers 5-pole, light gray	0	50	4,39
721-2206/026-000	2-conductor female connector 6-pole Pin spacing 7.5 mm / 0.295 in, light gray	0	50	4,97
721-2206/037-000	2-conductor female connector with locking levers 6-pole, light gray	0	25	5,22
721-2207/026-000	2-conductor female connector 7-pole Pin spacing 7.5 mm / 0.295 in, light gray	0	50	5,79
721-2207/037-000	2-conductor female connector with locking levers 7-pole, light gray	0	25	6,07
721-2208/026-000	2-conductor female connector 8-pole Pin spacing 7.5 mm / 0.295 in, light gray	0	25	6,62
721-2208/037-000	2-conductor female connector with locking levers 8-pole, light gray	0	25	6,9
721-2209/026-000	2-conductor female connector 9-pole Pin spacing 7.5 mm / 0.295 in, light gray	0	25	7,47
721-2209/037-000	2-conductor female connector with locking levers 9-pole, light gray	0	25	7,73
721-2210/026-000	2-conductor female connector 10-pole Pin spacing 7.5 mm / 0.295 in, light gray	0	25	8,28
721-2210/037-000	2-conductor female connector with locking levers 10-pole, light gray	0	25	8,53
721-2211/026-000	2-conductor female connector 11-pole Pin spacing 7.5 mm / 0.295 in, light gray	0	25	9,12
721-2211/037-000	2-conductor female connector with locking levers 11-pole, light gray	0	10	9,39
721-2212/026-000	2-conductor female connector 12-pole Pin spacing 7.5 mm / 0.295 in, light gray	0	25	9,96

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
721-2212/037-000	2-conductor female connector with locking levers 12-pole, light gray	0	10	10,2
721-232/001-000	Male connector with straight solder pins 2-pole, light gray	0	200	0,57
721-233/001-000	Male connector with straight solder pins 3-pole, light gray	0	200	0,69
721-233/001-040	Male connector with straight solder pins 3-pole, light gray	0	200	0,77
721-234/001-000	Male connector with straight solder pins 4-pole, light gray	0	100	0,85
721-234/001-040	Male header (for PCBs) Straight solder pin 1 x 1 mm 4-pole, light gray	0	100	0,91
721-235/001-000	Male connector with straight solder pins 5-pole, light gray	0	100	0,98
721-235/001-040	Male connector with straight solder pins 5-pole, light gray	0	100	1,07
721-236/001-000	MALE HEADER STRAIGHT SOLDER PIN, 1X1 MM, PIN SPACING 7.5 MM, 100% Straight solder pin 1 x 1 mm 6-pole, light gray	0	100	1,2
721-237/001-000	Male header (for PCBs) Straight solder pin 1 x 1 mm 7-pole, light gray	0	50	1,34
721-238/001-000	Male connector with straight solder pins 8-pole, light gray	0	50	1,64
721-239/001-000	Male connector with straight solder pins 9-pole, light gray	0	50	1,83
721-240/001-000	Male header (for PCBs) Straight solder pin 1 x 1 mm 10-pole, light gray	0	50	2,04
721-241/001-000	Male header (for PCBs) Straight solder pin 1 x 1 mm 11-pole, light gray	0	50	2,27
721-242/001-000	Male connector with straight solder pins 12-pole, light gray	0	50	2,52
721-262/001-000	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 2-pole, light gray	0	100	0,58
721-263/001-000	Male connector with straight solder pins 3-pole, light gray	0	200	0,7
721-263/001-040	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 3-pole, light gray	0	200	0,78
721-264/001-000	Male connector with straight solder pins 4-pole, light gray	0	100	0,87
721-264/001-040	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 4-pole, light gray	0	100	0,94
721-265/001-000	Male connector with straight solder pins 5-pole, light gray	0	100	1,03
721-265/001-040	Male connector with straight solder pins 5-pole, light gray	0	100	1,09
721-266/001-000	Male connector with straight solder pins 6-pole, light gray	0	100	1,24
721-267/001-000	Male connector with straight solder pins 7-pole, light gray	0	50	1,39
721-268/001-000	Male connector with straight solder pins 8-pole, light gray	0	50	1,7
721-268/003-000	Male connector 100% protected against mismatching, light gray	0	50	1,8

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
721-269/001-000	Male header (for PCBs) Straight solder pin 1.2 x 1.2 mm 9-pole, light gray	0	50	1,9
721-269/003-000	Male connector 100% protected against mismatching, light gray	0	50	2,01
721-270/001-000	Male connector with straight solder pins 10-pole, light gray	0	50	2,09
721-271/001-000	Male connector with straight solder pins 11-pole, light gray	0	50	2,35
721-272/001-000	Male connector with straight solder pins 12-pole, light gray	0	50	2,63
721-302/008-000	Angled female connector with snap-in mounting foot 2-pole, light gray	0	100	1,17
721-302/031-000	Angled female connector with fixing flanges 2-pole, light gray	0	100	1,35
721-303/008-000	Angled female connector with snap-in mounting foot 3-pole, light gray	0	50	1,69
721-303/031-000	Angled female connector with fixing flanges 3-pole, light gray	0	50	1,86
721-304/008-000	Angled female connector with snap-in mounting foot 4-pole, light gray	0	50	2,19
721-304/031-000	Angled female connector with fixing flanges 4-pole, light gray	0	50	2,38
721-304/031-047	Female plug with fixing flange with protection against mismatching, light gray	0	50	2,52
721-305/008-000	Angled female connector with snap-in mounting foot 5-pole, light gray	0	50	2,7
721-305/031-000	Angled female connector with fixing flanges 5-pole, light gray	0	50	2,88
721-306/008-000	Angled female connector with snap-in mounting foot 6-pole, light gray	0	50	3,21
721-306/031-000	ANGLED FEMALE CONNECTOR WITH FIXING FLANGES, PIN SPACING 5 MM with fixing flanges 6-pole, light gray	0	50	3,4
721-307/008-000	Angled female connector with snap-in mounting foot 7-pole, light gray	0	50	3,72
721-307/031-000	Angled female connector with fixing flanges 7-pole, light gray	0	50	3,92
721-308/008-000	Angled female connector with snap-in mounting foot 8-pole, light gray	0	50	4,25
721-308/031-000	ANGLED FEMALE CONNECTOR WITH FIXING FLANGES, PIN SPACING 5 MM with fixing flanges 8-pole, light gray	0	50	4,43
721-309/008-000	Angled female connector with snap-in mounting foot 9-pole, light gray	0	50	4,74
721-309/031-000	Angled female connector with fixing flanges 9-pole, light gray	0	25	4,93
721-310/008-000	Angled female connector with snap-in mounting foot 10-pole, light gray	0	50	5,23
721-310/031-000	Angled female connector with fixing flanges 10-pole, light gray	0	25	5,45
721-311/008-000	Angled female connector with snap-in mounting foot 11-pole, light gray	0	25	5,77
721-311/031-000	Angled female connector with fixing flanges 11-pole, light gray	0	25	5,96

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
721-312/008-000	Angled female connector with snap-in mounting foot 12-pole, light gray	0	25	6,28
721-312/031-000	ANGLED FEMALE CONNECTOR WITH FIXING FLANGES, PIN SPACING 5 MM with fixing flanges 12-pole, light gray	0	25	6,46
721-313/008-000	Angled female connector with snap-in mounting foot 13-pole	0	25	6,79
721-314/008-000	Angled female connector with snap-in mounting foot 14-pole, light gray	0	10	7,29
721-314/031-000	Angled female connector with fixing flanges 14-pole, light gray	0	25	7,5
721-315/008-000	Angled female connector with snap-in mounting foot 15-pole	0	10	7,82
721-315/031-000	Angled female connector with fixing flanges 15-pole	0	10	8,01
721-316/008-000	Angled female connector with snap-in mounting foot 16-pole, light gray	0	25	8,33
721-316/031-000	Angled female connector with fixing flanges 16-pole, light gray	0	10	8,49
721-320/008-000	Angled female connector with snap-in mounting foot 20-pole, light gray	0	10	10,36
721-320/031-000	ANGLED FEMALE CONNECTOR WITH FIXING FLANGES, PIN SPACING 5 MM with fixing flanges 20-pole, light gray	0	10	10,55
721-332/008-000	Angled female connector with snap-in mounting foot 2-pole, light gray	0	100	1,22
721-332/031-000	Angled female connector with fixing flanges 2-pole, light gray	0	50	1,43
721-333/008-000	Angled female connector with snap-in mounting foot 3-pole, light gray	0	100	1,76
721-333/031-000	Angled female connector with fixing flanges 3-pole, light gray	0	50	1,96
721-334/008-000	Angled female connector with snap-in mounting foot 4-pole, light gray	0	50	2,31
721-334/031-000	Angled female connector with fixing flanges 4-pole, light gray	0	50	2,48
721-335/008-000	Angled female connector with snap-in mounting foot 5-pole, light gray	0	50	2,82
721-335/031-000	Angled female connector with fixing flanges 5-pole, light gray	0	50	3
721-336/008-000	Angled female connector with snap-in mounting foot 6-pole, light gray	0	50	3,35
721-336/031-000	Angled female connector with fixing flanges 6-pole, light gray	0	25	3,54
721-337/008-000	Angled female connector with snap-in mounting foot 7-pole, light gray	0	25	3,88
721-337/031-000	Angled female connector with fixing flanges 7-pole, light gray	0	25	4,06
721-338/008-000	Angled female connector with snap-in mounting foot 8-pole, light gray	0	25	4,38
721-338/031-000	Angled female connector with fixing flanges 8-pole, light gray	0	25	4,59
721-339/008-000	Angled female connector with snap-in mounting foot 9-pole, light gray	0	25	4,93

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
721-339/031-000	Angled female connector with fixing flanges 9-pole, light gray	0	25	5,14
721-340/008-000	Angled female connector with snap-in mounting foot 10-pole, light gray	0	25	5,48
721-340/031-000	Angled female connector with fixing flanges 10-pole, light gray	0	25	5,68
721-341/008-000	Angled female connector with snap-in mounting foot 11-pole, light gray	0	25	6
721-341/031-000	Angled female connector with fixing flanges 10-pole, light gray	0	10	6,17
721-342/008-000	Angled female connector with snap-in mounting foot 12-pole, light gray	0	25	6,51
721-342/031-000	Angled female connector with fixing flanges 12-pole, light gray	0	25	6,71
721-432/001-000	Male connector with angled solder pins 2-pole, light gray	0	200	0,36
721-433/001-000	Male connector with angled solder pins 3-pole, light gray	0	200	0,53
721-433/001-040	Male connector with angled solder pins 3-pole, light gray	0	200	0,61
721-434/001-000	Male connector with angled solder pins 4-pole, light gray	0	200	0,73
721-434/001-040	Male connector with angled solder pins 4-pole, light gray	0	200	0,79
721-435/001-000	Male connector with angled solder pins 5-pole, light gray	0	200	0,9
721-435/001-040	Male connector with angled solder pins 5-pole, light gray	0	200	0,96
721-436/001-000	MALE HEADER RIGHT ANGLED SOLDER PIN, 1X1 MM, PIN SPACING 5 MM, 10 with angled solder pins 6-pole, light gray	0	100	1,1
721-437/001-000	Male connector with angled solder pins 7-pole, light gray	0	100	1,28
721-438/001-000	Male connector with angled solder pins 8-pole, light gray	0	100	1,46
721-439/001-000	Male connector with angled solder pins 9-pole, light gray	0	100	1,64
721-440/001-000	Male connector with angled solder pins 10-pole, light gray	0	100	1,82
721-441/001-000	Male connector with angled solder pins 11-pole, light gray	0	100	2,01
721-442/001-000	Male connector with angled solder pins 12-pole, light gray	0	100	2,19
721-444/001-000	Male connector with angled solder pins 14-pole, light gray	0	50	2,57
721-445/001-000	Male connector with angled solder pins 15-pole, light gray	0	50	2,76
721-446/001-000	Male connector with angled solder pins 16-pole, light gray	0	50	2,94
721-450/001-000	Male connector with angled solder pins 20-pole, light gray	0	50	3,64
721-462/001-000	Male connector with angled solder pins 2-pole, light gray	0	200	0,39

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
721-463/001-000	Male connector with angled solder pins 3-pole, light gray	0	200	0,61
721-463/001-040	Male connector with angled solder pins 3-pole, light gray	0	200	0,67
721-464/001-000	Male connector with angled solder pins 4-pole, light gray	0	200	0,8
721-464/001-040	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 4-pole, light gray	0	200	0,87
721-465/001-000	Male connector with angled solder pins 5-pole, light gray	0	100	1,03
721-465/001-040	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 5-pole, light gray	0	200	1,09
721-466/001-000	Male connector with angled solder pins 6-pole, light gray	0	100	1,22
721-467/001-000	Male connector with angled solder pins 7-pole, light gray	0	100	1,44
721-468/001-000	Male connector with angled solder pins 8-pole, light gray	0	100	1,64
721-469/001-000	Male connector with angled solder pins 9-pole, light gray	0	100	1,83
721-470/001-000	Male connector with angled solder pins 10-pole, light gray	0	100	2,04
721-471/001-000	Male connector with angled solder pins 11-pole, light gray	0	100	2,24
721-472/001-000	Male connector with angled solder pins 12-pole, light gray	0	100	2,47
721-474/001-000	Male connector with angled solder pins 14-pole, light gray	0	50	2,86
721-475/001-000	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 15-pole	0	50	3,08
721-476/001-000	Male connector with angled solder pins 16-pole, light gray	0	50	3,28
721-480/001-000	Male connector with angled solder pins 20-pole, light gray	0	50	4,02
721-602	MALE CONNECTOR, PIN SPACING 5 MM, 100% PROTECTED AGAINST MISMA 2-pole Pin spacing 5 mm / 0.197 in, light gray	0	100	1,49
721-602/018-000	Male connector with snap-in mounting foot 2-pole, light gray	0	100	1,49
721-602/019-000	Male connector with fixing flanges 2-pole, light gray	0	100	1,69
721-602/019-042	Male connector 100% protected against mismatching with fixing flange, light gray	0	100	1,9
721-602/114-000	Male connector with snap-in flanges for panel feedthrough applications 2-pole, light gray	0	50	1,96
721-603	Male connector 3-pole Pin spacing 5 mm / 0.197 in, light gray	0	100	1,92
721-603/000-042	Male connector 3-pole Pin spacing 5 mm / 0.197 in, light gray	0	100	2,1
721-603/018-000	Male connector with snap-in mounting foot 3-pole, light gray	0	100	1,92
721-603/018-034	Male connector 100% protected against mismatching with snap-in mounting foot, light gray	0	100	2,23

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
721-603/018-041	Male connector 100% protected against mismatching with snap-in mounting foot, light gray	0	100	2,1
721-603/018-042	Male connector with snap-in mounting foot 3-pole, light gray	0	100	2,1
721-603/019-000	Male connector with fixing flanges 3-pole, light gray	0	50	2,08
721-603/019-042	Male connector with fixing flanges 3-pole, light gray	0	50	2,32
721-603/114-000	Male connector with snap-in flanges for panel feedthrough applications 3-pole, light gray	0	50	2,38
721-603/114-040	Male connector with snap-in flanges for panel feedthrough applications 3-pole, light gray	0	50	2,43
721-603/114-042	Male connector with snap-in flanges for panel feedthrough applications 3-pole, light gray	0	50	2,67
721-604	Male connector 4-pole Pin spacing 5 mm / 0.197 in, light gray	0	100	2,33
721-604/000-042	Male connector 4-pole Pin spacing 5 mm / 0.197 in, light gray	0	100	2,52
721-604/018-000	Male connector with snap-in mounting foot 4-pole, light gray	0	100	2,33
721-604/018-042	Male connector with snap-in mounting foot 4-pole, light gray	0	100	2,52
721-604/019-000	Male connector with fixing flanges 4-pole, light gray	0	50	2,51
721-604/019-042	Male connector with fixing flanges 4-pole, light gray	0	50	2,71
721-604/114-000	Male connector with snap-in flanges for panel feedthrough applications 4-pole, light gray	0	50	2,81
721-604/114-040	Male connector with snap-in flanges for panel feedthrough applications 4-pole, light gray	0	50	2,86
721-604/114-042	Male connector with snap-in flanges for panel feedthrough applications 4-pole, light gray	0	50	3,09
721-605	Male connector 5-pole Pin spacing 5 mm / 0.197 in, light gray	0	50	2,76
721-605/000-034	Male connector 100% protected against mismatching, light gray	0	50	3,06
721-605/000-042	MALE CONNECTOR, PIN SPACING 5 MM, 100% PROTECTED AGAINST MISMA 5-pole Pin spacing 5 mm / 0.197 in, light gray	0	50	2,95
721-605/018-000	Male connector with snap-in mounting foot 5-pole, light gray	0	50	2,76
721-605/018-042	Male connector with snap-in mounting foot 5-pole, light gray	0	50	2,95
721-605/019-000	Male connector with fixing flanges 5-pole, light gray	0	50	2,94
721-605/019-042	Male connector with fixing flanges 5-pole, light gray	0	50	3,15
721-605/019-043/033-000	Male connector 100% protected against mismatching with preceding ground contact	0	50	3,79
721-605/033-000	Male connector 100% protected against mismatching, light gray	0	50	3,46
721-605/114-000	Male connector with snap-in flanges for panel feedthrough applications 5-pole, light gray	0	50	3,32

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
721-605/114-040	Male connector with snap-in flanges for panel feedthrough applications 5-pole, light gray	0	50	3,38
721-605/114-042	Male connector with snap-in flanges for panel feedthrough applications 5-pole, light gray	0	50	3,61
721-606	MALE CONNECTOR, PIN SPACING 5 MM, 100% PROTECTED AGAINST MISMA 6-pole Pin spacing 5 mm / 0.197 in, light gray	0	50	3,16
721-606/000-042/034-000	Male connector 100% protected against mismatching Strain relief plate, light gray	0	50	4,14
721-606/018-000	Male connector with snap-in mounting foot 6-pole, light gray	0	50	3,16
721-606/018-034	Male connector with angled solder pins with snap-in mounting foot, light gray	0	50	3,46
721-606/019-000	MALE CONNECTOR WITH FIXING FLANGES, PIN SPACING 5 MM, 100% PROT with fixing flanges 6-pole, light gray	0	50	3,35
721-606/019-000/033-000	Male connector 100% protected against mismatching with fixing flange, light gray	0	50	4,04
721-606/034-000	Male connector 100% protected against mismatching, light gray	0	50	3,95
721-606/114-000	Male connector with snap-in flanges for panel feedthrough applications 6-pole, light gray	0	50	3,64
721-607	Male connector 7-pole Pin spacing 5 mm / 0.197 in, light gray	0	50	3,68
721-607/000-044	Male connector 100% protected against mismatching, light gray	0	50	3,85
721-607/018-000	Male connector with snap-in mounting foot 7-pole, light gray	0	50	3,68
721-607/018-034	Male connector 100% protected against mismatching with snap-in mounting foot	0	50	3,99
721-607/019-000	Male connector with fixing flanges 7-pole, light gray	0	50	3,88
721-607/114-000	Male connector with snap-in flanges for panel feedthrough applications 7-pole, light gray	0	25	4,59
721-608	MALE CONNECTOR, PIN SPACING 5 MM, 100% PROTECTED AGAINST MISMA 8-pole Pin spacing 5 mm / 0.197 in, light gray	0	50	4,12
721-608/018-000	Male connector with snap-in mounting foot 8-pole, light gray	0	50	4,12
721-608/018-034	Male connector 100% protected against mismatching with snap-in mounting foot, light gray	0	50	4,39
721-608/019-000	MALE CONNECTOR WITH FIXING FLANGES, PIN SPACING 5 MM, 100% PROT with fixing flanges 8-pole, light gray	0	50	4,31
721-608/114-000	Male connector with snap-in flanges for panel feedthrough applications 8-pole, light gray	0	25	4,59
721-609	Male connector 9-pole Pin spacing 5 mm / 0.197 in, light gray	0	50	4,53
721-609/000-034	Male connector with angled solder pins	0	50	4,82
721-609/000-043/034-000	Male connector 100% protected against mismatching with ground contact, light gray	0	50	5,51
721-609/000-044	Male connector 100% protected against mismatching, light gray	0	50	4,67
721-609/018-000	Male connector with snap-in mounting foot 9-pole, light gray	0	50	4,53

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
721-609/019-000	Male connector with fixing flanges 9-pole, light gray	0	25	4,7
721-609/114-000	Male connector with snap-in flanges for panel feedthrough applications 9-pole, light gray	0	25	4,98
721-610	Male connector 10-pole Pin spacing 5 mm / 0.197 in, light gray	0	50	4,95
721-610/018-000	Male connector with snap-in mounting foot 10-pole, light gray	0	50	4,95
721-610/019-000	Male connector with fixing flanges 10-pole, light gray	0	25	5,14
721-610/114-000	Male connector with snap-in flanges for panel feedthrough applications 10-pole, light gray	0	25	5,59
721-611	Male connector 11-pole Pin spacing 5 mm / 0.197 in, light gray	0	25	5,37
721-611/018-000	Male connector with snap-in mounting foot 11-pole, light gray	0	25	5,37
721-611/019-000	Male connector with fixing flanges 11-pole, light gray	0	25	5,54
721-611/114-000	Male connector with snap-in flanges for panel feedthrough applications 11-pole, light gray	0	25	5,83
721-612	MALE CONNECTOR, PIN SPACING 5 MM, 100% PROTECTED AGAINST MISMA 12-pole Pin spacing 5 mm / 0.197 in, light gray	0	25	5,77
721-612/000-033	Male connector 100% protected against mismatching with ground contact, light gray	0	25	6,08
721-612/018-000	Male connector with snap-in mounting foot 12-pole, light gray	0	25	5,77
721-612/018-034	Male connector 100% protected against mismatching with snap-in mounting foot, light gray	0	25	6,08
721-612/019-000	MALE CONNECTOR WITH FIXING FLANGES, PIN SPACING 5 MM, 100% PROT with fixing flanges 12-pole, light gray	0	25	5,96
721-612/114-000	Male connector with snap-in flanges for panel feedthrough applications 12-pole, light gray	0	25	6,25
721-613/019-000	Male connector with fixing flanges 13-pole, light gray	0	25	6,41
721-613/114-000	Male connector with snap-in flanges for panel feedthrough applications 13-pole, light gray	0	25	6,7
721-614	Male connector 14-pole Pin spacing 5 mm / 0.197 in, light gray	0	25	6,69
721-614/018-000	Male connector with snap-in mounting foot 14-pole, light gray	0	25	6,69
721-614/018-000/035-000	Male connector 100% protected against mismatching with snap-in mounting foot, light gray	0	25	7,54
721-614/019-000	Male connector with fixing flanges 14-pole, light gray	0	25	6,87
721-614/019-000/035-000	Male connector 100% protected against mismatching with fixing flange, light gray	0	25	7,73
721-614/019-044	Male connector 100% protected against mismatching with fixing flange, light gray	0	25	7
721-614/114-000	Male connector with snap-in flanges for panel feedthrough applications 14-pole, light gray	0	25	7,17
721-615	Male connector 15-pole Pin spacing 5 mm / 0.197 in, light gray	0	25	7,03

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
721-615/018-000	Male connector with snap-in mounting foot 15-pole, light gray	0	25	7,03
721-615/019-000	Male connector with fixing flanges 15-pole, light gray	0	25	7,21
721-615/114-000	Male connector with snap-in flanges for panel feedthrough applications 15-pole, light gray	0	10	7,51
721-616	Male connector 16-pole Pin spacing 5 mm / 0.197 in, light gray	0	25	7,38
721-616/000-034	Male connector 100% protected against mismatching, light gray	0	25	7,7
721-616/000-042	Male connector 100% protected against mismatching with ground contact, light gray	0	25	7,59
721-616/018-000	Male connector with snap-in mounting foot 16-pole, light gray	0	25	7,38
721-616/019-000	Male connector with fixing flanges 16-pole, light gray	0	10	7,56
721-616/019-044	Male connector 100% protected against mismatching with fixing flange, light gray	0	25	7,73
721-616/114-000	Male connector with snap-in flanges for panel feedthrough applications 16-pole, light gray	0	10	7,85
721-620	MALE CONNECTOR, PIN SPACING 5 MM, 100% PROTECTED AGAINST MISMA 20-pole Pin spacing 5 mm / 0.197 in, light gray	0	10	9,01
721-620/018-000	Male connector 100% protected against mismatching with snap-in mounting foot, light gray	0	10	9,01
721-620/019-000	MALE CONNECTOR WITH FIXING FLANGES, PIN SPACING 5 MM, 100% PROT with fixing flanges 20-pole, light gray	0	10	9,2
721-620/114-000	Male connector with snap-in flanges for panel feedthrough applications 20-pole, light gray	0	10	9,48
721-832/001-000	Male header (for PCBs) Angled solder pin 1 x 1 mm 2-pole, light gray	0	200	0,57
721-833/001-000	Male connector with angled solder pins 3-pole, light gray	0	200	0,69
721-833/001-040	Male connector with angled solder pins 3-pole, light gray	0	200	0,77
721-834/001-000	Male header (for PCBs) Angled solder pin 1 x 1 mm 4-pole, light gray	0	100	0,85
721-834/001-040	Male connector with angled solder pins 4-pole, light gray	0	100	0,91
721-835/001-000	Male connector with angled solder pins 5-pole, light gray	0	100	0,98
721-835/001-040	Male connector with angled solder pins 5-pole, light gray	0	100	1,07
721-836/001-000	MALE HEADER RIGHT ANGLED SOLDER PIN, 1X1 MM, PIN SPACING 7.5 MM, with angled solder pins 6-pole, light gray	0	100	1,2
721-837/001-000	Male header (for PCBs) Angled solder pin 1 x 1 mm 7-pole, light gray	0	50	1,34
721-838/001-000	Male connector with angled solder pins 8-pole, light gray	0	50	1,64
721-839/001-000	Male header (for PCBs) Angled solder pin 1 x 1 mm 9-pole, light gray	0	50	1,82
721-840/001-000	Male header (for PCBs) Angled solder pin 1 x 1 mm 10-pole, light gray	0	50	2,04

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
721-841/001-000	Male header (for PCBs) Angled solder pin 1 x 1 mm 11-pole, light gray	0	50	2,27
721-842/001-000	Male connector with angled solder pins 12-pole, light gray	0	50	2,52
721-862/001-000	Male connector with angled solder pins 2-pole, light gray	0	200	0,58
721-863/001-000	Male connector with angled solder pins 3-pole, light gray	0	200	0,7
721-863/001-040	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 3-pole, light gray	0	200	0,78
721-864/001-000	Male connector with angled solder pins 4-pole, light gray	0	100	0,87
721-864/001-040	Male connector with angled solder pins 4-pole, light gray	0	100	0,94
721-865/001-000	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 5-pole, light gray	0	100	1,03
721-865/001-040	Male header (for PCBs) Angled solder pin, 1.2 x 1.2 mm 5-pole, light gray	0	100	1,09
721-866/001-000	Male connector with angled solder pins 6-pole, light gray	0	100	1,24
721-867/001-000	Male connector with angled solder pins 7-pole, light gray	0	50	1,39
721-868/001-000	Male connector with angled solder pins 8-pole, light gray	0	50	1,7
721-869/001-000	Male connector with angled solder pins 9-pole, light gray	0	50	1,9
721-870/001-000	Male connector with angled solder pins 10-pole, light gray	0	50	2,09
721-871/001-000	Male connector with angled solder pins 11-pole, light gray	0	50	2,35
721-872/001-000	Male connector with angled solder pins 12-pole, light gray	0	50	2,63
722-102/026-000	Angled female connector 2-pole Pin spacing 5 mm / 0.197 in, light gray	0	100	1,16
722-103/026-000	ANGLED FEMALE PLUG 100% MISMATING PROTECTION, PIN SPACING 5MM 3-pole Pin spacing 5 mm / 0.197 in, light gray	0	100	1,66
722-104/026-000	ANGLED FEMALE PLUG 100% MISMATING PROTECTION, PIN SPACING 5MM 4-pole Pin spacing 5 mm / 0.197 in, light gray	0	100	2,15
722-105/026-000	Angled female connector 5-pole Pin spacing 5 mm / 0.197 in, light gray	0	100	2,69
722-106/026-000	ANGLED FEMALE PLUG 100% MISMATING PROTECTION, PIN SPACING 5MM 6-pole Pin spacing 5 mm / 0.197 in, light gray	0	50	3,22
722-107/026-000	Angled female connector 7-pole Pin spacing 5 mm / 0.197 in, light gray	0	50	3,71
722-108/026-000	ANGLED FEMALE PLUG 100% MISMATING PROTECTION, PIN SPACING 5MM 8-pole Pin spacing 5 mm / 0.197 in, light gray	0	50	4,24
722-109/026-000	Angled female connector 9-pole Pin spacing 5 mm / 0.197 in, light gray	0	50	4,66
722-110/026-000	ANGLED FEMALE PLUG 100% MISMATING PROTECTION, PIN SPACING 5MM 10-pole Pin spacing 5 mm / 0.197 in, light gray	0	50	5,18
722-111/026-000	Angled female connector 11-pole Pin spacing 5 mm / 0.197 in	0	25	5,7

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
722-112/026-000	Angled female connector 12-pole Pin spacing 5 mm / 0.197 in, light gray	0	25	6,2
722-114/026-000	Angled female connector 14-pole Pin spacing 5 mm / 0.197 in, light gray	0	25	7,12
722-116/026-000	Angled female connector 16-pole Pin spacing 5 mm / 0.197 in, light gray	0	25	8,24
722-120/026-000	Angled female connector 20-pole Pin spacing 5 mm / 0.197 in, light gray	0	10	10,2
722-132	Female plug with straight solder pins 2-pole, light gray	0	100	0,93
722-132/005-000	Female plug with straight, long contact pins 2-pole, light gray	0	100	1,18
722-132/005-000/039-000	Female plug with lateral locking levers 2-pole, light gray	0	100	1,46
722-132/031-000	Female plug with fixing flanges 2-pole, light gray	0	100	1,11
722-132/039-000	Female plug with locking levers 2-pole, light gray	0	100	1,18
722-132/045-000	Female plug with straight solder pins Pin spacing 5 mm / 0.197 in, light gray	0	200	0,93
722-132/047-000	Female plug with spacers 100% protected against mismatching, light gray	0	100	1,13
722-133	Female plug with straight solder pins 3-pole, light gray	0	100	1,28
722-133/005-000	Female plug with straight, long contact pins 3-pole, light gray	0	100	1,62
722-133/005-000/039-000	Female plug with lateral locking levers 3-pole, light gray	0	50	1,89
722-133/031-000	Female plug with fixing flanges 3-pole, light gray	0	50	1,48
722-133/039-000	Female plug with locking levers 3-pole, light gray	0	50	1,54
722-133/047-000	Female plug with spacers 3-pole, light gray	0	50	1,48
722-134	Female plug with straight solder pins 4-pole, light gray	0	100	1,64
722-134/005-000	Female plug with straight, long contact pins 4-pole, light gray	0	100	2,09
722-134/005-000/039-000	Female plug with lateral locking levers 4-pole, light gray	0	50	2,39
722-134/031-000	Female plug with fixing flanges 4-pole, light gray	0	50	1,82
722-134/039-000	Female plug with locking levers 4-pole, light gray	0	50	1,91
722-134/047-000	Female plug with spacers 4-pole, light gray	0	50	1,82
722-135	Female plug with straight solder pins 5-pole, light gray	0	100	2
722-135/005-000	Female plug with straight, long contact pins 5-pole, light gray	0	100	2,54
722-135/005-000/039-000	Female plug with lateral locking levers 5-pole, light gray	0	50	2,83

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
722-135/031-000	Female plug with fixing flanges 5-pole, light gray	0	50	2,18
722-135/039-000	Female plug with locking levers 5-pole, light gray	0	50	2,26
722-135/047-000	Female plug with spacers 5-pole	0	50	2,19
722-136	FEMALE PLUG WITH STRAIGHT SOLDER PIN 0.6X1.0 MM, PIN SPACING 5 MM with straight solder pins 6-pole, light gray	0	50	2,35
722-136/005-000	Female plug with straight, long contact pins 6-pole, light gray	0	50	3
722-136/005-000/039-000	Female plug with locking levers 6-pole, light gray	0	50	3,28
722-136/031-000	Female plug with fixing flanges 6-pole, light gray	0	50	2,52
722-136/039-000	Female plug with locking levers 6-pole, light gray	0	50	2,61
722-136/047-000	Female plug with spacers 6-pole, light gray	0	50	2,54
722-137	Female plug with straight solder pins 7-pole, light gray	0	50	2,7
722-137/005-000	Female plug with straight, long contact pins 7-pole, light gray	0	50	3,43
722-137/005-000/039-000	Female plug with lateral locking levers 7-pole, light gray	0	50	3,73
722-137/031-000	Female plug with fixing flanges 7-pole, light gray	0	50	2,88
722-137/039-000	Female plug with locking levers 100% protected against mismatching, light gray	0	50	2,98
722-137/047-000	Female plug with spacers 100% protected against mismatching, light gray	0	50	2,9
722-138	Female plug with straight solder pins 8-pole, light gray	0	50	3,07
722-138/005-000	Female plug with straight, long contact pins 8-pole, light gray	0	50	3,89
722-138/005-000/039-000	Female plug with lateral locking levers 8-pole, light gray	0	50	4,2
722-138/031-000	Female plug with fixing flanges 8-pole, light gray	0	50	3,23
722-138/039-000	Female plug with locking levers 8-pole, light gray	0	50	3,32
722-138/047-000	Female plug with spacers 100% protected against mismatching, light gray	0	50	3,26
722-139	Female plug with straight solder pins 9-pole, light gray	0	50	3,43
722-139/005-000	Female plug with straight, long contact pins 9-pole, light gray	0	50	4,36
722-139/005-000/039-000	Female plug with lateral locking levers 9-pole, light gray	0	25	4,63
722-139/031-000	Female plug with fixing flanges 9-pole, light gray	0	25	3,61
722-139/047-000	Female plug with spacers 100% protected against mismatching, light gray	0	25	3,63

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
722-140	Female plug with straight solder pins 10-pole, light gray	0	50	3,77
722-140/005-000	Female plug with straight, long contact pins 10-pole, light gray	0	50	4,82
722-140/005-000/039-000	Female plug with lateral locking levers 10-pole, light gray	0	25	5,1
722-140/031-000	Female plug with fixing flanges 10-pole, light gray	0	25	3,95
722-140/039-000	Female plug with locking levers 10-pole, light gray	0	25	4,02
722-140/047-000	Female plug with spacers 100% protected against mismatching, light gray	0	25	3,97
722-141	Female plug with straight solder pins 11-pole, light gray	0	25	4,13
722-141/005-000	Female plug with straight, long contact pins 11-pole, light gray	0	25	5,26
722-141/005-000/039-000	Female plug with lateral locking levers 11-pole, light gray	0	25	5,52
722-141/031-000	Female plug with fixing flanges 11-pole, light gray	0	25	4,31
722-141/039-000	Female plug with locking levers 11-pole, light gray	0	25	4,37
722-141/047-000	Female plug with spacers 11-pole, light gray	0	25	4,32
722-142	Female plug with straight solder pins 12-pole, light gray	0	25	4,5
722-142/005-000	Female plug with straight, long contact pins 12-pole, light gray	0	25	5,72
722-142/005-007/039-000	Female plug with lateral locking levers 12-pole, gray	0	25	5,6
722-142/031-000	Female plug with fixing flanges 12-pole, light gray	0	25	4,66
722-142/039-000	Female plug with locking levers 12-pole, light gray	0	25	4,74
722-142/047-000	Female plug with spacers 100% protected against mismatching, light gray	0	25	4,68
722-143	Female plug with straight solder pins 13-pole, light gray	0	25	4,85
722-143/005-000	Female plug with straight, long contact pins 13-pole, light gray	0	25	6,18
722-143/031-000	Female plug with fixing flanges 13-pole, light gray	0	25	5,01
722-143/039-000	Female plug with locking levers 13-pole, light gray	0	25	5,11
722-143/047-000	Female plug with spacers 13-pole	0	25	5,01
722-144	Female plug with straight solder pins 14-pole, light gray	0	25	5,19
722-144/005-000	Female plug with straight, long contact pins 14-pole, light gray	0	25	6,62
722-144/005-000/039-000	Female plug with lateral locking levers 14-pole, light gray	0	25	6,89

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
722-144/031-000	Female plug with fixing flanges 14-pole, light gray	0	25	5,4
722-144/047-000	Female plug with spacers 100% protected against mismatching, light gray	0	25	5,39
722-145	Female plug with straight solder pins 15-pole, light gray	0	25	5,54
722-145/005-000	Female plug with straight, long contact pins 15-pole, light gray	0	25	7,07
722-145/031-000	Female plug with fixing flanges 15-pole, light gray	0	25	5,74
722-145/039-000	Female plug with locking levers 15-pole, light gray	0	25	5,8
722-145/047-000	Female plug with spacers 15-pole	0	25	5,74
722-146	Female plug with straight solder pins 16-pole, light gray	0	25	5,89
722-146/005-000	Female plug with straight, long contact pins 16-pole, light gray	0	25	7,54
722-146/005-000/039-000	Female plug with lateral locking levers 16-pole, light gray	0	10	7,81
722-146/047-000	Female plug with spacers 16-pole, light gray	0	10	6,1
722-150	Female plug with straight solder pins 20-pole, light gray	0	10	7,31
722-150/005-000	Female plug with straight, long contact pins 20-pole, light gray	0	10	9,36
722-150/039-000	Female plug with locking levers 20-pole, light gray	0	10	7,58
722-150/047-000	Female plug with spacers 100% protected against mismatching, light gray	0	10	7,51
722-202/026-000	Angled female connector 2-pole Pin spacing 5 mm / 0.197 in, light gray	0	100	1,16
722-203/026-000	Angled female connector 3-pole Pin spacing 5 mm / 0.197 in, light gray	0	100	1,66
722-204/026-000	Angled female connector 4-pole Pin spacing 5 mm / 0.197 in, light gray	0	100	2,15
722-205/026-000	Angled female connector 5-pole Pin spacing 5 mm / 0.197 in, light gray	0	100	2,69
722-206/026-000	Angled female connector 6-pole Pin spacing 5 mm / 0.197 in, light gray	0	50	3,22
722-207/026-000	Angled female connector 7-pole Pin spacing 5 mm / 0.197 in, light gray	0	25	3,71
722-208/026-000	Angled female connector 8-pole Pin spacing 5 mm / 0.197 in, light gray	0	25	4,24
722-209/026-000	Angled female connector 9-pole Pin spacing 5 mm / 0.197 in, light gray	0	25	4,66
722-210/026-000	Angled female connector 10-pole Pin spacing 5 mm / 0.197 in, light gray	0	25	5,18
722-211/026-000	FEDERL.ABGEW.FS L-GR. 5,00MM 11-POL light gray	0	25	5,7
722-212/026-000	Angled female connector 12-pole Pin spacing 5 mm / 0.197 in, light gray	0	25	6,2

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
722-213/026-000	Angled female connector 13-pole Pin spacing 5 mm / 0.197 in	0	25	6,69
722-214/026-000	Angled female connector 14-pole Pin spacing 5 mm / 0.197 in, light gray	0	10	7,12
722-215/026-000	Angled female connector 15-pole Pin spacing 5 mm / 0.197 in	0	25	7,7
722-216/026-000	Angled female connector 16-pole Pin spacing 5 mm / 0.197 in, light gray	0	10	8,24
722-220/026-000	Angled female connector 20-pole Pin spacing 5 mm / 0.197 in, light gray	0	10	10,2
722-232	Female plug with angled solder pins 2-pole, light gray	0	100	0,93
722-232/005-000	Female plug with angled, long contact pins 2-pole, light gray	0	100	1,18
722-232/005-000/039-000	Female plug with lateral locking levers 2-pole, light gray	0	100	1,46
722-232/031-000	Female plug with fixing flanges 2-pole, light gray	0	100	1,11
722-232/039-000	Female plug with locking levers 2-pole, light gray	0	100	1,18
722-232/047-000	Female plug with spacers 100% protected against mismatching, light gray	0	100	1,13
722-233	Female plug with angled solder pins 3-pole, light gray	0	100	1,28
722-233/005-000	Female plug with angled, long contact pins 3-pole, light gray	0	100	1,62
722-233/005-000/039-000	Female plug with lateral locking levers 3-pole, light gray	0	50	1,89
722-233/031-000	Female plug with fixing flanges 3-pole, light gray	0	50	1,46
722-233/039-000	Female plug with locking levers 3-pole, light gray	0	50	1,54
722-233/047-000	Female plug with spacers 3-pole, light gray	0	50	1,48
722-234	Female plug with angled solder pins 4-pole, light gray	0	100	1,64
722-234/005-000	Female plug with angled, long contact pins 4-pole, light gray	0	100	2,09
722-234/005-000/039-000	Female plug with lateral locking levers 4-pole, light gray	0	50	2,39
722-234/031-000	Female plug with fixing flanges 4-pole, light gray	0	50	1,82
722-234/039-000	Female plug with locking levers 4-pole, light gray	0	50	1,91
722-234/047-000	Female plug with spacers 4-pole, light gray	0	50	1,82
722-235	Female plug with angled solder pins 5-pole, light gray	0	100	2
722-235/005-000	Female plug with angled, long contact pins 5-pole, light gray	0	100	2,54
722-235/005-000/039-000	Female plug with lateral locking levers 5-pole, light gray	0	50	2,83

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
722-235/031-000	Female plug with fixing flanges 5-pole, light gray	0	50	2,19
722-235/039-000	Female plug with locking levers 5-pole, light gray	0	50	2,26
722-235/047-000	Female plug 100% protected against mismatching with spacers, light gray	0	50	2,19
722-236	FEMALE PLUG WITH RIGHT ANGLED SOLDER PIN 0.6X1.0 MM, PIN SPACING with angled solder pins 6-pole, light gray	0	50	2,35
722-236/005-000	Female plug with angled, long contact pins 6-pole, light gray	0	50	3
722-236/005-000/039-000	Female plug with lateral locking levers 6-pole, light gray	0	50	3,28
722-236/031-000	Female plug with fixing flanges 6-pole, light gray	0	50	2,52
722-236/039-000	Female plug with locking levers 6-pole, light gray	0	50	2,61
722-236/047-000	Female plug with spacers 6-pole, light gray	0	50	2,52
722-237	Female plug with angled solder pins 7-pole, light gray	0	50	2,7
722-237/005-000	Female plug with angled, long contact pins 7-pole, light gray	0	50	3,43
722-237/005-000/039-000	Female plug with lateral locking levers 7-pole, light gray	0	50	3,73
722-237/031-000	Female plug with fixing flanges 7-pole, light gray	0	50	2,88
722-237/039-000	Female plug with locking levers 7-pole, light gray	0	50	2,98
722-237/047-000	Female plug with spacers 100% protected against mismatching, light gray	0	50	2,9
722-238	Female plug with angled solder pins 8-pole, light gray	0	50	3,07
722-238/005-000	Female plug with angled, long contact pins 8-pole, light gray	0	50	3,89
722-238/031-000	Female plug with fixing flanges 8-pole, light gray	0	50	3,25
722-238/039-000	Female plug with locking levers 8-pole, light gray	0	50	3,32
722-238/047-000	Female plug with spacers 8-pole	0	50	3,25
722-239	Female plug with angled solder pins 9-pole, light gray	0	50	3,43
722-239/005-000	Female plug with angled, long contact pins 9-pole, light gray	0	50	4,36
722-239/005-000/039-000	Female plug with lateral locking levers 9-pole, light gray	0	25	4,63
722-239/031-000	Female plug with fixing flanges 9-pole, light gray	0	25	3,61
722-239/047-000	Female plug with spacers 100% protected against mismatching, light gray	0	25	3,63
722-240	Female plug with angled solder pins 10-pole, light gray	0	50	3,77

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
722-240/005-000	Female plug with angled, long contact pins 10-pole, light gray	0	50	4,82
722-240/005-000/039-000	Female plug with lateral locking levers 10-pole, light gray	0	25	5,1
722-240/031-000	Female plug with fixing flanges 10-pole, light gray	0	25	3,96
722-240/039-000	Female plug with locking levers 10-pole, light gray	0	25	4,02
722-240/047-000	Female plug with spacers 100% protected against mismatching, light gray	0	25	3,97
722-241	Female plug with angled solder pins 11-pole, light gray	0	25	4,13
722-241/005-000	Female plug with angled, long contact pins 11-pole, light gray	0	25	5,26
722-241/005-000/039-000	Female plug with lateral locking levers 100% protected against mismatching, light gray	0	25	5,52
722-241/031-000	Female plug with fixing flanges 11-pole, light gray	0	25	4,31
722-241/039-000	Female plug with locking levers 11-pole, light gray	0	25	4,37
722-241/047-000	Female plug with spacers 11-pole, light gray	0	25	4,32
722-242	Female plug with angled solder pins 12-pole, light gray	0	25	4,5
722-242/005-000	Female plug with angled, long contact pins 12-pole, light gray	0	25	5,72
722-242/005-000/039-000	Female plug with lateral locking levers 12-pole, light gray	0	25	5,96
722-242/005-047	FEDERL.F.FV-REIHENKL.ABGEW. 12-POL	0	25	
722-242/031-000	Female plug with fixing flanges 12-pole, light gray	0	25	4,66
722-242/039-000	Female plug with locking levers 12-pole, light gray	0	25	4,74
722-242/047-000	Female plug with spacers 12-pole, light gray	0	25	4,67
722-243	Female plug with angled solder pins 13-pole, light gray	0	25	4,85
722-243/005-000	Female plug with angled, long contact pins 13-pole, light gray	0	25	6,18
722-243/031-000	Female plug with fixing flanges 13-pole, light gray	0	25	5,01
722-243/039-000	Female plug with locking levers 13-pole, light gray	0	25	5,11
722-243/047-000	Female plug with spacers 13-pole	0	25	5,01
722-244	Female plug with angled solder pins 14-pole, light gray	0	25	5,19
722-244/005-000	Female plug with angled, long contact pins 14-pole, light gray	0	25	6,62
722-244/031-000	Female plug with fixing flanges 14-pole, light gray	0	25	5,38

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
722-244/047-000	Female plug with spacers 100% protected against mismatching, light gray	0	25	5,56
722-245	Female plug with angled solder pins 15-pole, light gray	0	25	5,54
722-245/031-000	Female plug with fixing flanges 15-pole, light gray	0	25	5,74
722-245/039-000	Female plug with locking levers 15-pole, light gray	0	25	5,8
722-245/047-000	Female plug with spacers 15-pole	0	25	5,74
722-246	Female plug with angled solder pins 16-pole, light gray	0	25	5,89
722-246/005-000	Female plug with angled, long contact pins 16-pole, light gray	0	25	7,54
722-246/005-000/039-000	Female plug with lateral locking levers 16-pole, light gray	0	10	7,81
722-246/039-000	Female plug with locking levers 16-pole, light gray	0	10	6,15
722-246/047-000	Female plug 100% protected against mismatching with spacers, light gray	0	10	6,09
722-250	Female plug with angled solder pins 20-pole, light gray	0	10	7,31
722-250/005-000	Female plug with angled, long contact pins 20-pole, light gray	0	10	9,36
722-250/031-000	Female plug with fixing flanges 20-pole, light gray	0	10	7,51
722-250/039-000	Female plug with locking levers 20-pole, light gray	0	10	7,57
722-250/047-000	Female plug with spacers 100% protected against mismatching, light gray	0	10	7,51
722-732	Female plug with straight solder pins 2-pole, light gray	0	100	0,98
722-732/005-000	Female plug with straight, long contact pins 2-pole, light gray	0	100	1,16
722-732/031-000	Female plug with fixing flange 2-pole, light gray	0	50	1,16
722-732/047-000	Female plug with spacers 100% protected against mismatching, light gray	0	50	1,18
722-733	Female plug with straight solder pins 3-pole, light gray	0	100	1,35
722-733/005-000	Female plug with straight, long contact pins 3-pole, light gray	0	50	1,62
722-733/031-000	Female plug with feedthrough flanges 3-pole, light gray	0	50	1,54
722-733/039-000	Female plug with locking levers 3-pole, light gray	0	50	1,62
722-733/047-000	Female plug with spacers 3-pole, light gray	0	50	1,54
722-734	Female plug with straight solder pins 4-pole, light gray	0	50	1,73
722-734/005-000	Female plug with straight, long contact pins 4-pole, light gray	0	50	2,05

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
722-734/031-000	Female plug with fixing flange 4-pole, light gray	0	50	1,93
722-734/039-000	Female plug 4-pole with locking levers, light gray	0	50	2
722-734/047-000	Female plug with spacers 4-pole, light gray	0	50	1,93
722-735	Female plug with straight solder pins 5-pole, light gray	0	50	2,09
722-735/005-000	Female plug with straight, long contact pins 5-pole, light gray	0	50	2,5
722-735/005-000/039-000	Female plug with locking levers 5-pole, light gray	0	50	2,79
722-735/031-000	Female plug with fixing flange 5-pole, light gray	0	50	2,31
722-735/039-000	Female plug with locking levers 5-pole, light gray	0	50	2,38
722-735/047-000	Female plug with spacers 100% protected against mismatching, light gray	0	50	2,29
722-736	Female plug with straight solder pins 6-pole, light gray	0	50	2,49
722-736/005-000	Female plug with straight, long contact pins 6-pole, light gray	0	50	2,95
722-736/005-000/039-000	Female plug with locking levers 6-pole, light gray	0	25	3,21
722-736/031-000	Female plug with fixing flange 6-pole, light gray	0	25	2,68
722-736/039-000	Female plug with locking levers 6-pole, light gray	0	25	2,76
722-736/047-000	Female plug with spacers 6-pole, light gray	0	25	2,68
722-737	Female plug with straight solder pins 7-pole, light gray	0	50	2,85
722-737/039-000	Female plug with locking levers 7-pole	0	25	3,13
722-737/047-000	Female plug with spacers 100% protected against mismatching, light gray	0	25	3,05
722-738	Female plug with straight solder pins 8-pole, light gray	0	25	3,23
722-738/005-000	Female plug with straight, long contact pins 8-pole, light gray	0	25	3,86
722-738/031-000	Female plug with fixing flange 8-pole, light gray	0	25	3,43
722-738/047-000	Female plug with spacers 100% protected against mismatching, light gray	0	25	3,42
722-739	Female plug with straight solder pins 9-pole, light gray	0	25	3,63
722-739/047-000	Female plug with spacers 100% protected against mismatching, light gray	0	25	3,82
722-740	Female plug with straight solder pins 10-pole, light gray	0	25	3,99
722-740/005-000	Female plug with straight, long contact pins 10-pole, light gray	0	25	4,74

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
722-740/047-000	Female plug with spacers 100% protected against mismatching, light gray	0	25	4,18
722-741	Female plug with straight solder pins 11-pole, light gray	0	25	4,36
722-741/047-000	Female plug with spacers 100% protected against mismatching, light gray	0	10	4,56
722-742	Female plug with straight solder pins 12-pole, light gray	0	25	4,74
722-742/005-000	Female plug with straight, long contact pins 12-pole, light gray	0	25	5,65
722-742/031-000	Female plug with fixing flange 12-pole, light gray	0	10	4,93
722-742/047-000	Female plug with spacers 100% protected against mismatching, light gray	0	10	4,93
722-746	Female plug with straight solder pins 16-pole	0	10	6,26
722-832	Female plug with angled solder pins 2-pole, light gray	0	100	0,98
722-832/005-000	Female plug with angled, long contact pins 2-pole, light gray	0	100	1,16
722-832/039-000	Female plug with locking levers 2-pole, light gray	0	50	1,26
722-832/047-000	Female plug with spacers 100% protected against mismatching, light gray	0	50	1,18
722-833	Female plug with angled solder pins 3-pole, light gray	0	100	1,35
722-833/005-000	Female plug with angled, long contact pins 3-pole, light gray	0	50	1,62
722-833/031-000	Female plug with feedthrough flanges 3-pole, light gray	0	50	1,54
722-833/039-000	Female plug with locking levers 3-pole	0	50	1,62
722-833/047-000	Female plug with spacers 3-pole, light gray	0	50	1,54
722-834	Female plug with angled solder pins 4-pole, light gray	0	50	1,73
722-834/005-000	Female plug with angled, long contact pins 4-pole, light gray	0	50	2,05
722-834/031-000	Female plug with feedthrough flanges 4-pole, light gray	0	50	1,93
722-834/039-000	Female plug with locking levers 4-pole	0	50	2
722-834/047-000	Female plug with spacers 100% protected against mismatching, light gray	0	50	1,92
722-835	Female plug with angled solder pins 5-pole, light gray	0	50	2,09
722-835/005-000	Female plug with angled, long contact pins 5-pole, light gray	0	50	2,5
722-835/039-000	Female plug with locking levers 5-pole, light gray	0	50	2,36
722-835/047-000	Female plug with spacers 100% protected against mismatching, light gray	0	50	2,29

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
722-836	Female plug with angled solder pins 6-pole, light gray	0	50	2,49
722-836/005-000	Female plug with angled, long contact pins 6-pole, light gray	0	50	2,95
722-836/005-000/039-000	Female plug with locking levers 6-pole, light gray	0	50	3,21
722-836/031-000	Female plug with fixing flange 6-pole, light gray	0	25	2,68
722-836/039-000	Female plug with locking levers 6-pole, light gray	0	25	2,76
722-836/047-000	Female plug with spacers 6-pole, light gray	0	25	2,68
722-837	Female plug with angled solder pins 7-pole, light gray	0	50	2,85
722-837/031-000	Female plug with fixing flange 7-pole, light gray	0	25	3,06
722-837/039-000	Female plug with locking levers 7-pole, light gray	0	25	3,13
722-837/047-000	Female plug with spacers 100% protected against mismatching, light gray	0	25	3,05
722-838	Female plug with angled solder pins 8-pole, light gray	0	25	3,23
722-838/005-000	Female plug with angled, long contact pins 8-pole, light gray	0	25	3,86
722-838/039-000	Female plug with locking levers 8-pole, light gray	0	25	3,51
722-838/047-000	Female plug with spacers 100% protected against mismatching, light gray	0	25	3,42
722-839	Female plug with angled solder pins 9-pole, light gray	0	25	3,63
722-839/039-000	Female plug with locking levers 9-pole, light gray	0	25	3,88
722-839/047-000	Female plug with spacers 100% protected against mismatching, light gray	0	25	3,82
722-840	Female plug with angled solder pins 10-pole, light gray	0	25	3,99
722-840/039-000	Female plug with locking levers 10-pole, light gray	0	25	4,26
722-840/047-000	Female plug with spacers 100% protected against mismatching, light gray	0	25	4,18
722-841	Female plug with angled solder pins 11-pole, light gray	0	25	4,36
722-841/005-000	Female plug with angled, long contact pins 11-pole, light gray	0	25	4,46
722-841/039-000	Female plug with locking levers 11-pole, light gray	0	10	4,64
722-841/047-000	Female plug with spacers 100% protected against mismatching, light gray	0	10	4,56
722-842	Female plug with angled solder pins 12-pole, light gray	0	25	4,74
722-842/005-000	Female plug with angled, long contact pins 12-pole, light gray	0	25	5,65

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
722-842/005-000/039-000	Female plug 100% protected against mismatching with angled, long contact pins	0	25	5,89
722-842/031-000	Female plug with fixing flange 12-pole, light gray	0	10	4,93
722-842/039-000	Female plug with locking levers 12-pole, light gray	0	10	5
722-842/047-000	Female plug with spacers 100% protected against mismatching, light gray	0	10	4,93
723-216/026-000	Female plug 100% protected against mismatching, light gray	0	25	2,67
723-602	Male connector 2-pole Pin spacing 7.5 mm / 0.295 in, light gray	0	100	1,55
723-602/000-034	Male connector 100% protected against mismatching, light gray	0	100	1,85
723-602/000-040	Male connector 100% protected against mismatching, light gray	0	100	1,62
723-602/018-000	Male connector with snap-in mounting foot 2-pole, light gray	0	100	1,55
723-602/019-000	Male connector with fixing flanges 2-pole, light gray	0	50	1,74
723-602/032-000	Male connector	0	50	2,21
723-602/032-040	Male connector 100% protected against mismatching with strain relief, light gray	0	50	2,26
723-602/114-000	Male connector with snap-in flanges for panel feedthrough applications 2-pole, light gray	0	50	2,03
723-603	Male connector 3-pole Pin spacing 7.5 mm / 0.295 in, light gray	0	100	2,01
723-603/000-042	Male connector 3-pole Pin spacing 7.5 mm / 0.295 in, light gray	0	100	2,23
723-603/018-000	Male connector with snap-in mounting foot 3-pole, light gray	0	100	2,01
723-603/018-042	Male connector with snap-in mounting foot 3-pole, light gray	0	100	2,23
723-603/019-000	Male connector with fixing flanges 3-pole, light gray	0	50	2,19
723-603/019-042	Male connector with fixing flanges 3-pole, light gray	0	50	2,39
723-603/032-000	Male connector 100% protected against mismatching Strain relief plate, light gray	0	50	2,66
723-603/114-000	Male connector with snap-in flanges for panel feedthrough applications 2-pole, light gray	0	50	2,49
723-604	Male connector 4-pole Pin spacing 7.5 mm / 0.295 in, light gray	0	50	2,43
723-604/000-042	Male connector 4-pole Pin spacing 7.5 mm / 0.295 in, light gray	0	50	2,66
723-604/018-000	Male connector with snap-in mounting foot 4-pole, light gray	0	50	2,43
723-604/018-034	Male connector 100% protected against mismatching with snap-in mounting foot	0	50	2,76
723-604/018-042	Male connector with snap-in mounting foot 4-pole, light gray	0	50	2,66

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
723-604/019-000	Male connector with fixing flanges 4-pole, light gray	0	50	2,64
723-604/019-042	Male connector with fixing flanges 4-pole, light gray	0	50	2,84
723-604/019-044	Male connector 100% protected against mismatching with fixing flange, light gray	0	50	2,8
723-604/114-000	Male connector with snap-in flanges for panel feedthrough applications 4-pole, light gray	0	50	2,92
723-605	Male connector 5-pole Pin spacing 7.5 mm / 0.295 in, light gray	0	50	2,87
723-605/000-042	Male connector 5-pole Pin spacing 7.5 mm / 0.295 in, light gray	0	50	3,09
723-605/018-000	Male connector with snap-in mounting foot 5-pole, light gray	0	50	2,87
723-605/018-032	Male connector 100% protected against mismatching with snap-in mounting foot, light gray	0	50	3,18
723-605/018-042	Male connector with snap-in mounting foot with preceding ground contact, light gray	0	50	3,09
723-605/018-042/033-000	Male connector 100% protected against mismatching with snap-in mounting foot, light gray	0	50	3,79
723-605/019-000	Male connector with fixing flanges 5-pole, light gray	0	50	3,08
723-605/019-042	Male connector with locking levers 5-pole, light gray	0	50	3,27
723-605/114-000	Male connector with snap-in flanges for panel feedthrough applications 5-pole, light gray	0	25	3,35
723-606	Male connector 6-pole Pin spacing 7.5 mm / 0.295 in, light gray	0	50	3,32
723-606/000-044	Male connector 100% protected against mismatching, light gray	0	50	3,48
723-606/018-000	Male connector with snap-in mounting foot 6-pole, light gray	0	50	3,32
723-606/019-000	Male connector with fixing flanges 6-pole, light gray	0	25	3,52
723-606/019-042	Male connector with locking levers 6-pole	0	25	3,72
723-606/114-000	Male connector with snap-in flanges for panel feedthrough applications 6-pole, light gray	0	25	3,79
723-607	Male connector 7-pole Pin spacing 7.5 mm / 0.295 in, light gray	0	50	3,88
723-607/000-034	Male connector 100% protected against mismatching, light gray	0	50	4,17
723-607/018-000	Male connector with snap-in mounting foot 7-pole, light gray	0	50	3,88
723-607/018-034	Male connector 100% protected against mismatching with snap-in mounting foot, light gray	0	50	4,17
723-607/019-000	Male connector with fixing flanges 7-pole, light gray	0	25	4,06
723-607/114-000	Male connector with snap-in flanges for panel feedthrough applications 7-pole, light gray	0	25	4,35
723-608	Male connector 8-pole Pin spacing 7.5 mm / 0.295 in, light gray	0	25	4,32

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
723-608/018-000	Male connector with snap-in mounting foot 8-pole, light gray	0	25	4,32
723-608/018-034	Male connector 100% protected against mismatching with snap-in mounting foot, light gray	0	25	4,62
723-608/019-000	Male connector with fixing flanges 8-pole, light gray	0	25	4,52
723-608/019-000/035-000	Male connector 100% protected against mismatching with fixing flange, light gray	0	25	5,38
723-608/019-042	Male connector with fixing flanges 8-pole, light gray	0	25	4,7
723-608/114-000	Male connector with snap-in flanges for panel feedthrough applications 8-pole, light gray	0	25	4,81
723-609	Male connector 9-pole Pin spacing 7.5 mm / 0.295 in, light gray	0	25	4,74
723-609/000-034	Male connector 100% protected against mismatching, light gray	0	25	5,03
723-609/018-000	Male connector with snap-in mounting foot 9-pole, light gray	0	25	4,74
723-609/018-034	Male connector 100% protected against mismatching with snap-in mounting foot, light gray	0	25	5,03
723-609/019-000	Male connector with fixing flanges 9-pole, light gray	0	25	4,93
723-609/114-000	Male connector with snap-in flanges for panel feedthrough applications 9-pole, light gray	0	25	5,21
723-610	Male connector 10-pole Pin spacing 7.5 mm / 0.295 in, light gray	0	25	5,19
723-610/018-000	Male connector with snap-in mounting foot 10-pole, light gray	0	25	5,19
723-610/019-000	Male connector with fixing flanges 10-pole, light gray	0	25	5,38
723-610/114-000	Male connector with snap-in flanges for panel feedthrough applications 10-pole, light gray	0	10	5,67
723-611	Male connector 11-pole Pin spacing 7.5 mm / 0.295 in, light gray	0	25	5,6
723-611/018-000	Male connector with snap-in mounting foot 11-pole, light gray	0	25	5,6
723-611/019-000	Male connector with fixing flanges 11-pole, light gray	0	10	5,8
723-611/114-000	Male connector with snap-in flanges for panel feedthrough applications 11-pole, light gray	0	10	6,09
723-612	Male connector 12-pole Pin spacing 7.5 mm / 0.295 in, light gray	0	25	6,07
723-612/018-000	Male connector with snap-in mounting foot 12-pole, light gray	0	25	6,07
723-612/019-000	Male connector with fixing flanges 12-pole, light gray	0	10	6,26
723-612/114-000	Male connector with snap-in flanges for panel feedthrough applications 12-pole, light gray	0	10	6,55
731-502/008-000	ANGLED FEMALE CONNECTOR WITH SNAP-IN MOUNTING FOOT, PIN SPACI with snap-in mounting foot 2-pole, gray	0	100	1,11
731-502/031-000	ANGLED FEMALE CONNECTOR WITH FIXING FLANGES, PIN SPACING 5 MM with fixing flanges 2-pole, gray	0	100	1,28

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
731-503/008-000	ANGLED FEMALE CONNECTOR WITH SNAP-IN MOUNTING FOOT, PIN SPACI with snap-in mounting foot 3-pole, gray	0	50	1,57
731-503/031-000	ANGLED FEMALE CONNECTOR WITH FIXING FLANGES, PIN SPACING 5 MM with fixing flanges 3-pole, gray	0	50	1,76
731-504/008-000	ANGLED FEMALE CONNECTOR WITH SNAP-IN MOUNTING FOOT, PIN SPACI with snap-in mounting foot 4-pole, gray	0	50	2,07
731-504/031-000	ANGLED FEMALE CONNECTOR WITH FIXING FLANGES, PIN SPACING 5 MM with fixing flanges 4-pole, gray	0	50	2,25
731-505/008-000	ANGLED FEMALE CONNECTOR WITH SNAP-IN MOUNTING FOOT, PIN SPACI with snap-in mounting foot 5-pole, gray	0	50	2,55
731-505/031-000	ANGLED FEMALE CONNECTOR WITH FIXING FLANGES, PIN SPACING 5 MM with fixing flanges 5-pole, gray	0	50	2,72
731-506/008-000	ANGLED FEMALE CONNECTOR WITH SNAP-IN MOUNTING FOOT, PIN SPACI with snap-in mounting foot 6-pole, gray	0	50	3,05
731-506/031-000	ANGLED FEMALE CONNECTOR WITH FIXING FLANGES, PIN SPACING 5 MM with fixing flanges 6-pole, gray	0	50	3,21
731-507/008-000	Angled female connector with snap-in mounting foot 7-pole, gray	0	50	3,52
731-507/031-000	Angled female connector with fixing flanges 7-pole, gray	0	50	3,68
731-508/008-000	ANGLED FEMALE CONNECTOR WITH SNAP-IN MOUNTING FOOT, PIN SPACI with snap-in mounting foot 8-pole, gray	0	50	3,99
731-508/031-000	ANGLED FEMALE CONNECTOR WITH FIXING FLANGES, PIN SPACING 5 MM with fixing flanges 8-pole, gray	0	50	4,16
731-509/008-000	Angled female connector with snap-in mounting foot 9-pole, gray	0	50	4,5
731-509/031-000	Angled female connector with fixing flanges 9-pole, gray	0	25	4,66
731-510/008-000	ANGLED FEMALE CONNECTOR WITH SNAP-IN MOUNTING FOOT, PIN SPACI with snap-in mounting foot 10-pole, gray	0	50	4,96
731-510/031-000	ANGLED FEMALE CONNECTOR WITH FIXING FLANGES, PIN SPACING 5 MM with fixing flanges 10-pole, gray	0	25	5,15
731-511/008-000	Angled female connector with snap-in mounting foot 11-pole, gray	0	25	5,45
731-511/031-000	Angled female connector with fixing flanges 11-pole, gray	0	25	5,59
731-512/008-000	ANGLED FEMALE CONNECTOR WITH SNAP-IN MOUNTING FOOT, PIN SPACI with snap-in mounting foot 12-pole, gray	0	25	5,91
731-512/031-000	ANGLED FEMALE CONNECTOR WITH FIXING FLANGES, PIN SPACING 5 MM with fixing flanges 12-pole, gray	0	25	6,1
731-513/008-000	Angled female connector with snap-in mounting foot 13-pole, gray	0	25	6,4
731-513/031-000	Angled female connector with fixing flanges 13-pole, gray	0	25	6,58
731-514/008-000	ANGLED FEMALE CONNECTOR WITH SNAP-IN MOUNTING FOOT, PIN SPACI with snap-in mounting foot 14-pole, gray	0	25	6,9
731-514/031-000	ANGLED FEMALE CONNECTOR WITH FIXING FLANGES, PIN SPACING 5 MM with fixing flanges 14-pole, gray	0	25	7,07
731-515/008-000	Angled female connector with snap-in mounting foot 15-pole, gray	0	25	7,37
731-515/031-000	Angled female connector with fixing flanges 15-pole, gray	0	25	7,54

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
731-516/008-000	ANGLED FEMALE CONNECTOR WITH SNAP-IN MOUNTING FOOT, PIN SPACI with snap-in mounting foot 16-pole, gray	0	25	7,84
731-516/031-000	ANGLED FEMALE CONNECTOR WITH FIXING FLANGES, PIN SPACING 5 MM with fixing flanges 16-pole, gray	0	10	8,04
731-517/008-000	Angled female connector with snap-in mounting foot 17-pole, gray	0	25	8,34
731-517/031-000	Angled female connector with fixing flanges 17-pole, gray	0	10	8,51
731-518/008-000	Angled female connector with snap-in mounting foot 18-pole, gray	0	25	8,81
731-518/031-000	Angled female connector with fixing flanges 18-pole, gray	0	10	8,98
731-519/008-000	Angled female connector with snap-in mounting foot 19-pole, gray	0	10	9,27
731-519/031-000	Angled female connector with fixing flanges 19-pole, gray	0	10	9,48
731-520/008-000	ANGLED FEMALE CONNECTOR WITH SNAP-IN MOUNTING FOOT, PIN SPACI with snap-in mounting foot 20-pole, gray	0	10	9,78
731-520/031-000	ANGLED FEMALE CONNECTOR WITH FIXING FLANGES, PIN SPACING 5 MM with fixing flanges 20-pole, gray	0	10	9,96
731-532/008-000	MCS-FEDERL. OM/RF 7,5MM 2POL with snap-in mounting foot 2-pole, gray	0	100	1,16
731-532/031-000	MCS-FEDERL. OM/BEF.FLA.7,5MM 2POL with fixing flanges 2-pole, gray	0	50	1,34
731-533/008-000	Angled female connector with snap-in mounting foot 3-pole, gray	0	100	1,68
731-533/031-000	Angled female connector with fixing flanges 3-pole, gray	0	50	1,84
731-534/008-000	Angled female connector with snap-in mounting foot 4-pole, gray	0	50	2,15
731-534/031-000	Angled female connector with fixing flanges 4-pole, gray	0	50	2,34
731-535	Female plug for panel mounting with snap-in mounting foot, gray	0	50	2,67
731-535/008-000	Angled female connector with snap-in mounting foot 5-pole, gray	0	50	2,67
731-535/031-000	Angled female connector with fixing flanges 5-pole, gray	0	50	2,84
731-536/008-000	Angled female connector with snap-in mounting foot 6-pole, gray	0	50	3,16
731-536/031-000	Angled female connector with fixing flanges 6-pole, gray	0	25	3,34
731-537/008-000	Angled female connector with snap-in mounting foot 7-pole, gray	0	50	3,66
731-537/031-000	Angled female connector with fixing flanges 7-pole, gray	0	25	3,85
731-538/008-000	Angled female connector with snap-in mounting foot 8-pole, gray	0	25	4,15
731-538/031-000	Angled female connector with fixing flanges 8-pole, gray	0	25	4,33
731-539/008-000	Angled female connector with snap-in mounting foot 9-pole, gray	0	25	4,66

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
731-539/031-000	Angled female connector with fixing flanges 9-pole, gray	0	25	4,84
731-540/008-000	Angled female connector with snap-in mounting foot 10-pole, gray	0	25	5,16
731-540/031-000	Angled female connector with fixing flanges 10-pole, gray	0	25	5,34
731-541/008-000	Angled female connector with snap-in mounting foot 11-pole, gray	0	25	5,68
731-541/031-000	Angled female connector with fixing flanges 11-pole, gray	0	10	5,84
731-542/008-000	Angled female connector with snap-in mounting foot 12-pole, gray	0	25	6,14
731-542/031-000	Angled female connector with fixing flanges 12-pole, gray	0	10	6,33
731-543/008-000	Angled female connector with snap-in mounting foot 13-pole, gray	0	10	6,66
731-546/008-000	Angled female connector with snap-in mounting foot 16-pole, gray	0	10	8,15
731-546/031-000	Angled female connector with fixing flanges 16-pole, gray	0	10	8,34
731-602	Male connector 2-pole Pin spacing 7.5 mm / 0.295 in, gray	0	100	1,48
731-602/018-000	Male connector with snap-in mounting foot 2-pole, gray	0	100	1,48
731-602/019-000	Male connector with fixing flanges 2-pole, gray	0	50	1,66
731-602/114-000	Male connector with snap-in flanges for panel feedthrough applications 2-pole, gray	0	50	1,95
731-603	Male connector 3-pole Pin spacing 7.5 mm / 0.295 in, gray	0	100	1,9
731-603/000-044/033-000	Male connector with strain relief, gray	0	50	2,76
731-603/018-000	Male connector with snap-in mounting foot 3-pole, gray	0	100	1,9
731-603/019-000	Male connector with fixing flanges 3-pole, gray	0	50	2,06
731-603/114-000	Male connector with snap-in flanges for panel feedthrough applications 3-pole, gray	0	50	2,36
731-604	MALE CONNECTOR 7.5 MM 4-P, GREY 4-pole Pin spacing 7.5 mm / 0.295 in, gray	0	50	2,32
731-604/018-000	MALE CONNECTOR WITH SNAP-IN MOUNTING FOOT 7.5 MM 4-P, GREY with snap-in mounting foot 4-pole, gray	0	50	2,32
731-604/019-000	MALE CONNECTOR WITH FIXING FLANGE 7.5 MM 4-P, GREY with fixing flanges 4-pole, gray	0	50	2,49
731-604/114-000	Male connector with snap-in flanges for panel feedthrough applications 4-pole, gray	0	50	2,8
731-605	Male connector 5-pole Pin spacing 7.5 mm / 0.295 in, gray	0	50	2,71
731-605/018-000	Male connector with snap-in mounting foot 5-pole, gray	0	50	2,71
731-605/019-000	Male connector with fixing flanges 5-pole, gray	0	50	2,88

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
731-605/114-000	Male connector with snap-in flanges for panel feedthrough applications 5-pole, gray	0	25	3,2
731-606	MALE CONNECTOR 7.5 MM 6-P, GREY 6-pole Pin spacing 7.5 mm / 0.295 in, gray	0	50	3,14
731-606/018-000	Male connector with snap-in mounting foot 6-pole, gray	0	50	3,14
731-606/019-000	Male connector with fixing flanges 6-pole, gray	0	25	3,3
731-606/114-000	Male connector with snap-in flanges for panel feedthrough applications 6-pole, gray	0	25	3,61
731-607	Male connector 7-pole Pin spacing 7.5 mm / 0.295 in, gray	0	50	3,66
731-607/018-000	Male connector with snap-in mounting foot 7-pole, gray	0	50	3,66
731-607/019-000	Male connector with fixing flanges 7-pole, gray	0	25	3,85
731-607/114-000	Male connector with snap-in flanges for panel feedthrough applications 7-pole, gray	0	25	4,13
731-608	STRAIGHT MALE CONNECTOR, PIN SPACING 7.5MM 8-P, GREY 8-pole Pin spacing 7.5 mm / 0.295 in, gray	0	25	4,06
731-608/018-000	Male connector with snap-in mounting foot 8-pole, gray	0	25	4,06
731-608/019-000	Male connector with fixing flanges 8-pole, gray	0	25	4,26
731-608/114-000	Male connector with snap-in flanges for panel feedthrough applications 8-pole, gray	0	25	4,55
731-609	Male connector 9-pole Pin spacing 7.5 mm / 0.295 in, gray	0	25	4,5
731-609/018-000	Male connector with snap-in mounting foot 9-pole, gray	0	25	4,5
731-609/019-000	Male connector with fixing flanges 9-pole, gray	0	25	4,66
731-609/114-000	Male connector with snap-in flanges for panel feedthrough applications 9-pole, gray	0	25	4,95
731-610	Male connector 10-pole Pin spacing 7.5 mm / 0.295 in, gray	0	25	4,89
731-610/018-000	Male connector with snap-in mounting foot 10-pole, gray	0	25	4,89
731-610/019-000	Male connector with fixing flanges 10-pole, gray	0	25	5,09
731-610/114-000	Male connector with snap-in flanges for panel feedthrough applications 10-pole, gray	0	10	5,37
731-611	Male connector 11-pole Pin spacing 7.5 mm / 0.295 in, gray	0	25	5,3
731-611/018-000	Male connector with snap-in mounting foot 11-pole, gray	0	25	5,3
731-611/019-000	Male connector with fixing flanges 11-pole, gray	0	10	5,49
731-611/114-000	Male connector with snap-in flanges for panel feedthrough applications 11-pole, gray	0	10	5,79
731-612	Male connector 12-pole Pin spacing 7.5 mm / 0.295 in, gray	0	25	5,73

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
731-612/018-000	Male connector with snap-in mounting foot 12-pole, gray	0	25	5,73
731-612/019-000	Male connector with fixing flanges 12-pole, gray	0	10	5,88
731-612/114-000	Male connector with snap-in flanges for panel feedthrough applications 12-pole, gray	0	10	6,18
731-613	Male connector 13-pole Pin spacing 7.5 mm / 0.295 in, gray	0	10	6,13
731-613/018-000	Male connector with snap-in mounting foot 13-pole, gray	0	10	6,13
731-613/019-000	Male connector with fixing flanges 13-pole, gray	0	10	6,32
731-613/114-000	Male connector with snap-in flanges for panel feedthrough applications 13-pole, gray	0	10	6,61
731-616	Male connector 16-pole Pin spacing 7.5 mm / 0.295 in, gray	0	10	7,41
731-616/018-000	Male connector with snap-in mounting foot 16-pole, gray	0	10	7,41
731-616/019-000	Male connector with fixing flanges 16-pole, gray	0	10	7,59
731-616/114-000	Male connector with snap-in flanges for panel feedthrough applications 16-pole, gray	0	10	7,87
731-632	Male connector 2-pole Pin spacing 7.62 mm / 0.3 in, orange	0	100	1,48
731-632/000-044	Male connector orange	0	100	1,63
731-632/018-000	Male connector with snap-in mounting foot 2-pole, orange	0	100	1,48
731-632/019-000	Male connector with fixing flanges 2-pole, orange	0	50	1,66
731-632/114-000	Male connector with snap-in flanges for panel feedthrough applications 2-pole, orange	0	50	1,95
731-633	Male connector 3-pole Pin spacing 7.62 mm / 0.3 in, orange	0	100	1,9
731-633/018-000	Male connector with snap-in mounting foot 3-pole, orange	0	100	1,9
731-633/019-000	Male connector with fixing flanges 3-pole, orange	0	50	2,06
731-633/019-000/033-000	Male connector with fixing flange with strain relief, orange	0	50	2,79
731-633/114-000	Male connector with snap-in flanges for panel feedthrough applications 3-pole, orange	0	50	2,36
731-634	MALE CONNECTOR 7.62 MM 4-P, ORANGE 4-pole Pin spacing 7.62 mm / 0.3 in, orange	0	50	2,32
731-634/018-000	MALE CONNECTOR WITH SNAP-IN MOUNTING FOOT 7.62 MM 4-P, ORANGE with snap-in mounting foot 4-pole, orange	0	50	2,32
731-634/019-000	MALE CONNECTOR WITH FIXING FLANGE 7.62 MM 4-P, ORANGE with fixing flanges 4-pole, orange	0	50	2,49
731-634/114-000	Male connector with snap-in flanges for panel feedthrough applications 4-pole, orange	0	50	2,8
731-635	Male connector 5-pole Pin spacing 7.62 mm / 0.3 in, orange	0	50	2,71

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
731-635/018-000	Male connector with snap-in mounting foot 5-pole, orange	0	50	2,71
731-635/018-000/033-000	Male connector with snap-in mounting foot Strain relief plate, orange	0	50	3,44
731-635/019-000	Male connector with fixing flanges 5-pole, orange	0	50	2,88
731-635/114-000	Male connector with snap-in flanges for panel feedthrough applications 5-pole, orange	0	25	3,2
731-636	Male connector 6-pole Pin spacing 7.62 mm / 0.3 in, orange	0	50	3,14
731-636/018-000	Male connector with snap-in mounting foot 6-pole, orange	0	50	3,14
731-636/019-000	Male connector with fixing flanges 6-pole, orange	0	25	3,3
731-636/114-000	Male connector with snap-in flanges for panel feedthrough applications 6-pole, orange	0	25	3,61
731-637	Male connector 7-pole Pin spacing 7.62 mm / 0.3 in, orange	0	50	3,66
731-637/018-000	Male connector with snap-in mounting foot 7-pole, orange	0	50	3,66
731-637/019-000	Male connector with fixing flanges 7-pole, orange	0	25	3,85
731-637/114-000	Male connector with snap-in flanges for panel feedthrough applications 7-pole, orange	0	25	4,13
731-638	Male connector 8-pole Pin spacing 7.62 mm / 0.3 in, orange	0	25	4,06
731-638/018-000	Male connector with snap-in mounting foot 8-pole, orange	0	25	4,06
731-638/018-000/035-000	Male connector with snap-in mounting feet with strain relief, orange	0	25	4,93
731-638/019-000	Male connector with fixing flanges 8-pole, orange	0	25	4,26
731-638/114-000	Male connector with snap-in flanges for panel feedthrough applications 8-pole, orange	0	25	4,55
731-639	Male connector 9-pole Pin spacing 7.62 mm / 0.3 in, orange	0	25	4,5
731-639/018-000	Male connector with snap-in mounting foot 9-pole, orange	0	25	4,5
731-639/018-000/035-000	Male connector with snap-in mounting feet with strain relief, orange	0	25	5,35
731-639/019-000	Male connector with fixing flanges 9-pole, orange	0	25	4,66
731-639/019-000/035-000	Male connector with fixing flange with strain relief, orange	0	25	5,52
731-639/114-000	Male connector with snap-in flanges for panel feedthrough applications 9-pole, orange	0	25	4,95
731-640	Male connector 10-pole Pin spacing 7.62 mm / 0.3 in, orange	0	25	4,89
731-640/018-000	Male connector with snap-in mounting foot 10-pole, orange	0	25	4,89
731-640/019-000	Male connector with fixing flanges 10-pole, orange	0	25	5,09

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
731-640/114-000	Male connector with snap-in flanges for panel feedthrough applications 10-pole, orange	0	10	5,37
731-641	Male connector 11-pole Pin spacing 7.62 mm / 0.3 in, orange	0	25	5,3
731-641/018-000	Male connector with snap-in mounting foot 11-pole, orange	0	25	5,3
731-641/019-000	Male connector with fixing flanges 11-pole, orange	0	10	5,49
731-641/114-000	Male connector with snap-in flanges for panel feedthrough applications 11-pole, orange	0	10	5,79
731-642	Male connector 12-pole Pin spacing 7.62 mm / 0.3 in, orange	0	25	5,73
731-642/018-000	Male connector with snap-in mounting foot 12-pole, orange	0	25	5,73
731-642/019-000	Male connector with fixing flanges 12-pole, orange	0	10	5,88
731-642/114-000	Male connector with snap-in flanges for panel feedthrough applications 12-pole, orange	0	10	6,18
732-102/026-000	Angled female connector 2-pole Pin spacing 7.5 mm / 0.295 in, gray	0	100	1,15
732-103/026-000	Angled female connector 3-pole Pin spacing 7.5 mm / 0.295 in, gray	0	100	1,63
732-104/026-000	ANGLED FEMALE PLUG, PIN SPACING 7.5 MM WITH CODIG FINGERS COND 4-pole Pin spacing 7.5 mm / 0.295 in, gray	0	50	2,1
732-105/026-000	Angled female connector 5-pole Pin spacing 7.5 mm / 0.295 in, gray	0	25	2,64
732-106/026-000	Angled female connector 6-pole Pin spacing 7.5 mm / 0.295 in, gray	0	50	3,17
732-107/026-000	Angled female connector 7-pole Pin spacing 7.5 mm / 0.295 in, gray	0	50	3,64
732-108/026-000	Angled female connector 8-pole Pin spacing 7.5 mm / 0.295 in, gray	0	25	4,15
732-109/026-000	Angled female connector 9-pole Pin spacing 7.5 mm / 0.295 in, gray	0	25	4,58
732-110/026-000	Angled female connector 10-pole Pin spacing 7.5 mm / 0.295 in, gray	0	25	5,1
732-111/026-000	Angled female connector 11-pole Pin spacing 7.5 mm / 0.295 in, gray	0	25	5,57
732-112/026-000	Angled female connector 12-pole Pin spacing 7.5 mm / 0.295 in, gray	0	25	6,1
732-113/026-000	Angled female connector 13-pole Pin spacing 7.5 mm / 0.295 in, gray	0	10	6,47
732-116/026-000	Angled female connector 16-pole Pin spacing 7.5 mm / 0.295 in, gray	0	10	8,1
732-116/026-000/035-000	Angled female connector Conductor entry opposite of latches with strain relief, gray	0	10	8,94
732-122/026-000	Angled female connector 2-pole Pin spacing 7.62 mm / 0.3 in, orange	0	100	1,15
732-123/026-000	Angled female connector 3-pole Pin spacing 7.62 mm / 0.3 in, orange	0	100	1,63
732-124/026-000	ANGLED FEMALE PLUG, PIN SPACING 7.62 MM WITH CODIG FINGERS COND 4-pole Pin spacing 7.62 mm / 0.3 in, orange	0	50	2,1

ARTICLE NUMBER	DESCRIPTION_ENG	disc. cat	PACK. UNIT	PRICE 1 PC
732-125/026-000	Angled female connector 5-pole Pin spacing 7.62 mm / 0.3 in, orange	0	50	2,64
732-126/026-000	Angled female connector 6-pole Pin spacing 7.62 mm / 0.3 in, orange	0	50	3,17
732-127/026-000	Angled female connector 7-pole Pin spacing 7.62 mm / 0.3 in, orange	0	50	3,64
732-128/026-000	Angled female connector 8-pole Pin spacing 7.62 mm / 0.3 in, orange	0	25	4,15
732-129/026-000	Angled female connector 9-pole Pin spacing 7.62 mm / 0.3 in, orange	0	25	4,58
732-130/026-000	Angled female connector 10-pole Pin spacing 7.62 mm / 0.3 in, orange	0	25	5,1
732-131/026-000	Angled female connector 11-pole Pin spacing 7.62 mm / 0.3 in, orange	0	25	5,57
732-132/026-000	Angled female connector 12-pole Pin spacing 7.62 mm / 0.3 in, orange	0	25	6,1