



ΠΑΝΑΓΙΩΤΗΣ ΣΠ. ΔΗΜΟΥΛΑΣ – ΒΑΙΑ ΣΠ. ΔΗΜΟΥΛΑ Ε.Ε.

ΔΗΜΟΥΛΑΣ ΑΥΤΟΜΑΤΙΣΜΟΙ

ΣΥΣΤΗΜΑΤΑ ΜΕΤΡΗΣΕΩΝ ΚΑΙ ΑΥΤΟΜΑΤΙΣΜΟΥ

ΚΡΗΤΗΣ 26 – 10439 ΑΘΗΝΑ ΤΗΛ: 210 8833337 ΦΑΞ: 210 8834436











SITE: www.dimoulas.com.gr




ΚΛΕΜΜΕΣ WAGO ΑΙΣΘΗΤΗΡΙΩΝ-ΕΝΕΡΓΟΠΟΙΗΤΩΝ



ΣΗΜΕΙΩΣΗ:

Σε περίπτωση οποιασδήποτε διαφοροποίησης των περιγραφών από αυτές του κατασκευαστή, υπερισχύουν πάντα οι περιγραφές του κατασκευαστή



Οι εμφανιζόμενοι τύποι των κλεμμών σε κάθε κατηγορία είναι ενδεικτικοί


ΕΙΚΟΝΑ	ΚΩΔΙΚΟΣ	ΤΜΧ.	PACK. UNIT	ΠΕΡΙΓΡΑΦΗ	ΑΞΙΑ 1 ΤΜΧ	ΕΚΠΤ. (%)	ΚΑΘ. ΑΞΙΑ	ΤΕΛ. ΑΞΙΑ ΣΥΣΚΕΥ.
ΓΙΑ ΑΙΣΘΗΤΗΡΙΑ (SENSORS) 3-ΑΓΩΓΩΝ								
	280-560	50	50	4-C. SENSOR TERMINAL BLOCK FOR 3-CONDUCTOR SENSORS (CIRCUIT I) 2.5MM, GREY	2,32	35	1,51	75,40
	280-564	10	10	2-C. SENSOR SUPPLY (FROM SENSOR SIDE) TERMINAL BLOCK FOR 3-CONDUCTOR SENSORS T.B. 2.5MM, GRAY	1,91	35	1,24	12,42
	280-567	20	20	2-C. SENSOR SUPPLY (FROM CONTROL PANEL SIDE) TERMINAL BLOCK FOR 3-CONDUCTOR SENSORS T.B., WITH END PLATE 2.5MM, GREY	2,42	35	1,57	31,46
  								
ΜΕ LED ΓΙΑ ΑΙΣΘΗΤΗΡΙΑ 3-ΑΓΩΓΩΝ								
	280-560/281-434	50	50	4-C. SENSOR LED (24VDC) TERMINAL BLOCK FOR PNP SWITCHING 3-CONDUCTOR SENSORS (CIRCUIT I) 2.5MM, GREY	4,39	35	2,85	142,68
	280-564/281-483	10	10	2-C. SENSOR LED (24VDC) SUPPLY (FROM SENSOR SIDE) TERMINAL BLOCK FOR PNP SWITCHING 3-CONDUCTOR SENSORS (CIRCUIT I) 2.5MM, GRAY	4,06	35	2,64	26,39
 								
ΓΙΑ ΑΙΣΘΗΤΗΡΙΑ 3-ΑΓΩΓΩΝ ΚΑΙ ΓΕΙΩΣΗΣ								

	280-570	50	50	5-C. SENSOR TERMINAL BLOCK WITH EARTH CONNECTION FOR 3-CONDUCTOR SENSORS 2.5MM, GREY	4,69	35	3,05	152,43
	280-574	10	10	4-C. SENSOR SUPPLY (FROM SENSOR SIDE) TERMINAL BLOCK, FOR 3-CONDUCTOR SENSORS WITH EARTH CONNECTION T.B. 2.5MM, GRAY	3,99	35	2,59	25,94
	280-577	20	20	4-C. SENSOR SUPPLY (FROM CONTROL PANEL SIDE) TERMINAL BLOCK WITH END PLATE, FOR 3-CONDUCTOR SENSORS WITH EARTH CONNECTION T.B. 2.5MM, GRAY	4,49	35	2,92	58,37








ME LED ΓΙΑ ΑΙΣΘΗΤΗΡΙΑ 3-ΑΓΩΓΩΝ ΚΑΙ ΓΕΙΩΣΗΣ

	280-570/281-434	50	50	5-C. SENSOR LED (24VDC) TERMINAL BLOCK FOR PNP SWITCHING 3-CONDUCTOR SENSORS WITH EARTH CONNECTION 2.5MM, GREY	6,33	35	4,11	205,73
	280-574/281-483	10	10	4-C. SENSOR LED (24VDC) SUPPLY (FROM SENSOR SIDE) TERMINAL BLOCK FOR PNP SWITCHING 3-CONDUCTOR SENSORS WITH EARTH CONNECTION (CIRCUIT I) 2.5MM, GRAY	5,77	35	3,75	37,51
-	280-577/281-496	20	20	4-C. SENSOR LED (24VDC) SUPPLY (FROM CONTROL PANEL SIDE) TERMINAL BLOCK WITH END PLATE FOR PNP (POSITIVE) SWITCHING 3-CONDUCTOR SENSORS WITH EARTH CONNECTION (CIRCUIT II) 2.5MM, GRAY	6,04	35	3,93	78,52






ΓΙΑ ΑΙΣΘΗΤΗΡΙΑ 4-ΑΓΩΓΩΝ

	280-580	50	50	6-C. SENSOR TERMINAL BLOCK FOR 4-CONDUCTOR SENSORS 2.5MM, GREY	3,85	35	2,50	125,13
	280-588/280-320	50	50	6-C. SENSOR TERMINAL BLOCK FOR FUSE PLUGS, FOR PNP SWITCHING 4-CONDUCTOR SENSORS, WITH GRAY END PLATE 2.5MM, GREY	4,42	35	2,87	143,65
	280-584	10	10	2-C. SENSOR SUPPLY (FROM SENSOR SIDE) TERMINAL BLOCK, FOR 4-CONDUCTOR SENSORS T.B. 2.5MM, GRAY	2,19	35	1,42	14,24



	280-587	20	20	2-C. SENSOR SUPPLY (FROM CONTROL PANEL SIDE) TERMINAL BLOCK FOR 4-CONDUCTOR SENSORS T.B., WITH END PLATE 2.5MM, GREY	2,22	35	1,44	28,86
								


ME LED ΓΙΑ ΑΙΣΘΗΤΗΡΙΑ 4-ΑΓΩΓΩΝ

	280-580/281-434	50	50	6-C. SENSOR LED (24VDC) TERMINAL BLOCK FOR PNP SWITCHING 4-CONDUCTOR SENSORS (CIRCUIT I) 2.5MM, GREY	5,82	35	3,78	189,15
	280-584/281-483	10	10	2-C. SENSOR LED (24VDC) SUPPLY (FROM SENSOR SIDE) TERMINAL BLOCK FOR PNP SWITCHING 4-CONDUCTOR SENSORS (CIRCUIT I) 2.5MM, GREY	4,34	35	2,82	28,21







ΓΙΑ ΕΝΕΡΓΟΠΟΙΗΤΕΣ (ACTUATORS) ΔΙΑΚΟΠΤΩΝ ΠΙΕΣΗΣ, ΘΕΡΜΟΣΤΟΙΧΕΙΩΝ, ΚΑΠ

	280-555	50	50	3-C. ACTUATOR TERMINAL BLOCK FOR PRESSURE SWITCHES, THERMOCOUPLES, etc (CIRCUIT I) 2.5MM, GREY	2,31	35	1,50	75,08
	280-556	20	20	1-C. ACTUATOR SUPPLY (WITH 280-555: FROM CONTROL PANEL SIDE, WITH 280-554: FROM ACTUATOR SIDE) TERMINAL BLOCK, WITH END PLATE FOR PRESSURE SWITCHES, THERMOCOUPLES etc. 2.5MM, GREY	1,68	35	1,09	21,84




ΓΙΑ ΕΝΕΡΓΟΠΟΙΗΤΕΣ ΜΑΓΝΗΤΙΚΩΝ ΒΑΛΒΙΔΩΝ, ΣΕΡΒΟΚΙΝΗΤΗΡΩΝ, ΚΑΠ


	280-562	50	50	3-C. ACTUATOR TERMINAL BLOCK FOR MAGNETIC VALVES, SERVOMOTORS, etc 2.5MM, GREY	2,31	35	1,50	75,08
	280-562/281-411	50	50	3-C. ACTUATOR TERMINAL BLOCK WITH RECOVERY DIODE 1N4007 FOR MAGNETIC VALVES, SERVOMOTORS, etc 2.5MM, GREY	3,49	35	2,27	113,43
	280-592	10	10	1-C. ACTUATOR SUPPLY (ACTUATOR SIDE) TERMINAL BLOCK 2.5MM, GREY	1,18	35	0,77	7,67

	280-568	20	20	2-C. ACTUATOR SUPPLY (FROM CONTROL PANEL SIDE) TERMINAL BLOCK FOR MAGNETIC VALVES, SERVOMOTORS, etc., WITH END PLATE 2.5MM, GREY	1,68	35	1,09	21,84
---	---------	----	----	--	------	----	------	-------







ΜΕ LED ΓΙΑ ΕΝΕΡΓΟΠΟΙΗΤΕΣ ΜΑΓΝΗΤΙΚΩΝ ΒΑΛΒΙΔΩΝ, ΣΕΡΒΟΚΙΝΗΤΗΡΩΝ, ΚΛΠ

	280-562/281-434		50	3-C. ACTUATOR LED (24VDC) TERMINAL BLOCK FOR MAGNETIC VALVES, SERVOMOTORS, etc (CIRCUIT I) 2.5MM, GREY	4,39	35	2,85	0,00
-	280-562/281-420		50	3-C. ACTUATOR LED (24VDC) TERMINAL BLOCK WITH RECOVERY DIODE 1N4007 FOR MAGNETIC VALVES, SERVOMOTORS, etc (CIRCUIT II) 2.5MM, GREY	5,45	35	3,54	0,00




ΓΙΑ ΕΝΕΡΓΟΠΟΙΗΤΕΣ ΜΑΓΝΗΤΙΚΩΝ ΒΑΛΒΙΔΩΝ, ΣΕΡΒΟΚΙΝΗΤΗΡΩΝ, ΚΛΠ ΜΕ ΓΕΙΩΣΗ


	280-572	50	50	4-C. ACTUATOR TERMINAL BLOCK WITH EARTH CONNECTION FOR MAGNETIC VALVES, SERVOMOTORS (CIRCUIT I) 2.5MM, GREY	4,40	35	2,86	143,00
	280-572/281-411	50	50	4-C. ACTUATOR TERMINAL BLOCK WITH EARTH CONNECTION, WITH RECOVERY DIODE 1N4007, FOR MAGNETIC VALVES, SERVOMOTORS (CIRCUIT II) 2.5MM, GREY	5,97	35	3,88	194,03
	280-593	10	10	3-C. ACTUATOR SUPPLY (ACTUATOR SIDE) TERMINAL BLOCK WITH EARTH CONNECTION 2.5MM, GREY	3,35	35	2,18	21,78
	280-578	20	20	3-C. ACTUATOR SUPPLY (FROM CONTROL PANEL SIDE) TERMINAL BLOCK WITH EARTH CONNECTION, FOR MAGNETIC VALVES, SERVOMOTORS, etc., WITH END PLATE 2.5MM, GREY	3,85	35	2,50	50,05





ΜΕ LED ΓΙΑ ΕΝΕΡΓΟΠΟΙΗΤΕΣ ΜΑΓΝΗΤΙΚΩΝ ΒΑΛΒΙΔΩΝ, ΣΕΡΒΟΚΙΝΗΤΗΡΩΝ, ΚΛΠ ΜΕ ΓΕΙΩΣΗ


	280-572/281-434		50	4-C. ACTUATOR LED (24VDC) TERMINAL BLOCK WITH EARTH CONNECTION, FOR MAGNETIC VALVES, SERVOMOTORS (CIRCUIT I) 2.5MM, GREY	6,01	35	3,91	0,00
--	-----------------	--	----	--	------	----	------	------

-	280-572/281-420	50	4-C. ACTUATOR LED (24VDC) TERMINAL BLOCK WITH EARTH CONNECTION, WITH RECOVERY DIODE 1N4007, FOR MAGNETIC VALVES, SERVOMOTORS (CIRCUIT II) 2.5MM, GREY	7,72	35	5,02	0,00
---	-----------------	----	---	------	----	------	------





ΓΙΑ ΕΝΕΡΓΟΠΟΙΗΤΕΣ ΜΕ ΣΥΝΔΕΣΗ ΘΩΡΑΚΙΣΗΣ ΓΙΑ ΘΕΡΜΟΣΤΟΙΧΕΙΑ ΜΕ ΓΕΙΩΣΗ

	280-585	50	4-C. ACTUATOR TERMINAL BLOCK FOR ACTUATORS WITH SHIELD AND EARTH CONNECTION FOR THERMOCOUPLES 2.5MM, GREY	5,53	35	3,59	0,00
	280-586	50	3-C. ACTUATOR SUPPLY (CONTROL PANEL SIDE) TERMINAL BLOCK, WITH END PLATE, FOR ACTUATORS WITH SHIELD CONDUCTOR THROUGH CONTACT, FOR THERMO SWITCHES 2.5MM, GREY	4,46	35	2,90	0,00



ΓΙΑ ΕΝΕΡΓΟΠΟΙΗΤΕΣ ΜΕ ΑΓΩΓΟ ΘΩΡΑΚΙΣΗΣ ΜΕΣΩ ΕΠΑΦΗΣ ΓΙΑ ΘΕΡΜΟΣΤΟΙΧΕΙΑ

	280-583	50	5-C. ACTUATOR TERMINAL BLOCK FOR ACTUATORS WITH SHIELD CONDUCTOR THR CONTACT FOR THERMOCOUPLES 2.5MM, GREY	3,58	35	2,33	0,00
	280-515	20	1-C. ACTUATOR SUPPLY (CONTROL PANEL SIDE) TERMINAL BLOCK, WITH END PLATE, FOR ACTUATORS WITH SHIELD CONDUCTOR THROUGH CONTACT, FOR THERMOCOUPLES 2.5MM, GREY	2,78	35	1,81	0,00



ΤΕΡΜΑΤΙΚΑ-ΔΙΑΧΩΡΙΣΤΙΚΑ (ΕΝΔΕΙΚΤΙΚΑ)

END PLATE	280-319/32x	100	SENSOR END & INTERMEDIATE PLATE (280-55x/56x/57x/58x), ORANGE	0,34	35	0,22	0,00
-----------	-------------	-----	---	------	----	------	------

ΟΙ ΤΙΜΕΣ ΕΙΝΑΙ ΛΙΑΝΙΚΗΣ ΚΑΙ ΔΕΝ ΠΕΡΙΛΑΜΒΑΝΟΥΝ ΦΠΑ.

ΣΤΕΙΛΤΕ ΜΑΣ Ε-MAIL ΣΤΟ: sales@dimoulas.com.gr με τα στοιχεία σας για την αποστολή της προσφοράς