



VER.DATE: 03/05/2017

Παρακαλούμε για επικαιροποιημένες τιμές ζητήστε το καινούριο τιμοκατάλογο ή προσφορά
ΤΙΜΟΚΑΤΑΛΟΓΟΣ TRANSDUCERS WAGO
ΤΑΞΙΝΟΜΗΣΗ ΑΝΑ ΚΑΤΗΓΟΡΙΑ

Για περισσότερες πληροφορίες του κάθε είδους κάντε κλικ [εδώ](#)

ΟΙ ΤΙΜΕΣ ΕΙΝΑΙ ΛΙΑΝΙΚΗΣ ΚΑΙ ΔΕΝ ΠΕΡΙΛΑΜΒΑΝΟΥΝ ΦΠΑ.

ΣΤΕΙΛΤΕ ΜΑΣ Ε-MAIL ΣΤΟ: sales@dimoulas.com.gr
με τα στοιχεία σας για την αποστολή της προσφοράς

ΣΗΜΕΙΩΣΗ:

Σε περίπτωση οποιασδήποτε διαφοροποίησης των περιγραφών από αυτές του κατασκευαστή, υπερισχύουν πάντα οι περιγραφές του κατασκευαστή

Image	Article No.	Description	DC	Price/pc
ΚΑΤΗΓΟΡΙΑ: 90,1 ISOLATION AMPLIFIERS				
	857-411	JUMPFLEX ISOLATION AMPLIFIER FIXED, 24VDC, 0(4)...20mA, 0(4)...20mA	5	137,9
	857-412	JUMPFLEX ISOLATION AMPLIFIER FIXED, 24VDC, 0(2)...10V to 0(2)...10V	5	137,9
	857-413	JUMPFLEX ISOLATION AMPLIFIER FIXED, 24VDC, 0...10V to 0...20mA	5	137,9
	857-414	JUMPFLEX ISOLATION AMPLIFIER FIXED, 24VDC, 0...10V to 4...20mA	5	137,9
	857-415	JUMPFLEX ISOLATION AMPLIFIER FIXED, 24VDC, 0...20mA to 0...10V	5	137,9
	857-416	JUMPFLEX ISOLATION AMPLIFIER FIXED, 24VDC, 4...20mA to 0...10V	5	137,9
	857-451	JUMPFLEX PASSIVE ISOLATOR 1-CHANNEL, POWER VIA INPUT, 0(4)...20mA, 0(4)...20mA	5	143,5






Image	Article No.	Description	DC	Price/pc
	857-420	JUMPFLEX REPEATER POWER SUPPLY, 24VDC, mA to mA/V	5	151,4
	857-450	JUMPFLEX LOOP-POWERED ISOLATION AMPLIFIER, POWER VIA OUTPUT, mA/V to 4...20mA	5	174,7
	857-400	JUMPFLEX ISOLATION AMPLIFIER, CONFIGURABLE ZERO/SPAN ADJ., 24VDC, mA/V to mA/V	5	207
	857-401	JUMPFLEX ISOLATION AMPLIFIER, 24VDC, mA/V to mA/V, 1 DO	5	220,3
	857-409	JUMPFLEX BIPOLAR ISOLATION AMPLIFIER, 24VDC, mA/V to mA/V	5	220,3
	857-421	JUMPFLEX HART REPEATER POWER SUPPLY, 24VDC, 4...20mA to 4...20mA	5	220,3
	857-423	JUMPFLEX SIGNAL SPLITTER, 24VDC, mA/V to 2x 0(4)...20mA	5	220,3
	857-452	JUMPFLEX PASSIVE ISOLATOR 2-CHANNELS, POWER VIA INPUT, 2x 0(4)...20mA to 2x 0(4)...20mA	5	232,7
	857-424	JUMPFLEX SIGNAL SPLITTER, 24VDC, mA/V to 2x 0(4)...20mA or 0(2)...10V (SWITCHABLE)	0	275
	857-402	JUMPFLEX UNIVERSAL ISOLATION AMPLIFIER, 24VDC, mA/mV/V to mA/V	5	310,6
	2857-401	JUMPFLEX UNIVERSAL ISOLATION AMPLIFIER, 24VDC, mA/V to mA/V, 1 DO	0	312

KΑΤΗΓΟΡΙΑ: 90,2

FREQUENCY TRANSDUCER

Image	Article No.	Description	DC	Price/pc
	857-500	JUMPFLEX FREQUENCY TRANSDUCER, 24VDC, 0.1 HZ ... 120 KHZ to mA/V	5	212,9
KATHΓOPIA: 90,3 CURRENT, VOLTAGE & POWER TRANSDUCERS				
	857-819	JUMPFLEX MILIVOLT TRANSDUCER, 24VDC, -100...100/0....200/1000mV to mA/V	5	189,2
	857-552	JUMPFLEX ROGOWSKI TRANSDUCER, 24VDC, 500/2000A AC to mA/V, 1 DO	5	209,7
	857-550	JUMPFLEX CURRENT TRANSDUCER, 24VDC, 1/5A AC/DC to mA/V, 1 DO	5	209,7
	857-560	JUMPFLEX VOLTAGE TRANSDUCER, 24VDC, 30 or 300 VAC/DC to mA/V, 1 DO	0	290
	857-569	JUMPFLEX POWER TRANSDUCER, 24VDC, 300V/5A VAC/DC to mA/V, 1 DO	0	325
	2857-550	JUMPFLEX CURRENT TRANSDUCER, 24VDC, 100A AC/DC to mA/V, 1 RO, 1 DO	4	342
KATHΓOPIA: 90,4 THRESHOLD VALUE SWITCHES				
	857-531	JUMPFLEX ANALOG THRESHOLD VALUE SWITCH, 24VDC, IN mA/V, OUT 1 ON/ON RO 250V/6A, 1 DO	5	167
	2857-533	JUMPFLEX RTD THRESHOLD VALUE SWITCH, 24VDC, IN 0-100kΩ/PT100...PT20000, OUT 1 ON/OFF RO 250V/6A, 1 DO	0	170,5
	2857-534	JUMPFLEX TC THRESHOLD VALUE SWITCH, 24VDC, IN TC J, K, S etc., OUT 1 ON/ON RO 250V/6A, 1 DO	0	170,5
KATHΓOPIA: 90,5 TEMPERATURE TRANSDUCERS				

Image	Article No.	Description	DC	Price/pc
	857-800	JUMPFLEX TEMP. TRANSDUCER PT100.../1000, RESISTANCE VALUES RANGE 0...1/4.5 KOHM to mA/V	5	156,9
	857-812	JUMPFLEX TEMP. TRANSDUCER, 24VDC, TC K, S, B, R to mA/V	0	168,1
	857-810	JUMPFLEX TEMP. TRANSDUCER, 24VDC, TC J, K to mA/V	5	168,1
	857-801	JUMPFLEX TEMP. TRANSDUCER PT100.../1000, RESISTANCE VALUES RANGE 0...1/4.5 KOHM to mA/V, CONFIGURABLE VIA PC/IPHONE	5	207
	857-820	JUMPFLEX KTY TRANSDUCER KTY to mA/V, 1 DO	5	207
	857-818	JUMPFLEX NI TRANSDUCER NI100.../1000 to mA/V	5	218,2
	857-811	JUMPFLEX TEMP. TRANSDUCER, 24VDC, TC J, K (E, R, N, S, T, B, C) to mA/V, CONFIGURABLE VIA PC/IPHONE	5	218,2
	857-815	JUMPFLEX TEMP. TRANSDUCER, WITHOUT POWER SUPPLY, PT100.../1000 to mA/V	0	225
	857-808	JUMPFLEX TEMP. TRANSDUCER, PT46/CU53 to mA/V	5	237,8
ΚΑΤΗΓΟΡΙΑ: 90,6 POTIPOSITION TRANSDUCER				
	857-809	JUMPFLEX POTIPOSITION TRANSDUCER, 24VDC, POTENTIOMETER 0...100kΩ/RESISTANCE 10...100kΩ to mA/V, 1 DO	5	207
ΚΑΤΗΓΟΡΙΑ: 90,9 ACCESSORIES JUMPFLEX 857				
	857-979	JUMPFLEX SUPPLY AND THROUGH MODULE	5	31,16

Image	Article No.	Description	DC	Price/pc
	857-981	JUMPFLEX ADAPTER WITH 14-P FLAT CABLE CONNECTOR PER DIN 41651, HIGH-SIDE SWITCHING INPUT	5	47,79
	857-982	JUMPFLEX ADAPTER WITH 14-P FLAT CABLE CONNECTOR PER DIN 41651, HIGH-SIDE SWITCHING OUTPUT	5	47,79
	857-986	JUMPFLEX ADAPTER WITH D-SUBMINIATURE MALE CONNECTOR, INPUT	5	47,79
	857-980	JUMPFLEX ADAPTER WITH 16-P FLAT CABLE CONNECTOR PER DIN 41651, ANALOG	5	49,41
	2857-900	SETUP UNIT FOR JUMPFLEX TRANSDUCERS	0	95,44